




++ DESIGN FOR UNIVERSAL USE

SERVICE / FEATURES
144 - 149
6.3 (1/4") SQUARE DRIVE
6.3 1/4" 6.3 1/4"

150 - 163

10 (3/8") SQUARE DRIVE
10 3/8" 10 3/8"

164 - 177
12.5 (1/2") SQUARE DRIVE
12.5 1/2" 12.5 1/2"

178 - 199
20 (3/4") SQUARE DRIVE
20 3/4" 20 3/4"

200 - 205
25 (1") SQUARE DRIVE
25 1" 25 1"

206 - 208
FRiction TYPE RATCHETS

209 - 210
IMPACT TOOLS

211 - 219
BIT RANGE

220 - 229



GEDORE "POWERFUL RATCHETS AND STURDY SOCKETS"



A HUGE VARIETY OF TYPES

- Intelligently designed ratchets meet every demand placed and more besides.
- Sturdy, fine-toothed, durable and extremely resilient
- Top-grade industrial quality for the hardest of continuous uses
- Unrivalled diversity of wrench sockets, metric, inch, TОРХ®, multi-tooth, internal hexagon or slot and cruciform
- Screw head protecting profiles (UD bi-hexagonal and hexagonal)



+ QUALITY FROM A - Z ...

- Use of the best-possible raw materials, most up-to-date machinery and environmentally-friendly production processes
- Our tool specialists vouch for exactness in processing and continuous refinements
- Unique manufacturing processes and special tool treatment bring about the best in results
- Stringent quality checks after each production step ensure a constantly high level



- Customised manufacturing on request

MAXIMUM QUALITY SOCKET SETS...

- Are blue-hammer finished and from GEDORE
- Maximum resilience of the sockets and robustness of the drive parts have turned "GEDORE sockets sets" into a household name internationally
- A name known on the tool market for many years now
- The sturdy and secure way to keep and carry your tools



+ FROM PRECISION MECHANICS TO HEAVY INDUSTRY...

- GEDORE operating tools and accessories for professional tool use in each and every industry
- For heavy continuous use and safety in everyday work
- Available individually or in practical set compilations, in the module or in sets

PRO GEDORE

- Use of high alloy 31CrV3 steel
- Heat formed sockets which have a wear resistant, fine-grained structure and have a long service life
- Narrow production tolerances ensure an ideal load transmission and low wear and guarantee a long service life
- Distinctive ball catch ensure secure fit on the square drive
- Good grip due to deep knurling even when held with oily hands or when working with protective gloves
- Good look due to chrome plating and varnishing
- Broad range in all sizes, drive and drive-side and for a wide range of screw types. One of the most diverse ranges in the market.

(*) Not applicable to 1/4" hexagonal sockets



GEDORE

+ THE GEDORE SOCKET SET



- ▶ Innovative, functional design
- ▶ Sheet steel case - inside-folded, seamless edge provides added strength. The tool and foam inserts are secured to prevent them being lost
- ▶ ABS plastic tool insert, resistant to oils and greases
- ▶ Tool insert with the socket sizes permanently laser marked
- ▶ With the lid closed, the tools sit securely in their pockets
- ▶ Boxes designed so that they can be stacked easily
- ▶ Large, rounded fasteners can be opened and closed even when the user is wearing gloves
- ▶ Contoured carry handle ensures comfortable carrying even for long periods
- ▶ Environmentally-friendly powder-coated in GEDORIT blue



SOCKETS

▶ The range includes an unparalleled variety of sockets to meet all industrial and professional requirements, including the socket with the snug fitting UNIT-Drive profile.




1335 • 1440	48 50		150 163	178 199
			164 177	200 205

+ RATCHET ++



U-20 RATCHETS DESIGN-ORIENTED PREMIUM RATCHETS


6,3 $\frac{1}{4}''$ 10 $\frac{3}{8}''$ 12,5 $\frac{1}{2}''$



RATCHETS

► The properties of our hot-forged spanners also apply to our hot-forged ratchets.

► A special feature of GEDORE ratchets is their mechanism, in which the pawl does not fully engage in the ratchet until full loading is reached. This process is invisible to the naked eye. The movement of the mechanism is in the infinitesimal range, amounting to just a few hundredths of a millimetre. The perfect centred running of the ratchet under load achieved by this design is a significant quality and safety feature of our ratchets. There is no unnecessary stressing of the individual elements when the ratchet is turning with no load, and no possibility of the mechanism tilting under load. This ensures fault-free under-load operation for the life of the ratchet. The design also has a positive effect on working safety. Tooth jumping, that would lead to jerky movement, is completely eliminated, minimizing the risk of accidents. This applies equally to GEDORE lever-activated ratchets and all other GEDORE ratchets.





	Type of ratchet / drive	6,3 1/4"	10 3/8"	12,5 1/2"	20 3/4"	25 1"	Friction-type ratchet	Mode of operation	
Reversible ratchets									
	Reversible ratchet with push-button release and lever change							Use throughout industry and the automotive world - and well as in confined spaces.	
	Reversible ratchet with control lever with centre locking							Particularly for the demanding use experienced in industry and with utility vehicles.	
	Reversible ratchet with push-button release and lever change with centre locking							Particularly for the demanding use experienced in industry and with utility vehicles.	
	Reversible ratchet with push-button release and lever change with centre locking							For an increase in torque. Long design	
	Aluminium reversible ratchet with push-button release and lever change with centre locking							Very lightweight. Especially for work done above your head.	
	Reversible ratchet with metal disc change							Especially for working in confined spaces. As in the automotive business	
	Reversible ratchet with metal disc change							Especially for working in confined spaces.	
	Swivel-head reversible ratchet with metal disc change							Especially for use in the automotive sector. Extra long design	
	Swivel-head reversible ratchet with metal disc change, push-button release and lever change							For an increase in torque. Especially for the utility vehicles sector.	
	Ratchet handle with square coupler							Use throughout industry and the automotive world.	
	Friction-type ratchet							Especially in steel construction and scaffolding	
	Hand ratchet							For progressing fast in confined spaces.	
	T-handle ratchet							For progressing fast in confined spaces.	
	Plastic ratchet							For fast, smooth tightening of bolted connection up to max. 70 N·m.	



NC COROSTOP WEATHER RESISTANT RATCHETS

492
-
493

VDE RATCHETS



505




MANUFACTURING

+ PROCESS FOR SOCKETS ++

Like all hot-forged tools, GEDORE sockets (*) are characterised by their homogeneous structure. The fibres run in parallel with the contour of the tool. The uninterrupted fibre orientation prevents residual stresses in the structure. In cold-forged tools, the fibres or lines of stress may deviate. Fibre orientation is equally important in nature. For example, in a tree, the soft fibre orientation is parallel to the branch, so the wood is resistant to bending and twisting. If fibres become kinked, the branch loses its stability at the kink point and breaks. The low-stress GEDORE sockets withstand suddenly occurring peak forces better than cold formed sockets.

(*) Not applicable to 1/4" hexagonal sockets





GEDORE UNIT DRIVE PROFILE

E-OPTIMUM FORCE CLOSURE PROTECTS SCREW HEADS

++



The GEDORE UNIT DRIVE profile stops screw heads from "turning round and round" by means of a wave form without any tipped or sharp edges. Enlarged, round contact surfaces of the GEDORE tools ensure that torque is reliably transferred -

acting uniformly, as it does, on the screw head. The resulting minimized notching effect prevents any damage to the screw head profile. This represents added safety since - even with damaged screw heads - there is no slipping or turning.





GEDORE UNIT DRIVE PROFILE

bi-hexagon

A large contact surface provides a secure force closure even for those screw heads whose sizes lie outside of the tolerances.


①



②

Uniform distribution of the force on the screw head flanks. The resulting reduced notching effect stops the screw head from turning round and round.


hexagon



③

Thanks to the optimally distributed force up to 20% higher torques can be transferred.

④




Traditional profile

The reduced contact surface lessens the force closure. Certain torque transfer is no longer possible and can become a risk.

①




bi-hexagon



②

The influence exerted of the sharp edges raises the notching effect on the screw head. The profile is ruined.

hexagon



③

Pronounced force on the tip of the screw head profile. Concentrated pressure deforms the screw head.

④

Since there is no longer any torque transfer, the rounded screw head profiles cannot be unscrewed - the tool keeps on slipping.

6.3 MM (1/4") SQUARE DRIVE

6.3 1/4" 6.3 1/4"

RATCHETS 6.3 MM (1/4")

www.gedore.com


2093 U-20

REVERSIBLE RATCHET 1/4"

- Acc. to DIN 3122, ISO 3315
- Small, drop shaped head for confined areas
- Fine-toothed, with lever change and push-button release
- Non-slip 2-component handle with hanging hole
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

6.3
1/4"

1/4"



Code	No.	■"	■	■°	■ mm ■	■	■	■	■
1703749	2093 U-20	1/4	6.3	9	127	20	95	1	

2093 U-10

REVERSIBLE RATCHET 1/4"

- Acc. to DIN 3122, ISO 3315
- With lever change, locks in middle position
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated


6.3
1/4"

Code	No.	■"	■	■°	■ mm ■	■	■	■	■
6180470	2093 U-10	1/4	6.3	15	129	21.5	109	5	

2093 U-3

REVERSIBLE RATCHET 1/4"

- Acc. to DIN 3122, ISO 3315
- With non-slip metal disc change, fine-toothed and robust
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

6.3
1/4"

Code	No.	■"	■	■°	■ mm ■	■	■	■	■
6170590	2093 U-3	1/4	6.3	5	129	25	95	5	



1/4"

GEDORE

**2093 Z-94****RATCHET HANDLE WITH COUPLER 1/4"**

- Acc. to DIN 3122, ISO 3315
- With square coupler, medium-fine toothed, extremely rugged
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174 ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

6.3

1/4"



Code	No.	■ "	■	■ °	■ mm ■	■	■	■
6170750	2093 Z-94	1/4	6.3	18	129	12	76	5



1/4"

2093 U-3 T**RATCHET WITH T-HANDLE 1/4"**

- Two-wing T-handle
- Ergonomic design for comfortable working
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 6.3, ISO 1174, ball locking device
- The danger of the tool canting, when carrying out work with extensions, is reduced by the central positioning of the square drive

6.3

1/4"



Code	No.	■ "	■	■ °	■ mm ■	■	■	■
1791532	2093 U-3 T	1/4	6.3	5	140	65	1	

2093 HR-94**HAND RATCHET 1/4" without handle**

- With square coupler
- Facilitates working quickly in confined spaces where other ratchets or tools do not fit
- Especially suitable for servicing work in conjunction with extension 2090-12
- Dimensions: Ø 26 x 20 mm

6.3

1/4"



Code	No.	■ "	■	■ °	■ mm ■	■	■	■
6069870	2093 HR-94	1/4	6.3	18	35	1		


D 20 KMU-20

159

**TIN 680 • 680**222
223**20 XLU-3 T**

160

SOCKETS 6.3 MM (1/4")



1/4"


20

SOCKET 1/4" hexagon

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3

1/4"



mm

Code	No.	O_{mm}	L	d_1	d_2	t	$\frac{d_1}{d_2}$	Whitw.
6165400	20 4	4.0	25.0	6.9	12.0	2.0	9	10
6165590	20 4,5	4.5	25.0	7.5	12.0	2.3	10	5
6165670	20 5	5.0	25.0	8.2	12.0	2.5	10	10
6165750	20 5,5	5.5	25.0	8.8	12.0	3.0	10	10
6165830	20 6	6.0	25.0	9.4	12.0	3.5	10	10
6165910	20 7	7.0	25.0	11.0	12.0	4.0	11	10
6166050	20 8	8.0	25.0	12.0	12.0	5.0	14	10
6166130	20 9	9.0	25.0	13.0	13.0	5.0	16	10
6166210	20 10	10.0	25.0	14.7	14.7	6.0	18	10
6166480	20 11	11.0	25.0	16.0	16.0	7.0	25	10
6166560	20 12	12.0	25.0	17.0	17.0	8.0	29	10
6166640	20 13	13.0	25.0	18.5	18.5	8.0	30	10
6166720	20 14	14.0	25.0	19.7	19.7	10.0	37	10

Code	No.	O_{AF}	L	d_1	d_2	t	$\frac{d_1}{d_2}$	Whitw.
6167020	20 3/16AF	3/16	25.0	7.8	12.0	2.5	9	1
6167100	20 7/32AF	7/32	25.0	8.8	12.0	3.0	9	1
6167290	20 1/4AF	1/4	25.0	9.8	12.0	3.5	25	1
6167370	20 9/32AF	9/32	25.0	11.0	12.0	4.0	10	1
6167450	20 5/16AF	5/16	25.0	12.0	12.0	5.0	13	1
6167530	20 11/32AF	11/32	25.0	13.0	13.0	5.0	15	1
6167610	20 3/8AF	3/8	25.0	14.0	14.0	6.0	18	1
6167880	20 7/16AF	7/16	25.0	16.0	16.0	7.0	23	1
6167960	20 1/2AF	1/2	25.0	18.0	18.0	8.0	29	1
616840	20 9/16AF	9/16	25.0	20.0	20.0	10.0	36	1

"AF"

Whitw.

Code	No.	BA	L	d_1	d_2	t	$\frac{d_1}{d_2}$	Whitw.
6168500	20 8BA	8	25.0	6.7	12.0	2.0	9	1
6168690	20 7BA	7	25.0	7.3	12.0	2.3	9	1
6168770	20 6BA	6	25.0	8.0	12.0	2.5	9	1
6168850	20 5BA	5	25.0	8.8	12.0	3.0	9	1
6168930	20 4BA	4	25.0	9.8	12.0	3.5	10	1
6169070	20 3BA	3	25.0	11.0	12.0	4.0	10	1
6169150	20 2BA	2	25.0	12.0	12.0	5.0	12	1
6169230	20 1BA	1	25.0	13.0	13.0	5.0	15	1
6169310	20 0BA	0	25.0	15.0	15.0	7.0	19	1

S 1023 M

72

20 LMU 10

161

**1500 ES/CT-20 BIT
1500 CT-20-19-U20**

86
91



1/4"

GEDORE



20 L

SOCKET 1/4" hexagon, long pattern

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6,3

1/4"



mm

Code	No.	O_{mm}	L	d_1	d_2	t	J_{hex}	E_{grip}
6191400	20 L 4	4.0	50	6.9	12.0	3.0	17	5
6191590	20 L 4,5	4.5	50	7.5	12.0	3.4	17	5
6191670	20 L 5	5.0	50	8.2	12.0	3.7	18	5
6191750	20 L 5,5	5.5	50	8.8	12.0	4.5	19	5
6191830	20 L 6	6.0	50	9.4	12.0	5.2	20	5
6191910	20 L 7	7.0	50	11.0	12.0	6.0	24	5
6192050	20 L 8	8.0	50	12.0	12.0	7.5	27	10
6192130	20 L 9	9.0	50	13.0	13.0	7.5	30	5
6192210	20 L 10	10.0	50	14.7	14.7	9.0	33	10
6192480	20 L 11	11.0	50	16.0	16.0	10.5	47	5
6192560	20 L 12	12.0	50	17.0	17.0	12.0	50	5
6192640	20 L 13	13.0	50	18.5	18.5	12.0	54	10

mm

Code	No.	O_{AF}	L	d_1	d_2	t	J_{hex}	E_{grip}
6192800	20 L 3/16AF	3/16	50	7.8	12.0	3.7	16	1
6192990	20 L 7/32AF	7/32	50	8.8	12.0	4.5	17	1
6193020	20 L 1/4AF	1/4	50	9.8	12.0	5.2	17	1
6193100	20 L 9/32AF	9/32	50	11.0	12.0	6.0	22	1
6193290	20 L 5/16AF	5/16	50	12.0	12.0	7.5	25	1
6193370	20 L 11/32AF	11/32	50	13.0	13.0	7.5	29	1
6193450	20 L 3/8AF	3/8	50	14.0	14.0	9.0	33	1
6193530	20 L 7/16AF	7/16	50	16.0	16.0	10.5	43	1
6193610	20 L 1/2AF	1/2	50	18.0	18.0	12.0	54	1

mm

DG 20

SWIVEL SOCKET 1/4" UD profile

- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated
- UD-profile
- GEDORE vanadium steel 31CrV3, chrome-plated


D 20

SOCKET 1/4" bi-hexagon UD profile

- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6,3

1/4"



mm


Code	No.	O_{mm}	L	d_1	d_2	t	J_{hex}	E_{grip}
1649558	D 20 4	4.0	25.0	6.9	12.0	2.0	9	1
1649566	D 20 4,5	4.5	25.0	7.5	12.0	2.3	8	1
1649574	D 20 5	5.0	25.0	8.2	12.0	2.5	11	1
1802402	D 20 5,5	5.5	25.0	8.8	12.0	3.0	12	1
1649582	D 20 6	6.0	25.0	9.4	12.0	3.5	10	1
1649590	D 20 7	7.0	25.0	11.0	12.0	4.0	13	1
6225750	D 20 8	8.0	25.0	12.0	12.0	5.0	13	5
6225830	D 20 9	9.0	25.0	13.0	13.0	5.0	15	1
6226050	D 20 10	10.0	25.0	14.7	14.7	6.0	20	5
6226130	D 20 11	11.0	25.0	16.0	16.0	7.0	24	1
6226480	D 20 12	12.0	25.0	17.0	17.0	8.0	26	1
6226640	D 20 13	13.0	25.0	18.5	18.5	8.0	29	5
6226720	D 20 14	14.0	25.0	19.7	19.7	10.0	36	1

mm

Code	No.	O_{AF}	L	d_1	d_2	t	J_{hex}	E_{grip}
1812505	D 20 3/16AF	3/16	25.0	7.8	12.0	2.5	10	1
1812513	D 20 7/32AF	7/32	25.0	8.8	12.0	3.0	11	1
1812521	D 20 1/4AF	1/4	25.0	9.8	12.0	3.5	11	1
1812548	D 20 9/32AF	9/32	25.0	11.0	12.0	4.0	12	1
6226800	D 20 5/16AF	5/16	25.0	12.0	12.0	5.0	12	1
6226990	D 20 11/32AF	11/32	25.0	13.0	13.0	5.0	15	1
6227020	D 20 3/8AF	3/8	25.0	14.0	14.0	6.0	17	1
1901702	D 20 13/32AF	13/32	25.0	15.0	15.0	6.0	20	1
6227370	D 20 7/16AF	7/16	25.0	16.0	16.0	7.0	22	1
6227450	D 20 1/2AF	1/2	25.0	18.0	18.0	8.0	28	1
6228180	D 20 9/16AF	9/16	25.0	20.0	20.0	10.0	34	1

6,3

1/4"





mm

Code	No.	O_{AF}	L	d_1	d_2	t	J_{hex}	E_{grip}
1965336	DG 20 5,5	5.5	38.0	8.8	14	3.0	30	1
2190656	DG 20 6	6.0	38.0	9.4	14	3.5	30	1
2190664	DG 20 7	7.0	38.0	11.0	14	4.0	30	1
2190680	DG 20 8	8.0	38.0	12.0	14	5.0	30	1
2190699	DG 20 9	9.0	38.0	13.0	14	5.0	50	1
2190702	DG 20 10	10.0	39.0	14.7	14	6.0	40	1
2190729	DG 20 11	11.0	41.0	16.0	14	7.0	40	1
2190737	DG 20 12	12.0	42.0	17.0	14	8.0	30	1
2190745	DG 20 13	13.0	42.0	18.5	14	8.0	40	1
1965387	DG 20 9/16AF	9/16	43.5	20.0	14	9.0	10	1

TX 20
SOCKET 1/4" for protruding TORX® head screws

- ▶ Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- ▶ Hand-operated, knurled grip
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA




1/4"

Code	No.	∅	$\square \text{ mm}$	* mm	L	d ₁	d ₂	t	$\square \text{ mm}$	Box
6193880	TX 20 E4	E4	M3	3.86	25	5.5	12	4.5	8	5
6187640	TX 20 E5	E5	M4	4.73	25	7.0	12	5.0	9	5
6187720	TX 20 E6	E6	M5	5.74	25	8.0	12	5.0	10	5
6187800	TX 20 E7	E7	M6	6.16	25	9.5	12	6.0	11	5
6187990	TX 20 E8	E8	M6 - M7	7.52	25	10.5	12	6.5	14	5
6193960	TX 20 E10	E10	M8	9.42	25	13.0	13	7.0	18	5

ITX 20
SCREWDRIVER BIT SOCKET 1/4" for recessed TORX® head screws


- ▶ Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- ▶ Hand-operated, knurled grip
- ▶ Chrome-plated
- ▶ With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	*	$\square \text{ mm}$	* mm	L ₁	L ₂	d	$\square \text{ mm}$	Box
6190430	ITX 20 T8	T8	M2,5	2.31	30.5	14.5	12	13	10
6190510	ITX 20 T9	T9	M3	2.50	30.5	14.5	12	13	10
6190780	ITX 20 T10	T10	M3 - M3,5	2.74	30.5	14.5	12	14	10
6190860	ITX 20 T15	T15	M3,5 - M4	3.27	30.5	14.5	12	14	10
6190940	ITX 20 T20	T20	M4 - M5	3.86	30.5	14.5	12	14	10
6191080	ITX 20 T25	T25	M4,5 - M5	4.43	30.5	14.5	12	14	10
6191160	ITX 20 T27	T27	M4,5 - M6	4.99	30.5	14.5	12	14	10
6191240	ITX 20 T30	T30	M6 - M7	5.52	30.5	14.5	12	15	10
6265890	ITX 20 T40	T40	M7 - M8	6.65	33.5	14.0	14	25	10


ITX 20 IP
SCREWDRIVER BIT SOCKET 1/4" for recessed TORX PLUS® head screws


- ▶ Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- ▶ Hand-operated, knurled grip
- ▶ Chrome-plated
- ▶ With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- ▶ TORX PLUS® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	*	$\square \text{ mm}$	* mm	L ₁	L ₂	d	$\square \text{ mm}$	Box
1815431	ITX 20 6IP	6IP	M2	2.31	30.5	14.5	12	13	1
1815458	ITX 20 8IP	8IP	M2,5 - M3	2.50	30.5	14.5	12	13	1
1815466	ITX 20 10IP	10IP	M3 - M3,5	2.74	30.5	14.5	12	13	1
1815474	ITX 20 15IP	15IP	M3,5 - M4	3.27	30.5	14.5	12	13	1
1815482	ITX 20 20IP	20IP	M4 - M5	3.86	30.5	14.5	12	14	1
1815490	ITX 20 25IP	25IP	M4,5 - M5	4.43	30.5	14.5	12	14	1
1827898	ITX 20 27IP	27IP	M5 - M6	4.99	30.5	14.5	12	14	1
1815504	ITX 20 30IP	30IP	M6	5.52	30.5	14.5	12	15	1
1815512	ITX 20 40IP	40IP	M7 - M8	6.65	33.5	14.0	14	25	1

ITX 20 K
SCREWDRIVER BIT SOCKET 1/4" with ball end, for recessed TORX® head screws

- ▶ Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- ▶ Hand-operated, knurled grip
- ▶ Chrome-plated
- ▶ With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- ▶ Swivel angle approx. 15-20°
- ▶ Optimum transfer of power, also at places which are difficult of access
- ▶ TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	*	$\square \text{ mm}$	* mm	L ₁	L ₂	d	$\square \text{ mm}$	Box
6120220	ITX 20 KT10	T10	M3 - M3,5	2.74	30.5	14.5	12	15	1
6120300	ITX 20 KT15	T15	M3,5 - M4	3.27	30.5	14.5	12	15	1
6120490	ITX 20 KT20	T20	M4 - M5	3.86	30.5	14.5	12	15	1
6120570	ITX 20 KT25	T25	M4,5 - M5	4.43	30.5	14.5	12	15	1
6120650	ITX 20 KT27	T27	M4,5 - M6	4.99	30.5	14.5	12	15	1
6120730	ITX 20 KT30	T30	M6 - M7	5.52	30.5	14.5	12	15	1
6120810	ITX 20 KT40	T40	M7 - M8	6.65	33.5	14.0	14	25	1



1/4"

GEDORE



IS 20

SCREWDRIVER BIT SOCKET 1/4" for slotted head screws



- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- Bit in GEDORE vanadium special steel, manganese-phosphated
- Bit as per DIN ISO 2380-1 Form B

6,3
1/4"
+

IN 20

SCREWDRIVER BIT SOCKET 1/4" for in-hex screws

- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- Bit in GEDORE vanadium special steel, manganese-phosphated
- * not standardised

6,3
1/4"
○

Code	No.	mm	mm	L ₁	L ₂	d	mm	mm
6171560	IS 20 4x0,8	0.8	4.0	28	14.5	12	11	10
6171640	IS 20 5,5x1	1.0	5.5	28	14.5	12	12	10
6174230	IS 20 6,5x1,2	1.2	6.5	28	14.5	12	12	10
6174310	IS 20 8x1,6	1.6	8.0	28	14.5	12	12	10

IKS 20

SCREWDRIVER BIT SOCKET 1/4" for cross-slotted head screws PH



- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- Bit in GEDORE vanadium special steel, manganese-phosphated
- Bit as per DIN DIN ISO 8764-1 PH

6,3
1/4"
+

IN 20 L

SCREWDRIVER BIT SOCKET 1/4" for in-hex screws, long pattern

- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- Bit in GEDORE vanadium special steel, manganese-phosphated

6,3
1/4"
○

Code	No.	PH	L ₁	L ₂	d	mm	mm
6174580	IKS 20 1	1	28	14.5	12	11	10
6174660	IKS 20 2	2	28	14.5	12	12	10
6174740	IKS 20 3	3	28	14.5	12	12	10
6174820	IKS 20 4	4	28	14.5	12	14	10

IKS 20 PZD

SCREWDRIVER BIT SOCKET 1/4" for cross-slotted head screws PZ



- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- Bit in GEDORE vanadium special steel, manganese-phosphated
- Bit as per DIN DIN ISO 8764-1 PZ

6,3
1/4"
+

IN 20 L

SCREWDRIVER BIT SOCKET 1/4" with ball end, for in-hex screws

- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin, manganese-phosphated
- Total swivel angle approx. 15-20°

6,3
1/4"
○
IN

Code	No.	PZ	L ₁	L ₂	d	mm	mm
6187130	IKS 20 PZD 1	1	28	14.5	12	12	10
6187210	IKS 20 PZD 2	2	28	14.5	12	13	10
6187480	IKS 20 PZD 3	3	28	14.5	12	14	10
6187560	IKS 20 PZD 4	4	28	14.5	12	15	10

Code	No.	mm	L ₁	L ₂	d	mm	mm
2219409	IN 20 K 4	4	30.5	14.5	12	10	1
2219417	IN 20 K 5	5	30.5	14.5	12	10	1
2219468	IN 20 K 6	6	30.5	14.5	12	13	1

ACCESSORIES 6.3 MM (1/4")

2030
CONVERTOR 1/4" TO 3/8"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3
1/4"
10
3/8"

1/4"

Code	No.	■"	■	■"	■	■ mm ■	■	■	■
6170080	2030	1/4	6.3	3/8	10	26	20	10	

2087
SLIDING T BAR 1/4"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
6170160	2087	1/4	6.3	115	39	5

2087 A
SLIDING T BAR WITH RELEASE 1/4"

- Secured against unintentional removal
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- Turn handle for easy locking and releasing
- Accidental release when working is prevented because of the asymmetrical release point
- Ideal for situations where sockets must not become detached
- Examples: Aircraft engine, work in deep machine bodies
- DBGM

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
1834398	2087 A	1/4	6.3	115	48	1

2088
FLEXIBLE EXTENSION 1/4"

- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
6170240	2088	1/4	6.3	120	46	10

2090
EXTENSION 1/4"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- * not standardised

6.3
1/4"


Code	No.	*	■"	■	■ mm ■	■	■	■
6170320	2090-2		1/4	6.3	55	25	10	
6170400	2090-4		1/4	6.3	97	41	10	
6171210	2090-6		1/4	6.3	148	61	10	
6173340	2090-12	*	1/4	6.3	305	124	1	

2090 A
EXTENSION 1/4" with release

- Easy access to deep-fitting screws in confined areas
- No unintentional release of the socket from the extension due to safety ring
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, ball locking device

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
1932284	2090 A-2	1/4	6.3	55	30	1
1932292	2090 A-4	1/4	6.3	97	50	1
1932306	2090 A-12	1/4	6.3	305	125	1

2090 KR
UNIVERSAL EXTENSION 1/4"

- With ball end
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- The extension is able to pivot up to 15°
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
1812564	2090 KR-2	1/4	6.3	55	24	1
1812572	2090 KR-4	1/4	6.3	97	45	1
6121030	2090 KR-6	1/4	6.3	148	60	1

2094
COUPLER 1/4"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3
1/4"


Code	No.	■"	■	■ mm ■	■	■
6170830	2094	1/4	6.3	19.8	6	10



1/4"

GEDORE

**2095****UNIVERSAL JOINT 1/4"**

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

6.3

1/4"



Code	No.	■ "	■	□ "	□	■ mm ■	■	■
6170910	2095	1/4	6.3	1/4	6.3	38	26	10

2097**SWIVEL HANDLE 1/4"**

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated, square drive manganese-phosphated

6.3

1/4"



Code	No.	■ "	■	■ mm ■	■	■
6171050	2097	1/4	6.3	146	94	1

2098**DRIVING HANDLE 1/4"**

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device

6.3

1/4"



Code	No.	■ "	■	■ mm ■	■	■
6171480	2098	1/4	6.3	140	70	10

2098 K**DRIVING HANDLE 1/4" short pattern**

- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device

6.3

1/4"



Code	No.	■ "	■	■ mm ■	■	■
1953788	2098 K	1/4	6.3	70	34	1

2098 T**DRIVING HANDLE 1/4"**

- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- With bit adaptor no. 620 also suitable for 1/4" bits
- Easy access to deep-fitting screws in confined areas
- The danger of the tool canting, is reduced by the central positioning of the square drive
- With hanging hole
- GEDORE vanadium steel 31CrV3, chrome-plated

6.3

1/4"



Code	No.	■ "	■	■ mm ■	■	■
1939998	2098 T	1/4	6.3	300	150	1

2099**TELESCOPIC EXTENSION 1/4" magnetic**

- With 1/4" female square drive and 1/4" female hexagon drive
- Automatic, form-fit connection
- Adjustable in 10 mm steps from 186-296 mm
- Suitable for 1/4" bits as well as with adaptor no. 673 for sockets up to 13 mm
- Made of quality steel, manganese-phosphated resp. chrome-plated


6.3

1/4"

6.3

1/4"

1



Code	No.	□ "	□	○ "	○	■ mm ■	■	■
1888455	2099	1/4	6.3	1/4	6.3	186-296	205	1

SL 2013**TOOL HOLDING RAIL, MAGNETIC 1/4" empty**

- External squares to take 13 standard commercial 6.3 mm (1/4") sockets
- Two female square adaptors to take ratchets, sliding T bars, extensions etc.
- A strong magnet securely holds the socket rail to ferrous metals
- Additional holes are provided for wall mounting the socket rail or attaching to non-ferrous materials
- The sockets are securely locked by the ball at the square-drive end by turning them 90°
- It is a simple matter to "unlock" and remove the sockets, by turning them 90° in the opposing direction
- Delivery without tools

6.3

1/4"

6.3

1/4"

1



Code	No.	■ mm ■	■	■
1761080	SL 2013	380	33	355

S 2032-05**ADAPTOR SET 1/4" 5 pieces**

- Set of reducers and converters 1/4" - 3/4"
- Reducers 1930, 3020
- Convertors 2030, 3019, 1932
- In transparent plastic box, dimensions: L 134 x W 51 x H 51 mm, foam insert light-blue
- Please take note of the maximum capacity of the external squares of the reducers acc. to DIN 3123, ISO 3316

6.3

1/4"

10

3/8"

12.5

1/2"

20

3/4"



Code	No.	Contents	■	■
1729071	S 2032-05	2030 ■■■■■ 3020 ■■■■■ 3019 ■■■■■ 1930 ■■■■■ 1932 ■■■■■	340	1

SETS 6.3 MM (1/4") MM+INCH

6.3
1/4"

- New classification into basic, supplementary, compact and volume sets
- Socket drivers and/or practical accessories in proven GEDORE quality
- With "Check-Tool-System": 2-colour plastic insert to check that the set is complete

BASIC SETS

D 20 DM

SOCKET SET 1/4" 14 pieces

- With UD profile sockets made from GEDORE vanadium steel 31CrV3, hand-operated
- With driving handle and adaptor
- In plastic case
- Dimensions: 160 x 95 x 38 mm


6.3
1/4"
mm

Code	No.	Sockets	Accessories	GTG	ET
1815563	D 20 DM	6 D 20 4 4,5 5 5,5 6 7 8 9 10 11 12 13	673 6,3 676	357	1

D 20 DMU-3

SOCKET SET 1/4" 14 pieces

- With UD profile sockets and accessories made from GEDORE vanadium steel 31CrV3, hand-operated
- With fine toothed, dial change ratchet
- In plastic case
- Dimensions: 160 x 95 x 38 mm


6.3
1/4"
mm

Code	No.	Ratchet	Sockets	Accessories	GTG	ET
1815598	D 20 DMU-3	● U-3 2093 U-3	6 D 20 4 4,5 5 5,5 6 7 8 9 10 11 12 13	2090-4	429	1

D 20 DMU-3 T

SOCKET SET 1/4" 13 pieces

- With hand-operated UD profile sockets and accessories made from GEDORE vanadium steel 31CrV3
- With ratchet with T-handle and hand ratchet
- In plastic case
- Dimensions: 160 x 95 x 38 mm


6.3
1/4"
mm

Code	No.	Ratchet	Sockets	Accessories	GTG	ET
1815571	D 20 DMU-3 T	● U-3 2093 U-3 T 2093 HR-94	6 D 20 4 5 6 7 8 9 10 11 12 13	2090 KR-4	414	1

SUPPLEMENTARY SETS

INS 20 PM

SCREWDRIVER BIT SOCKET SET 1/4" 15 pieces

- With hand-operated screwdriver bit sockets in GEDORE vanadium special steel
- In plastic case
- Dimensions: 160 x 95 x 38 mm

6.3
1/4"
●
⊖
⊕
+


Code	No.	Sockets	GTG	ET
1815601	INS 20 PM	● IN 20 3 4 5 6 8 ⊖ IS 20 4 5,5 6,5 8 ⊕ IKS 20 1 2 3 ⊕ IKS 20 PZD 1 2 3	285	1

ITX 20 TX-015

SCREWDRIVER BIT SOCKET SET 1/4" 15 pieces

- With hand-operated screwdriver bit sockets in GEDORE vanadium special steel
- In plastic case
- Dimensions: 160 x 95 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

6.3
1/4"
●
⊖
⊕
*


Code	No.	Sockets	GTG	ET
1815628	ITX 20 TX-015	● ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40 ⊖ TX 20 E4 E5 E6 E7 E8 E10	307	1

ITX 20 PM

SCREWDRIVER BIT SOCKET SET 1/4" 9 pieces

- With hand-operated screwdriver bit sockets in GEDORE vanadium special steel
- In plastic case
- Dimensions: 110 x 65 x 31 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

6.3
1/4"
●
⊖
⊕
*


Code	No.	Sockets	GTG	ET
1815636	ITX 20 PM	● ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40	174	1

**D 20 TMU-10****SOCKET SET 1/4" 40 pieces**


- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With robust lever change reversible ratchet
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



1/4"




mm



Code	No.	Ratchet	Sockets	Accessories	mm	Box
1815660	D 20 TMU-10	2093 U-10	<ul style="list-style-type: none"> ○ D 20 4 5 6 7 8 9 10 11 12 13 ⊖ 680 4 6,5 ● 685 3 4 5 6 8 ● 685 X 5 6 8 ● 687 TXT10 T15 T20 T25 T27 T30 T40 ⊕ 690 1 2 ⊕ 690 PZD 1 2 3 	620 639 673 6,3 676 699 2095 2090-4	767	1

20 XLU-3 T**SOCKET SET 1/4" 37 pieces**

- With forged, tempered hexagon sockets, hand-operated, made from GEDORE vanadium steel 31CrV3
- Screwdriver bits made from GEDORE vanadium special steel
- With T-handle ratchet and telescopic extension no. 2099, adjustable from 186-296 mm
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- With "Check-Tool-System": 2-colour plastic insert to check that the set is complete
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



mm



Code	No.	Ratchet	Sockets	Accessories	mm	Box
1888447	20 XLU-3 T	2093 U-3 T	<ul style="list-style-type: none"> ○ 20 4 5 6 7 8 9 10 11 12 13 ⊖ 680 4 6,5 ● 685 3 4 5 6 ● 685 X 5 6 8 ● 687 TXT8 T9 T10 T15 T20 T25 T27 T30 T40 ⊕ 690 1 2 ⊕ 690 PZD 1 2 3 	673 6,3 2099 2095	800	1





1/4"

GEDORE



VOLUME SETS

D 20 FMU-20

SET FOR PRECISION MECHANICS 1/4" + 4 MM 52 pieces

- Practical tool set for precision mechanical work
- Includes practical pickup tool for bits, no. 635, for easy replacement of the bits in the socket
- Two ratchets for different applications:
- Fine-toothed reversible lever ratchet no. 2093 U-20 for high-torque
- Bit ratchet no. 471, combined with socket holder no. 673, allows the use of sockets in extremely confined spaces
- With GEDORE Check-Tool system: missing tool check using two colour plastic inserts



mm

Code	No.	Ratchet	Sockets	Accessories	810	1
2000237	D 20 FMU-20	471 U-20 2093 U-20	<ul style="list-style-type: none"> ⊖ 480 0,8 1,2 1,5 1,8 ⊕ 490 PH 000 00 0 ⊖ 490 PZD 000 00 0 ⊕ 487 TX T3 T4 T5 T6 T7 T8 ⊖ 685 2 2,5 3 4 5 ⊕ 690 1 2 ⊖ 687 TX T9 T10 T15 T20 T25 ⊕ 690 PZD 1 2 ⊖ 6 4x4,5 5x5,5 7x8 	420 499 620 2090 KR-4 673 K 635		

D 20 WMU-3

SOCKET SET 1/4" 29 pieces

- With forged, tempered long UD profile sockets, hand-operated
- Accessories in GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet
- In plastic case
- Dimensions: 275 x 150 x 42 mm



mm

Code	No.	Ratchet	Sockets	Accessories	995	1
1815679	D 20 WMU-3	2093 U-3	<ul style="list-style-type: none"> ⊖ D 20 4 4,5 5 5,5 6 7 8 9 10 11 12 13 ⊖ 8 4 5 5,5 6 7 8 9 10 11 13 	639 673 6,3 676 2095 2090-2 -4		

20 LMU-10

SOCKET SET 1/4" 49 pieces

- With forged, tempered long hexagon and short UD profile sockets, hand-operated
- Accessories in GEDORE vanadium steel 31CrV3
- With robust lever change reversible ratchet
- In plastic case
- Dimensions: 275 x 150 x 42 mm
- TORX® = trademark of Acument Intellectual Properties, LLC. USA



mm

Code	No.	Ratchet	Sockets	Accessories	1262	1
1815687	20 LMU-10	2093 U-10	<ul style="list-style-type: none"> ⊖ D 20 4 5 6 7 8 9 10 11 12 13 ⊖ 20 L 4 4,5 5 6 7 8 9 10 12 13 ⊖ 680 4 6,5 ⊕ 685 3 4 5 6 8 ⊖ 685 X 5 6 8 ⊕ 687 TX T10 T15 T20 T25 T27 T30 T40 ⊕ 690 1 2 ⊕ 690 PZD 1 2 3 	620 676 699 2090-2 -6 2095		

STANDARD SETS

20 EM

SOCKET SET 1/4" 16 pieces

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 with reversible with lever change ratchet
- Set U-3 with extra fine toothed, dial change ratchet
- Set Z-94 with ratchet handle with square coupler
- In plastic case
- Dimensions: 200 x 120 x 38 mm



6.3
1/4"
mm

Code	No.	Ratchet	Sockets	Accessories	7/16"	1
6172100	20 EMZ	● Z-94 2093 Z-94	○ 20 4 4,5 5 5,5 6 7 8 9 10 11 13	— 2087 — 2090-4 — 2095 — 2098	761	1
6172290	20 EMU-3	● U-3 2093 U-3	○ 20 4 4,5 5 5,5 6 7 8 9 10 11 13	— 2087 — 2090-4 — 2095 — 2098	776	1
6162220	20 EMU-10	● U-10 2093 U-10	○ 20 4 4,5 5 5,5 6 7 8 9 10 11 13	— 2087 — 2090-4 — 2095 — 2098	790	1

20 EAU-3

SOCKET SET 1/4" 14 pieces

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With extra fine toothed, dial change ratchet
- In plastic case
- Dimensions: 200 x 120 x 38 mm



6.3
1/4"
mm

Code	No.	Ratchet	Sockets	Accessories	7/16"	1
6172450	20 EAU-3	● U-3 2093 U-3	○ 20 3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2"	— 2087 — 2090-4 — 2095 — 2098	767	1

20 IMU-3

SOCKET SET 1/4" 32 pieces

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet
- In plastic case
- Dimensions: 275 x 150 x 42 mm



6.3
1/4"
mm

Code	No.	Ratchet	Sockets	Accessories	7/16"	1
6174150	20 IMU-3	● U-3 2093 U-3	○ 20 4 5 6 7 8 9 10 11 12 13 14 ⊕ IS 20 4 5,5 6,5 8 ○ IN 20 3 4 5 6 8 ⊕ IKS 20 1 2 3 ○ IKS 20 PZD 1 2 3	— 2087 — 2090-2 -6 — 2095 — 2098	1298	1



1/4"

GEDORE

**20 ITU-3****SOCKET SET 1/4" 36 pieces**

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet
- In attractive plastic case
- Dimensions: 275 x 150 x 42 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



1/4"

Code	No.	Ratchet	Sockets	Accessories	mm	Box
6196710	20 ITU-3	● U-3 2093 U-3	<input checked="" type="checkbox"/> 20 4 5 6 7 8 9 10 11 12 13 14 <input checked="" type="checkbox"/> IN 20 3 4 5 6 8 <input checked="" type="checkbox"/> TX 20 E4 E5 E6 E7 E8 E10 <input checked="" type="checkbox"/> ITX 20 T8 T9 T10 T15 T20 T25 T27 T30	<input checked="" type="checkbox"/> 2087 <input checked="" type="checkbox"/> 2090-2 -6 <input checked="" type="checkbox"/> 2095 <input checked="" type="checkbox"/> 2098	1376	1

DISPLAY BOXES**VB 20****DISPLAY BOX 1/4"**

- For small sockets and bits
- Plastic box with removable dividers and labels for each article
- Dimensions: 330 x 250 x 55 mm




mm

Code	No.	Description	Sockets	mm	Box
6182170	VB 20-I20	Display box with assortment S 20-I20 IN-IS-PH-PZ	VB 20-I20 L + S 20-I20	2.4	1
6182090	VB 20 ZB	Display box with assortment VB 20 ZB	VB 20 ZB L + S 20 ZB	2.5	1
6182330	S 20-I20	Socket set 1/4", 157 pieces IN-IS-PH-PZ	10x ○ 20 10 6x ○ 20 4 5,5 6 7 8 9 11 13 3x ○ 20 4,5 12 14 6x ○ IN 20 3 4 5 6 3x ○ IN 20 8 6x ⊖ IS 20 4 5,5 6,5 3x ⊖ IS 20 8 6x ⊕ IKS 20 1 2 3x ⊕ IKS 20 3 4 6x ⊕ IKS 20 PZD 1 2 3x ⊕ IKS 20 PZD 3 4	2.2	1
6182250	S 20 ZB	Accessory-set 1/4", 60 pieces	6x 2093 U-3 4x 2093 Z-94 6x 2087 6x 2090-4 -6 4x 2090-2 6x 2095 6x 2098 2x 2088 2x 2097 2x 2030 10x 2094	2.7	1

VS 20**DISPLAY BOX 1/4" 187 pieces**

- VS 20-20 L-I20 consisting of: set **S 20-I20** and 5 pcs each of **20 L 6 7 8 9 10 13**
- In sheet metal rack
- Dimensions: 600 x 230 x 270 mm



mm

Code	No.	Contents	mm	Box
6195820	VS 20-20 L-I20	Display stand with socket assortment 1/4" + 5 each 20 L 6 7 8 9 10 13	8.0	1
5434110	VS 20 L	Display stand complete without tools	5.3	1
5434030	VS B 20	Display stand with 9 compartments without tools	0.7	1
5433810	VSS 20	Sheet metal rack empty	3.3	1

10 MM (3/8") SQUARE DRIVE

10 3/8" 10 3/8"


www.gedore.com

RATCHETS 10 MM (3/8")

3093 U-20

REVERSIBLE RATCHET 3/8"

- Acc. to DIN 3122, ISO 3315
- Small, drop shaped head for confined areas
- Fine-toothed, with lever change and push-button release
- Non-slip 2-component handle with hanging hole
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"

Code	No.	■"	■	↙°	■ mm ■	→	■	■	■
1556800	3093 U-20	3/8	10	6	200	29.7	292	5	

3093 U-10

REVERSIBLE RATCHET 3/8"

- Acc. to DIN 3122, ISO 3315
- With lever change, locks in middle position, oval head
- Push-button release
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"

Code	No.	■"	■	↙°	■ mm ■	→	■	■	■
6236950	3093 U-10	3/8	10	11,25	200	30.2	254	5	

3093 ALU-10

ALUMINIUM REVERSIBLE RATCHET 3/8"

- Design spec. similar to DIN 3122, ISO 3315
- Made from special-purpose drop-forged and hardened aluminium
- The mechanism as in all U-10 ratchets is made from high quality steel
- With lever change
- Push-button release
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- Extremely lightweight - just 158 g


10
3/8"

Code	No.	■"	■	↙°	■ mm ■	→	■	■	■
1900005	3093 ALU-10	3/8	10	11,25	200	30.2	350	1	

3093 U-3

REVERSIBLE RATCHET 3/8"

- Acc. to DIN 3122, ISO 3315
- With non-slip metal disc change, fine-toothed and robust
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"

Code	No.	■"	■	↙°	■ mm ■	→	■	■	■
6237090	3093 U-3	3/8	10	5	200	33.5	244	5	



3/8"


GEDORE

**3093 GU-3****SWIVEL HEAD REVERSIBLE RATCHET 3/8"**

- Swivels through 180°, with joint lock
- With non-slip metal disc change, fine-toothed and robust
- Max. torque 200 N·m
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"

Code	No.	■"	■	■	■ mm ■	■	■	■
6237170	3093 GU-3	3/8	10	5	282	33.5	525	5



3/8"

3093 Z-94**RATCHET HANDLE WITH COUPLER 3/8"**

- Acc. to DIN 3122, ISO 3315
- With square coupler, medium-fine toothed, extremely rugged
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

10
3/8"


Code	No.	■"	■	■	■ mm ■	■	■	■
6237680	3093 Z-94	3/8	10	10	200	18	223	5



Z-94

3093 U-10 K**PLASTIC RATCHET 3/8"**

- For fast and easy tightening of bolted connections up to max. 70 N·m
- Very handy and compact, housing and handle form one unit
- Return angle 11.25°
- Made from sturdy compound material with a steel mechanism
- Dimensions: 44 x 145 x 39 mm
- Available in five colours
- European-Patent-No. 1136187

10
3/8"

U-10

Code	No.	Colour	■"	■	■ mm ■	■	■	■
6242090	3093 U-10 K SCHWARZ	signal-black	3/8	10	145	11,25	197	1
6244970	3093 U-10 K GRÜN	moss-green	3/8	10	145	11,25	197	1
6248100	3093 U-10 K GRAU	anthracite-grey	3/8	10	145	11,25	197	1
6248290	3093 U-10 K BLAU	sky-blue	3/8	10	145	11,25	197	1
1505394	3093 U-10 K SIGNALGRAU	signal-grey	3/8	10	145	11,25	197	1


3093 U-3 T**RATCHET WITH T-HANDLE 3/8"**

- Two-wing T-handle
- Ergonomic design for comfortable working
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 10, ISO 1174, ball locking device
- The danger of the tool canting, when carrying out work with extensions, is reduced by the central positioning of the square drive

10
3/8"

Code	No.	■"	■	■	■ mm ■	■	■	■
1973320	3093 U-3 T	3/8	10	5	140	68	1	

SOCKETS 10 MM (3/8")




3/8"

30

SOCKET 3/8" hexagon

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- * not standardised



mm

Code	No.	*				L	d ₁	d ₂	t			
6230160	30 6	*			6	28	9.7	17.5	5.0	24	10	
6230240	30 7				7	28	11.0	17.5	5.0	24	10	
6230320	30 8				8	28	12.1	17.5	9.0	28	10	
6230400	30 9				9	28	13.5	17.5	9.0	27	10	
6230590	30 10				10	28	14.7	17.5	9.0	28	10	
6233850	30 11				11	28	16.0	17.5	9.0	30	10	
6233930	30 12				12	28	17.2	18.3	9.0	33	10	
6234070	30 13				13	28	18.5	17.5	9.0	32	10	
6234150	30 14				14	29	19.7	18.4	11.0	38	10	
6234230	30 15				15	30	21.0	19.7	12.5	44	10	
6234310	30 16				16	30	22.2	21.0	12.5	49	10	
6234580	30 17				17	30	23.5	22.3	12.5	57	10	
6234660	30 18				18	30	24.7	23.0	12.5	62	10	
6234740	30 19				19	30	26.0	23.7	12.5	68	10	
6234820	30 20				20	31	27.2	24.5	12.5	78	5	
6234900	30 21				21	31	28.5	25.8	13.5	86	5	
6235040	30 22				22	32	29.7	26.3	14.5	92	5	
2194783	30 24	*			24	33	32.0	28.0	15.5	120	5	

O "AF


Code	No.			L	d ₁	d ₂	t			
6232100	30 1/4AF			1/4	28	10.1	17.5	5.0	23	1
6232290	30 9/32AF			9/32	28	11.1	17.5	5.0	24	1
6232370	30 5/16AF			5/16	28	12.1	17.5	9.0	25	1
6232450	30 11/32AF			11/32	28	13.1	17.5	9.0	25	1
6232530	30 3/8AF			3/8	28	14.1	17.5	9.0	26	1
2101025	30 7/16AF			7/16	28	16.1	17.5	9.0	28	1
2101033	30 1/2AF			1/2	28	18.1	19.2	9.0	35	1
2101041	30 9/16AF			9/16	29	20.1	18.7	11.0	39	1
2101068	30 19/32AF			19/32	30	21.0	19.7	12.5	1	
2101076	30 5/8AF			5/8	30	22.1	20.7	12.5	48	1
2101084	30 11/16AF			11/16	30	24.0	22.7	12.5	1	
2101092	30 3/4AF			3/4	30	26.0	23.7	12.5	65	1
2101106	30 7/8AF			7/8	32	30.0	26.5	14.5	1	

O "AF

D 30

SOCKET 3/8" bi-hexagon UD profile

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- * not standardised



mm

Code	No.	*				L	d ₁	d ₂	t			
1845705	D 30 6	*			6	28	9.7	17.5	5.0	111	10	
1845713	D 30 7				7	28	11.0	17.5	5.0	24	10	
1845721	D 30 8				8	28	12.1	17.5	9.0	26	10	
1845748	D 30 9				9	28	13.5	17.5	9.0	27	10	
6229230	D 30 10				10	28	14.7	17.5	9.0	28	10	
6230670	D 30 11				11	28	16.0	17.5	9.0	30	5	
6230750	D 30 12				12	28	17.2	18.3	9.0	32	5	
6230830	D 30 13				13	28	18.5	17.5	9.0	31	10	
6230910	D 30 14				14	29	19.7	18.4	11.0	37	5	
6231050	D 30 15				15	30	21.0	19.7	12.5	40	5	
6231130	D 30 16				16	30	22.2	21.0	12.5	49	5	
6231210	D 30 17				17	30	23.5	22.3	12.5	54	10	
6231480	D 30 18				18	30	24.7	23.0	12.5	62	5	
6231560	D 30 19				19	30	26.0	23.7	12.5	64	10	
6231640	D 30 20				20	31	27.2	24.5	12.5	74	5	
6231720	D 30 21				21	31	28.5	25.8	13.5	83	5	
6231800	D 30 22				22	32	29.7	26.3	14.5	87	5	
2194864	D 30 24	*			24	33	32.0	28.0	15.5	100	5	

O "AF

Code	No.			L	d ₁	d ₂	t			
2016613	D 30 1/4AF			1/4	28	10.1	17.5	5.0	50	1
2101009	D 30 9/32AF			9/32	28	11.1	17.5	5.0	20	1
1997122	D 30 5/16AF			5/16	28	12.1	17.5	5.0	20	1
2101017	D 30 11/32AF			11/32	28	13.1	17.5	9.0	26	1
1997130	D 30 3/8AF			3/8	28	14.1	17.5	9.0	10	1
1997149	D 30 13/32AF			13/32	28	15.0	17.5	9.0	30	1
6232610	D 30 7/16AF			7/16	28	16.1	17.5	9.0	27	1
6232880	D 30 1/2AF			1/2	28	18.1	19.2	9.0	34	1
6232960	D 30 9/16AF			9/16	29	20.1	18.7	11.0	36	1
6233180	D 30 19/32AF			19/32	30	21.0	19.7	12.5	39	1
6233260	D 30 5/8AF			5/8	30	22.1	20.7	12.5	44	1
6233340	D 30 11/16AF			11/16	30	24.0	22.7	12.5	53	1
6233420	D 30 3/4AF			3/4	30	26.0	23.7	12.5	61	1
1997157	D 30 25/32AF			25/32	31	27.0	24.3	12.5	75	1
1997165	D 30 13/16AF			13/16	31	28.0	25.3	12.5	80	1
6232020	D 30 7/8AF			7/8	32	30.0	26.5	14.5	82	1
1997173	D 30 15/16AF			15/16	33	31.9	28.0	15.5	110	1
1983296	D 30 1AF			1	33	33.9	30.0	15.5	120	1

Deviant packing units see article description.



3/8"

GEDORE



D 30 L

SOCKET 3/8" bi-hexagon UD profile, long pattern

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated



mm

Code	No.	O_{mm}	L	d ₁	d ₂	t	d_{hex}	d_{sq}
6258330	D 30 L 10	10	63.5	14.7	17.5	11	53	10
6258410	D 30 L 11	11	63.5	16.0	17.5	12	54	5
6258680	D 30 L 12	12	63.5	17.2	17.5	14	59	5
6258760	D 30 L 13	13	63.5	18.5	19.0	14	70	10
6258840	D 30 L 14	14	63.5	19.7	19.5	17	76	5
6258920	D 30 L 15	15	63.5	21.0	20.5	17	95	5
6259060	D 30 L 16	16	63.5	22.2	22.0	17	85	5
6259140	D 30 L 17	17	63.5	23.5	20.5	17	96	5
6259220	D 30 L 18	18	63.5	24.7	21.5	20	113	5
6259300	D 30 L 19	19	63.5	26.0	22.0	20	124	5
6259490	D 30 L 20	20	63.5	27.2	23.5	20	127	1
6259570	D 30 L 21	21	63.5	28.5	23.5	20	134	1
6259650	D 30 L 22	22	63.5	29.7	23.5	23	136	1


"AF"

Code	No.	O_{AF}	L	d ₁	d ₂	t	d_{hex}	d_{sq}
6259730	D 30 L 3/8AF	3/8	63.5	14.1	17.5	11	51	1
6259810	D 30 L 7/16AF	7/16	63.5	16.1	17.5	12	53	1
6260070	D 30 L 1/2AF	1/2	63.5	18.1	19.0	14	65	1
6260150	D 30 L 9/16AF	9/16	63.5	20.1	19.5	17	73	1
6260230	D 30 L 5/8AF	5/8	63.5	22.1	22.0	17	92	1
6260310	D 30 L 11/16AF	11/16	63.5	24.0	20.5	17	90	1
6260580	D 30 L 3/4AF	3/4	63.5	26.0	22.0	20	109	1
6260660	D 30 L 13/16AF	13/16	63.5	28.3	23.5	20	132	1
6260740	D 30 L 7/8AF	7/8	63.5	30.0	23.5	23	134	1

DG 30

SWIVEL SOCKET 3/8" UD profile

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated
- Chrome-vanadium steel 31CrV3, chrome-plated



mm

Code	No.	O_{mm}	L	d ₁	d ₂	t	d_{hex}	d_{sq}
6240630	DG 30 10	10	41.5	14.7	19.0	8.0	42	1
6240710	DG 30 11	11	41.5	16.0	19.0	8.0	43	1
6240980	DG 30 12	12	42.5	17.2	19.0	9.0	52	1
6241520	DG 30 13	13	42.5	18.5	19.0	9.0	50	1
6241600	DG 30 14	14	43.5	19.7	19.0	10.0	54	1
6241790	DG 30 15	15	45.5	21.0	19.0	11.0	48	1
6241870	DG 30 16	16	45.5	22.2	19.0	11.0	55	1
6241950	DG 30 17	17	46.0	23.5	19.0	12.0	61	1
6242410	DG 30 18	18	46.0	24.7	19.0	12.5	63	1
6242680	DG 30 19	19	46.5	26.0	19.0	12.5	64	1

Deviant packing units see article description.

TXG 30

SWIVEL HEAD SOCKET 3/8" for protruding TORX® head screws

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated
- Chrome-vanadium steel 31CrV3, chrome-plated
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA




Code	No.	O	L_{mm}	*_{mm}	L	d ₁	d ₂	t	d_{hex}	d_{sq}
2195321	TXG 30 E8	E8	M6 - M7	7.52	44.5	10.8	19	6.0	45	1
2195348	TXG 30 E10	E10	M8	9.42	44.5	13.2	19	8.5	50	1
2195356	TXG 30 E12	E12	M10	11.17	44.5	15.2	19	8.5	60	1
2195364	TXG 30 E14	E14	M12	12.90	44.5	16.8	19	8.5	60	1

3/8"

TX 30

SOCKET 3/8" for protruding TORX® head screws

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	O	L_{mm}	*_{mm}	L	d ₁	d ₂	t	d_{hex}	d_{sq}
6250270	TX 30 E5	E5	M4	4.73	28	7.2	17.5	5.0	25	5
6250350	TX 30 E6	E6	M5	5.74	28	8.5	17.5	5.0	25	5
6250430	TX 30 E7	E7	M6	6.16	28	9.5	17.5	5.5	25	5
6250510	TX 30 E8	E8	M6 - M7	7.52	28	10.8	17.5	6.0	27	5
6250780	TX 30 E10	E10	M8	9.42	28	13.2	17.5	9.0	29	5
6250860	TX 30 E11	E11	-	10.08	28	13.8	17.5	9.0	30	5
6250940	TX 30 E12	E12	M10	11.17	28	15.2	17.5	9.0	32	5
6251080	TX 30 E14	E14	M12	12.90	28	16.8	18.3	9.0	35	5

86

1500 ES-30



NC 30 • NC 3093 U-10




492



ITX 30

SCREWDRIVER BIT SOCKET 3/8" for recessed TORX® head screws

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA




Code	No.	∅	M	* mm	L ₁	L ₂	d	∅	mm
6246320	ITX 30 T20	T20	M4 - M5	3.86	49	17	17.5	50	5
6246830	ITX 30 T25	T25	M4,5 - M5	4.43	49	17	17.5	51	5
6247210	ITX 30 T27	T27	M4,5 - M6	4.99	49	17	17.5	51	5
6247560	ITX 30 T30	T30	M6 - M7	5.52	49	17	17.5	51	5
6247720	ITX 30 T40	T40	M7 - M8	6.65	49	17	17.5	52	5
6247800	ITX 30 T45	T45	M8 - M10	7.82	49	17	17.5	53	5
6247990	ITX 30 T50	T50	M10	8.83	49	17	19.0	70	5

ITX 30 L

SCREWDRIVER BIT SOCKET 3/8" for recessed TORX® head screws, long pattern

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	∅	M	* mm	L ₁	L ₂	d	∅	mm
1394177	ITX 30 LT20	T20	M4 - M5	3.86	94	62	17.5	70	5
1394185	ITX 30 LT25	T25	M4,5 - M5	4.43	94	62	17.5	70	5
1394193	ITX 30 LT27	T27	M4,5 - M6	4.99	94	62	17.5	70	5
1394207	ITX 30 LT30	T30	M6 - M7	5.52	94	62	17.5	71	5
1394215	ITX 30 LT40	T40	M7 - M8	6.65	94	62	17.5	70	5
1394223	ITX 30 LT45	T45	M8 - M10	7.82	94	62	17.5	71	5
1394231	ITX 30 LT50	T50	M10	8.83	94	62	19.0	99	5

ITX 30 B

SCREWDRIVER BIT SOCKET 3/8" for recessed TORX® head screws with pilot

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA




Code	No.	∅	M	* mm	L ₁	L ₂	d	Bore	∅	mm
1440969	ITX 30 BT20	T20	M4 - M5	3.86	49	17	17.5	1,55 x 1,86	46	5
1440977	ITX 30 BT25	T25	M4,5 - M5	4.43	49	17	17.5	1,93 x 2,04	48	5
1440985	ITX 30 BT27	T27	M4,5 - M6	4.99	49	17	17.5	2,18 x 2,29	48	5
1440993	ITX 30 BT30	T30	M6 - M7	5.52	49	17	17.5	2,56 x 2,92	48	5
1429701	ITX 30 BT40	T40	M7 - M8	6.65	49	17	19.0	2,92 x 3,28	64	5
1441000	ITX 30 BT45	T45	M8 - M10	7.82	49	17	19.0	3,45 x 3,68	66	5
1441019	ITX 30 BT50	T50	M10	8.83	49	17	20.5	3,83 x 3,78	78	5

IS 30

SCREWDRIVER BIT SOCKET 3/8" for slotted head screws

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- Blade as per DIN ISO 2380-1, Form B




Code	No.	mm	mm	L ₁	L ₂	d	∅	mm
6666100	IS 30 5,5x1	1.0	5.5	55	27	17.5	40	5
1640895	IS 30 6,5x1,2	1.2	6.5	55	27	17.5	39	1
6666290	IS 30 8x1,2	1.2	8.0	55	23	17.5	54	5
6666370	IS 30 10x1,6	1.6	10.0	55	23	19.0	72	5
1640909	IS 30 12x2	2.0	12.0	55	23	20.5	83	1

IKS 30

SCREWDRIVER BIT SOCKET 3/8" for cross-slotted head screws PH

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Tip as per DIN ISO 8764-1 PH




Code	No.	∅ PH	L ₁	L ₂	d	∅	mm
6666610	IKS 30 1	1	55	27	17.5	41	5
6666880	IKS 30 2	2	55	23	17.5	52	5
6666960	IKS 30 3	3	55	23	19.0	70	5

IKS 30 PZD

SCREWDRIVER BIT SOCKET 3/8" for cross-slotted head screws PZ

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Tip as per DIN ISO 8764-1 PZ



Code	No.	∅ PZ	L ₁	L ₂	d	∅	mm
1640968	IKS 30 PZD 1	1	55	27	17.5	40	1
1640976	IKS 30 PZD 2	2	55	23	17.5	51	1
1640984	IKS 30 PZD 3	3	55	23	19.0	69	1



3/8"


GEDORE



IN 30

SCREWDRIVER BIT SOCKET 3/8" for in-hex screws METRIC


- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- * not standardised

10
3/8
mm

IN 30 LK

SCREWDRIVER BIT SOCKET 3/8" with ball end, for in-hex screws, long pattern

- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Total swivel angle approx. 15-20°

10
3/8
mm

3/8"

Code	No.	*	● mm	L ₁	L ₂	d	● mm	■
6241010	IN 30 4		4	47	19	17.5	38	10
6241280	IN 30 5		5	47	19	17.5	39	10
6241360	IN 30 6		6	47	19	17.5	41	10
1643037	IN 30 7	*	7	47	19	17.5	41	1
6241440	IN 30 8		8	49	17	17.5	53	10
6242920	IN 30 10		10	49	17	19.0	73	10




Code	No.	● AF	● TAF	L ₁	L ₂	d	● AF	■
2195208	IN 30 1/8AF	W	1/8	47	19	17.5	1	
2195232	IN 30 5/32AF	W	5/32	47	19	17.5	1	
2195267	IN 30 3/16AF	W	3/16	47	19	17.5	40	1
1193422	IN 30 1/4AF	W	1/4	47	19	17.5	49	1
1193431	IN 30 5/16AF	W	5/16	49	17	17.5	54	1
1193449	IN 30 3/8AF	W	3/8	49	17	19.0	50	1



IN 30 L

SCREWDRIVER BIT SOCKET 3/8" for in-hex screws, long pattern

- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated


10
3/8
mm

Code	No.	● mm	L ₁	L ₂	d	● mm	■
1510118	IN 30 L 4-95	4	95	67	17.5	44	10
1394347	IN 30 L 5-95	5	95	67	17.5	48	10
1394355	IN 30 L 6-95	6	95	67	17.5	53	10
1394363	IN 30 L 7-95	7	95	67	17.5	58	10
1394371	IN 30 L 8-95	8	95	63	17.5	74	10
1394398	IN 30 L 10-95	10	95	63	19.0	105	10

IN 30 L

SCREWDRIVER BIT SOCKET 3/8" for multi-point screws XZN, long pattern

- Acc. to DIN 2324
- Square drive as per DIN 3120 - C 10, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- Tip as per DIN 2325

10
3/8
mm

Code	No.	● mm	L ₁	L ₂	d	● mm	■
1394312	INX 30 L 6	M6	94	62	17.5	68	5
1394320	INX 30 L 8	M8	94	62	17.5	71	5
1394339	INX 30 L 10	M10	94	62	19.0	79	5

ACCESSORIES 10 MM (3/8")

3019
CONVERTOR 3/8" TO 1/2"

- ▶ Acc. to DIN 3123, ISO 3315
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated

10
3/8"
12,5
1/2"


Code	No.	□ "	□	■ "	■	□ mm □	□ □ □	□
6236010	3019	3/8	10	1/2	12.5	35	53	10


3/8"
3020
REDUCER 3/8" TO 1/4"

- ▶ Acc. to DIN 3123, ISO 3315
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated

10
3/8"
6,3
1/4"


Code	No.	□ "	□	■ "	■	□ mm □	□ □ □	□
6236280	3020	3/8	10	1/4	6,3	28,5	26	10

3081
L-HANDLE 3/8"


- ▶ Acc. to DIN 3123, ISO 3315
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated

10
3/8"


Code	No.	■ "	■	□ mm □	□ □ □	□
6236360	3081	3/8	10	180	153	1

3084
SPEED BRACE 3/8"

- ▶ Acc. to DIN 3122, ISO 3315
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated

10
3/8"


Code	No.	■ "	■	□ mm □	□ □ □	□
6236440	3084	3/8	10	288	423	1
1965395	3084 L	3/8	10	463	568	1

3087
SLIDING T BAR 3/8"

- ▶ Acc. to DIN 3122, ISO 3315
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated

10
3/8"


Code	No.	■ "	■	□ mm □	□ □ □	□
6236520	3087	3/8	10	163	164	5

3087 A
SLIDING T BAR WITH RELEASE 3/8"


- ▶ Secured against unintentional removal
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated
- ▶ Turn handle for easy locking and releasing
- ▶ Accidental release when working is prevented because of the asymmetrical release point
- ▶ Particularly useful for work in sensitive areas where certainty against loss is a theme
- ▶ Examples: Aircraft engine, work in deep machine bodies
- ▶ DBGM

10
3/8"


Code	No.	■ "	■	□ mm □	□ □ □	□
1871633	3087 A	3/8	10	163	135	1

3090
EXTENSION 3/8"

- ▶ Acc. to DIN 3123, ISO 3316
- ▶ For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31CrV3, polished, chrome-plated
- ▶ * not standardised

10
3/8"


Code	No.	*	■ "	■	□ mm □	□ □ □	□
1476637	3090-2	*	3/8	10	50	63	5
6236600	3090-3	3/8	10	76	93	5	
6236790	3090-5	3/8	10	125	117	5	
1476645	3090-7	*	3/8	10	180	164	5
6236870	3090-10	3/8	10	250	222	5	
6238570	3090-12	*	3/8	10	305	287	5
1476653	3090-20	*	3/8	10	500	524	1

SETS 10 MM (3/8") METRIC

10 3/8"

www.gedore.com

30 DMU / D 30 DMU

SOCKET SET 3/8" 12 pieces

- With forged, tempered hexagon (no. 30) or UD profile sockets (no. D 30), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 206 x 62 x 40 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	
6235200	30 DMU-10	U-10 3093 U-10	Ø 30 6 7 8 9 10 11 13 14 17 19	3090-5	1.0	1
6238730	D 30 DMU-10	U-10 3093 U-10	Ø D 30 6 7 8 9 10 11 13 14 17 19	3090-5	1.0	1

30 GMU / D 30 GMU

SOCKET SET 3/8" 17 pieces

- With forged, tempered hexagon (no. 30) or UD profile sockets (no. D 30), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-3 with fine toothed, dial change ratchet
- Set U-10 with reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	
6235980	30 GMU-3	U-3 3093 U-3	Ø 30 6 7 8 9 10 11 13 14 15 16 17 19	3087 3090-5 -10 3095	1.8	1
6235710	30 GMU-10	U-10 3093 U-10	Ø 30 6 7 8 9 10 11 13 14 15 16 17 19	3087 3090-5 -10 3095	1.9	1
6240200	D 30 GMU-3	U-3 3093 U-3	Ø D 30 6 7 8 9 10 11 13 14 15 16 17 19	3087 3090-5 -10 3095	1.8	1
6239380	D 30 GMU-10	U-10 3093 U-10	Ø D 30 6 7 8 9 10 11 13 14 15 16 17 19	3087 3090-5 -10 3095	1.8	1



3/8"

GEDORE



The GEDORE socket set

- Innovative, functional design
- Sheet steel case - inside-folded, seamless edge provides added strength. The tool and foam inserts are secured to prevent them being lost
- ABS plastic tool insert, resistant to oils and greases
- Tool insert with the socket sizes permanently laser marked
- With the lid closed, the tools sit securely in their pockets
- Boxes designed so that they can be stacked easily
- Large, rounded fasteners can be opened and closed even when the user is wearing gloves
- Contoured carry handle ensures comfortable carrying even for long periods
- Environmentally-friendly powder-coated in GEDORIT blue



30 HMU / D 30 HMU

SOCKET SET 3/8" 23 pieces

- With forged, tempered hexagon (no. 30) or UD profile sockets (no. D 30), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-3 with fine toothed, dial change ratchet
- Set U-10 with reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm
6238300	30 HMU-3	● U-3 3093 U-3	30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3087 3090-5 -10 3095	2.7 1
6235470	30 HMU-10	● U-10 3093 U-10	30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3087 3090-5 -10 3095	2.7 1
6240470	D 30 HMU-3	● U-3 3093 U-3	D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3087 3090-5 -10 3095	2.7 1
6239700	D 30 HMU-10	● U-10 3093 U-10	D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	3087 3090-5 -10 3095	2.7 1



30 QMU / D 30 QMU

SOCKET SET 3/8" 35 pieces

- With forged, tempered hexagon (no. 30) or UD profile sockets (no. D 30), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-3 with fine toothed, dial change ratchet
- Set U-10 with reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 315 x 181 x 40 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
6238490	30 QMU-3	● U-3 3093 U-3	● 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 ⊖ 880 6,5 7 8 ● 885 3 4 5 6 8 ⊕ 890 1 2 3	— 3087 — 3090-5 -10 □ 3095 — 870 ■ KB 830	3.0	1
6235630	30 QMU-10	● U-10 3093 U-10	● 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 ⊖ 880 6,5 7 8 ● 885 3 4 5 6 8 ⊕ 890 1 2 3	— 3087 — 3090-5 -10 □ 3095 — 870 ■ KB 830	3.0	1
6240550	D 30 QMU-3	● U-3 3093 U-3	● D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 ⊖ 880 6,5 7 8 ● 885 3 4 5 6 8 ⊕ 890 1 2 3	— 3087 — 3090-5 -10 □ 3095 — 870 ■ KB 830	2.9	1
6239970	D 30 QMU-10	● U-10 3093 U-10	● D 30 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 ⊖ 880 6,5 7 8 ● 885 3 4 5 6 8 ⊕ 890 1 2 3	— 3087 — 3090-5 -10 □ 3095 — 870 ■ KB 830	2.9	1

30 IMU / D 30 IMU

SOCKET SET 3/8" 26 pieces

- With forged, tempered hexagon (no. 30) or UD profile sockets (no. D 30), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-3 with fine toothed, dial change ratchet
- Set U-10 with reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
6229900	30 IMU-3	● U-3 3093 U-3	● 30 6 7 8 9 10 11 12 13 14 15 16 17 19 ⊖ IS 30 5,5 8 ● IN 30 4 5 6 8 ⊕ IKS 30 2 3	— 3087 — 3090-5 -10 □ 3095	2.5	1
6229740	30 IMU-10	● U-10 3093 U-10	● 30 6 7 8 9 10 11 12 13 14 15 16 17 19 ⊖ IS 30 5,5 8 ● IN 30 4 5 6 8 ⊕ IKS 30 2 3	— 3087 — 3090-5 -10 □ 3095	2.5	1
6230080	D 30 IMU-3	● U-3 3093 U-3	● D 30 6 7 8 9 10 11 12 13 14 15 16 17 19 ⊖ IS 30 5,5 8 ● IN 30 4 5 6 8 ⊕ IKS 30 2 3	— 3087 — 3090-5 -10 □ 3095	2.5	1
6229820	D 30 IMU-10	● U-10 3093 U-10	● D 30 6 7 8 9 10 11 12 13 14 15 16 17 19 ⊖ IS 30 5,5 8 ● IN 30 4 5 6 8 ⊕ IKS 30 2 3	— 3087 — 3090-5 -10 □ 3095	2.5	1




3/8"

GEDORE

**D 30 KMU-20****SOCKET SET 3/8" 40 pieces**

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With robust lever-change reversible ratchet with push-button release
- In sheet steel case with insert
- Dimensions: 320 x 210 x 55 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



3/8"

mm

Code	No.	Ratchet	Sockets	Accessories	Size	Unit
1973347	D 30 KMU-20	🕒 U-20 3093 U-20 3093 U-3T	🕒 D 30 8 9 10 11 12 13 14 15 16 17 18 19 🕒 680 4 5,5 6,5 🕒 685 3 4 5 6 🕒 685 X 5 6 8 🕒 687 TXT10 T15 T20 T25 T27 T30 🕒 690 1 2 🕒 690 PZD 1 2	3090 KR-3 3090-5 630 673 10 676 699	1.8	1

D 30 TX20 U-20**SOCKET SET 3/8" + 1/4" 52 pieces**

- Tool set for general industrial and automotive applications
- 3/8" and 1/4" sockets for protruding and recessed TORX® screws
- With robust lever-change reversible ratchet with push-button release
- In sheet steel case with Check-Tool insert
- Dimensions: 320 x 210 x 55 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



mm

Code	No.	Ratchet	Sockets	Accessories	Size	Unit
2075695	D 30 TX20 U-20	🕒 U-20 3093 U-20 🕒 U-20 2093 U-20	🕒 D 30 10 11 12 13 14 15 16 17 18 19 21 22 🕒 TX 30 E11 E12 E14 🕒 ITX 30 T45 T50 🕒 D 20 4 4,5 5 5,5 6 7 8 9 10 11 12 13 🕒 TX 20 E5 E6 E7 E8 E10 🕒 687 TXT10 T15 T20 T25 T27 T30 T40	3090 KR-3 3090-5 2090 KR-2 2090-6 620 673 6,3 10 676 699	3.2	1



IN 30 LKM
SCREWDRIVER BIT SOCKET SET 3/8" 10 pieces

- For in-hex screws (INBUS®), short and long
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied



Code	No.	Sockets	Code
1509918	IN 30 LKM	● IN 30 4 5 6 8 10 ● IN 30 L 4 5 6 8 10	761 1

ITX 30 PM
SCREWDRIVER BIT SOCKET SET 3/8" 7 pieces

- For recessed TORX® screws
- In blue sheet steel case
- Dimensions: 210 x 70 x 32 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets	Code
1509926	ITX 30 PM	● ITX 30 T20 T25 T27 T30 T40 T45 T50	627 1

ITX 30 LKP
SCREWDRIVER BIT SOCKET SET 3/8" 14 pieces

- For recessed TORX® screws, short and long
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets	Code
1509950	ITX 30 LKP	● ITX 30 T20 T25 T27 T30 T40 T45 T50 ● ITX 30 L T20 T25 T27 T30 T40 T45 T50	1081 1

ITX 30 TX-015
SCREWDRIVER BIT SOCKET SET 3/8" 15 pieces

- For protruding and recessed TORX® screws
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets	Code
1509942	ITX 30 TX-015	● ITX 30 T20 T25 T27 T30 T40 T45 T50 ● TX 30 E5 E6 E7 E8 E10 E11 E12 E14	801 1

TX 30 E-08
SOCKET SET 3/8" 8 pieces

- For protruding TORX® screws
- In GEDORE blue sheet steel case
- Dimensions: 210 x 70 x 32 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets	Code
1509934	TX 30 E-08	● TX 30 E5 E6 E7 E8 E10 E11 E12 E14	485 1

ITX 30 TX 20
SCREWDRIVER BIT SOCKET SET 3/8" + 1/4" 28 pieces

- 3/8" and 1/4" sockets for protruding and recessed TORX® screws
- In plastic case
- Dimensions: 275 x 150 x 42 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets	Code
1509969	30 TX 20	● ITX 30 T25 T27 T30 T40 T45 T50 ● ITX 30 L T20 T25 T27 T30 T40 T45 T50 ● TX 30 E8 E10 E11 E12 E14 ● ITX 20 T8 T9 T10 T15 T20 ● TX 20 E4 E5 E6 E7 ● 2030	1484 1



3/8"

GEDORE

**VB 30 / VBD 30**

DISPLAY BOX 3/8" 228 pieces

- With 228 3/8" sockets
- Display box empty (VB 30 L) in GEDORIT silver sheet steel
- Dimensions: 430 x 300 x 220 mm

Code	No.	Sockets	Weight	Quantity
6233500	VB 30	SVB 30 + VB 30 L	10.4	1
1888072	SVB 30	12x 30 10 13 10x 30 6 7 8 9 8x 30 11 12 14 15 17 19 5x 30 16 18 20 21 22 10x IN 30 5 8x IN 30 4 6 5x IN 30 8 10 5x IS 30 5,5 8 10 5x IKS 30 1 2 3 5x INX 30 5 6 8 10x 3019	12.0	1
6233690	VBD 30	SVBD 30 + VB 30 L	16.0	1
1888080	SVBD 30	12x D 30 10 13 10x D 30 6 7 8 9 8x D 30 11 12 14 15 17 19 5x D 30 16 18 20 21 22 10x IN 30 5 8x IN 30 4 6 5x IN 30 8 10 5x IS 30 5,5 8 10 5x IKS 30 1 2 3 5x INX 30 5 6 8 10x 3019	12.0	1
5231940	VB 30 L		6.4	1

**SETS 10 MM (3/8") INCH****D 30 DAU**

SOCKET SET 3/8" 12 pieces

- With forged, tempered UD profile, hand-operated sockets
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 206 x 62 x 40 mm



Code	No.	Ratchet	Sockets	Accessories	Weight	Quantity
6239030	D 30 DAU-10	U-10 3093 U-10	D 30 1/4 5/16 11/32 3/8 7/16 1/2 9/16 5/8 11/16 3/4"	3090-5	1.0	1

D 30 GAU

SOCKET SET 3/8" 17 pieces

- With forged, tempered UD profile, hand-operated sockets
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-3 with fine toothed, dial change ratchet
- Set U-10 with reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm




Code	No.	Ratchet	Sockets	Accessories	Weight	Quantity
6240390	D 30 GAU-3	U-3 3093 U-3	D 30 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 19/32 5/8 11/16 3/4"	3087 3090-5 -10 3095	1.8	1
6239540	D 30 GAU-10	U-10 3093 U-10	D 30 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 19/32 5/8 11/16 3/4"	3087 3090-5 -10 3095	1.8	1

12.5 MM (1/2") SQUARE DRIVE
12.5 1/2" 12.5 1/2"
RATCHETS 12.5 MM (1/2")

1993 U-20
REVERSIBLE RATCHET 1/2"

- Acc. to DIN 3122, ISO 3315
- Small, drop shaped head for confined areas
- Fine-toothed, with lever change and push-button release
- Non-slip 2-component handle with hanging hole
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated


12.5 1/2"

1/2"


Code	No.	■ "	■ mm	■ °	■ mm	■	■	■
1436686	1993 U-20	1/2	12.5	6	270	37.5	536	5

1993 U-10 L
REVERSIBLE RATCHET 1/2" long pattern

- Acc. to DIN 3122, ISO 3315
- With lever change
- Push-button release
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12.5 1/2"


Code	No.	■ "	■ mm	■ °	■ mm	■	■	■
6154550	1993 U-10 L	1/2	12.5	11,25	350	41	696	5

1993 U-10 T
REVERSIBLE RATCHET 1/2"

- Acc. to DIN 3122, ISO 3315
- With recessed lever change
- Push-button release
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12.5 1/2"


Code	No.	■ "	■ mm	■ °	■ mm	■	■	■
6142620	1993 U-10 T	1/2	12.5	11,25	270	39	598	5



1/2"

GEDORE

**1993 ALU-10****ALUMINIUM REVERSIBLE RATCHET 1/2"**

- Design spec. similar to DIN 3122, ISO 3315
- Made from special-purpose drop-forged and hardened aluminium
- The mechanism as in all U-10 ratchets is made from high-quality steel
- With lever change
- Push-button release
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- Extremely lightweight - just 350 g


12,5
1/2"

1/2"

Code	No.	■ "	■ mm	■ °	■ mm	■ "	■ mm	■ °	■ mm	■ "
6142700	1993 ALU-10	1/2	12.5	11,25	270	39	349	5		

1993 U-3**REVERSIBLE RATCHET 1/2"**


- Acc. to DIN 3122, ISO 3315
- With non-slip metal disc change, fine-toothed and robust
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12,5
1/2"

Code	No.	■ "	■ mm	■ °	■ mm	■ "	■ mm	■ °	■ mm	■ "
6144240	1993 U-3	1/2	12.5	5	270	40.5	476	5		

1993 GU-10 XL**SWIVEL HEAD REVERSIBLE RATCHET 1/2" extra long**

- Ideal for the truck and/or industrial vehicle sectors
- Swivels through 180°
- With lever change
- Push-button release
- Especially suitable for high torques, max. torque 600 N·m
- Locks in the middle position: When the lever is flipped, it automatically engages for clockwise or counterclockwise operation
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12,5
1/2"

Code	No.	■ "	■ mm	■ °	■ mm	■ "
2018934	1993 GU-10 XL	1/2	12.5	11,25	600	1160



1993 GU-3**SWIVEL HEAD REVERSIBLE RATCHET 1/2"**

- Swivels through 180°, with joint lock
- With non-slip metal disc change, fine-toothed and robust
- Max. torque 300 N·m
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12.5

1/2"



Code	No.	■"	■	∠°	■ mm ■	→	■	■
6144320	1993 GU-3	1/2	12.5	5	282	40.5	535	5

1993 U-10 K**PLASTIC RATCHET 1/2"**

- Fast and easy tightening of bolted connections up to max. 70 N·m
- Very handy and compact, housing and handle form one unit
- Return angle 11,25°
- Made from sturdy compound material with a steel mechanism
- Dimensions: 44 x 145 x 42.2 mm
- Available in five colours
- European-Patent-No. 1136187

12.5

1/2"



Code	No.	Colour	■"	■	■ mm ■	∠°	■	■
6242760	1993 U-10 K SCHWARZ	signal-black	1/2	12.5	145	11,25	226	5
6244620	1993 U-10 K GRÜN	moss-green	1/2	12.5	145	11,25	226	1
6244700	1993 U-10 K GRAU	anthracite-grey	1/2	12.5	145	11,25	226	1
6244890	1993 U-10 K BLAU	sky-blue	1/2	12.5	145	11,25	226	1
1505025	1993 U-10 K SIGNALGRAU	signal-grey	1/2	12.5	145	11,25	226	5

1993 Z-94**RATCHET HANDLE WITH COUPLER 1/2"**

- Acc. to DIN 3122, ISO 3315
- With square coupler, medium-fine toothed, extremely rugged
- For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174 ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12.5

1/2"



Code	No.	■"	■	∠°	■ mm ■	→	■	■
6144590	1993 Z-94	1/2	12.5	15	270	21.9	476	5





1/2"

GEDORE

10
3/8
12,5
1/2"

VS 1930

DISPLAY STAND 1/2" for plastic ratchets

- Display stand for 20 plastic ratchets in four different colours
- In sturdy wire and sheet metal design
- Contents:
- 16 pieces 1993 U-10 K (4 each sky-blue RAL 5015, black RAL 9004, signal-grey RAL 7004, moss-green RAL 6005)
- 4 pieces 3093 U-10 K (1 each sky-blue RAL 5015, black RAL 9004, signal-grey RAL 7004, moss-green RAL 6005)



Code	No.	Description	6.0	1
1461621	VS 1930 U-10 K	Display stand with assortment	6.0	1
1464175	VS 1930 U-10 KL	Display stand empty	1.1	1



	S 1023 M		1000
			58
72			

	UNIT DRIVE hexagon	UNIT DRIVE bi-hexagon	UNIT DRIVE bi-hexagon	UNIT DRIVE hexagon	UNIT DRIVE hexagon	Hexagon - external	Hexagon - external	Internal hexagon	Internal TORX®	Internal TORX® with pin	External TORX®	Internal serrations XZN	Slot	Cruciform PH	Cruciform PZ	Internal TORX PLUS®	Internal hexagon with ball end	Internal hexagon

SOCKETS 12.5 MM (1/2")

19


SOCKET 1/2" hexagon

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- * not standardised

12.5

1/2"

NUT DRIVE



Code	No.	*	O_{mm}	L	d_1	d_2	t	$\frac{\text{d}_1}{\text{d}_2}$	■
6130020	19 8		8	38.0	13.0	22.5	15.0	55	10
6130100	19 9	*	9	38.0	14.2	22.5	15.0	56	10
6130290	19 10		10	38.0	15.5	22.5	13.5	56	10
6130370	19 11		11	38.0	16.7	22.5	12.5	58	10
6130450	19 12		12	38.0	18.0	22.5	12.5	58	10
6130530	19 13		13	38.0	19.2	22.5	12.5	61	10
6130610	19 14		14	38.0	20.5	22.5	12.5	63	10

Code	No.	*	O_{mm}	L	d_1	d_2	t	$\frac{\text{d}_1}{\text{d}_2}$	■
6130880	19 15		15	39.5	21.7	23.8	15.0	74	10
6130960	19 16		16	39.5	22.5	23.8	15.0	75	10
6131180	19 17		17	39.5	24.0	22.5	15.0	74	10
6131260	19 18		18	39.5	25.5	23.0	17.0	73	10
6131340	19 19		19	40.0	26.7	24.2	17.0	85	10
6131420	19 20		20	40.0	28.0	25.5	17.0	96	10
6131500	19 21		21	41.5	29.2	26.0	18.5	106	10
6131690	19 22		22	41.5	30.5	26.3	18.5	112	10
6131770	19 23	*	23	41.5	31.7	27.5	18.5	122	10
6131850	19 24		24	41.5	33.0	28.0	18.5	132	10
6131930	19 25	*	25	41.5	34.2	28.8	18.5	139	10
6132070	19 26	*	26	41.5	35.5	29.4	18.5	148	10
6132150	19 27		27	41.5	36.7	30.0	18.5	157	10
6132230	19 28	*	28	43.0	38.0	30.5	20.0	168	10
6132310	19 29	*	29	43.0	39.2	31.2	20.0	181	10
6132580	19 30		30	43.0	40.5	32.5	20.5	193	10
6132740	19 32		32	44.5	43.0	34.5	22.5	226	10
6132870	19 34		34	44.5	45.5	37.0	22.5	259	10
1718711	19 36	*	36	44.5	48.0	38.0	22.5	271	10

D 19

SOCKET 1/2" bi-hexagon UD profile


- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- * not standardised

12.5

1/2"

NUT DRIVE

"AF



Code	No.	*	W	O_{mm}	L	d_1	d_2	t	$\frac{\text{d}_1}{\text{d}_2}$	■
6133040	D 19 8		8	38.0	13.0	22.5	7.0	51	10	
6133120	D 19 9	*	9	38.0	14.2	22.5	8.0	52	10	
6133200	D 19 10		10	38.0	15.5	22.5	13.5	56	10	
6133390	D 19 11		11	38.0	16.7	22.5	12.5	57	10	
6133470	D 19 12		12	38.0	18.0	22.5	12.5	57	10	
6133550	D 19 13		13	38.0	19.2	22.5	12.5	59	10	
6133630	D 19 14		14	38.0	20.5	22.5	12.5	61	10	
6133710	D 19 15		15	39.5	21.7	23.8	15.0	72	10	
6133980	D 19 16		16	39.5	22.5	23.8	15.0	72	10	
6134010	D 19 17		17	39.5	24.0	22.5	15.0	70	10	
6134280	D 19 18		18	39.5	25.5	23.0	17.0	68	10	
6134360	D 19 19		19	40.0	26.7	24.2	17.0	81	10	
6134440	D 19 20		20	40.0	28.0	25.5	17.0	90	10	
6134520	D 19 21		21	41.5	29.2	26.0	18.5	101	10	
6134600	D 19 22		22	41.5	30.5	26.3	18.5	106	10	
6134790	D 19 23	*	23	41.5	31.7	27.5	18.5	118	10	
6134870	D 19 24		24	41.5	33.0	28.0	18.5	123	10	
6134950	D 19 25	*	25	41.5	34.2	28.8	18.5	131	10	
6135090	D 19 26	*	26	41.5	35.5	29.4	18.5	139	10	
6135170	D 19 27		27	41.5	36.7	30.0	18.5	143	10	
6135250	D 19 28	*	28	43.0	38.0	30.5	20.0	163	10	
6135330	D 19 29	*	29	43.0	39.2	31.2	20.0	168	10	
6135410	D 19 30		30	43.0	40.5	32.5	20.5	182	10	
6135760	D 19 32		32	44.5	43.0	34.5	22.5	204	10	
6135840	D 19 33	*	33	44.5	44.2	36.0	22.5	221	10	
2194686	D 19 36	*	36	44.5	48.0	38.0	22.5	271	10	

Code	No.	*	O_{AF}	L	d_1	d_2	t	$\frac{\text{d}_1}{\text{d}_2}$	■
6136060	D 19 5/16AF		5/16	38.0	13.0	22.5	7.0	52	5
6136140	D 19 11/32AF		11/32	38.0	13.9	22.5	8.0	54	5
6136220	D 19 3/8AF		3/8	38.0	14.9	22.5	15.0	55	5
6136300	D 19 13/32AF		13/32	38.0	15.9	22.5	13.5	55	5
6136490	D 19 7/16AF		7/16	38.0	16.7	22.5	12.5	56	5
6136570	D 19 1 1/2AF		1/2	38.0	18.7	22.5	12.5	58	5
6136650	D 19 9/16AF		9/16	38.0	20.7	22.5	12.5	61	5
6136730	D 19 19/32AF		19/32	39.5	21.7	23.8	15.0	70	5
6136810	D 19 5/8AF		5/8	39.5	22.5	23.8	15.0	73	5
6137030	D 19 11/16AF		11/16	39.5	24.7	22.5	17.0	66	5
6137110	D 19 3/4AF		3/4	40.0	26.7	24.2	17.0	84	5
6137380	D 19 25/32AF		25/32	40.0	27.7	25.3	17.0	90	5
6137460	D 19 13/16AF		13/16	41.5	28.5	25.7	18.5	97	5
6137540	D 19 7/8AF		7/8	41.5	30.6	26.5	18.5	105	5
6137620	D 19 15/16AF		15/16	41.5	32.6	28.3	18.5	126	5
6137700	D 19 1AF		1	41.5	34.6	28.9	18.5	138	5
6137890	D 19 1.1/16AF		1.1/16	41.5	36.7	30.0	18.5	147	5
6137970	D 19 1.1/8AF		1.1/8	43.0	38.6	31.0	20.0	159	5
6138000	D 19 1.3/16AF		1.3/16	43.0	40.6	32.5	20.5	183	5
6138190	D 19 1.1/4AF		1.1/4	44.5	42.6	34.5	22.5	207	1

Whitw.

Code	No.	*	$\text{O}_{\text{Whitw.}}$	L	d_1	d_2	t	$\frac{\text{d}_1}{\text{d}_2}$	■
6138780	D 19 3/16W		3/16	38.0	17.0	22.5	12.5	54	1
6138860	D 19 1/4W		1/4	38.0	19.5	22.5	12.5	57	1
6138940	D 19 5/16W		5/16	39.5	21.9	23.8	15.0	69	1
6139080	D 19 3/8W		3/8	39.5	25.5	23.0	17.0	66	1
6139160	D 19 7/16W		7/16	41.5	28.8	26.0	18.5	96	1
6139240	D 19 1/2W		1/2	41.5	32.1	27.8	18.5	124	1
6139320	D 19 9/16W		9/16	41.5	34.9	29.2	18.5	137	1
6139400	D 19 5/8W		5/8	43.0	37.8	30.5	20.0	166	1
6139590	D 19 11/16W		11/16	43.0	41.0	33.0	20.5	184	1
6138430	D 19 3/4W		3/4	44.5	44.2	36.0	22.5	225	1



1/2"

GEDORE



19 L

SOCKET 1/2" hexagon, long pattern

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated




Code	No.	O_{mm}	L	d_1	d_2	t	$\text{S}\text{q}\text{.}$	Grip
1718738	19 L 10	10	77.0	15.5	22.5	12.0	117	1
1718746	19 L 11	11	77.0	16.7	22.5	13.0	121	1
1718754	19 L 12	12	77.0	18.0	22.5	14.0	127	1
1718762	19 L 13	13	77.0	19.2	22.5	16.0	98	1
1718770	19 L 14	14	77.0	20.5	22.5	17.0	109	1
1718789	19 L 15	15	77.0	21.7	22.5	17.0	117	1
1718800	19 L 16	16	77.0	23.0	24.0	18.0	130	1
1718819	19 L 17	17	77.0	24.0	24.0	18.0	132	1
1718827	19 L 18	18	82.0	25.5	25.0	20.0	147	1
1718835	19 L 19	19	82.0	26.7	26.0	22.0	174	1

D 19 L

SOCKET 1/2" bi-hexagon UD profile, long pattern

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- Sizes 16, 18, 21 with hole drilled for tommy bar Ø 8 mm



mm

Code	No.	O_{mm}	L	d_1	d_2	t	$\text{S}\text{q}\text{.}$	Grip
6141140	D 19 L 10	10	77.0	15.5	22.5	12.0	117	10
6141220	D 19 L 12	12	77.0	18.0	22.5	14.0	127	10
6140170	D 19 L 13	13	77.0	19.2	22.5	16.0	101	10
6140250	D 19 L 14	14	77.0	20.5	22.5	17.0	109	10
6142460	D 19 L 15	15	77.0	21.7	22.5	17.0	119	10
6142540	D 19 L 16	16	77.0	23.0	24.0	18.0	128	10
6140330	D 19 L 17	17	77.0	24.0	24.0	18.0	133	10
6142380	D 19 L 18	18	82.0	25.5	25.0	20.0	147	10
6140410	D 19 L 19	19	82.0	26.7	26.0	22.0	175	10
6140680	D 19 L 21	21	82.0	29.2	28.5	24.0	211	10
6145050	D 19 L 22	22	82.0	30.5	28.5	24.0	219	10
6140760	D 19 L 24	24	82.0	33.0	29.0	26.0	257	10
6141060	D 19 L 27	27	82.0	36.7	30.0	30.0	290	10
6145640	D 19 L 30	30	82.0	40.5	32.5	33.0	351	10
6191320	D 19 L 32	32	82.0	43.0	34.5	36.0	387	10
6147500	D 19 L 34	34	82.0	45.5	36.5	37.0	432	5


mm

Code	No.	O_{AF}	L	d_1	d_2	t	$\text{S}\text{q}\text{.}$	Grip
6141300	D 19 L 1/2AF	1/2	77.0	18.7	22.5	16.0	95	1
6141490	D 19 L 9/16AF	9/16	77.0	20.7	22.5	17.0	105	1
6141570	D 19 L 5/8AF	5/8	77.0	22.5	24.0	18.0	120	1
6141650	D 19 L 11/16AF	11/16	77.0	24.7	24.8	18.0	143	1
6141730	D 19 L 3/4AF	3/4	82.0	26.7	26.0	22.0	164	1
6141810	D 19 L 13/16AF	13/16	82.0	28.5	28.5	22.0	197	1
6142030	D 19 L 7/8AF	7/8	82.0	30.6	28.5	24.0	208	1
6142110	D 19 L 15/16AF	15/16	82.0	32.6	29.0	26.0	234	1

ITX 19

SCREWDRIVER BIT SOCKET 1/2" for recessed TORX® head screws


- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC, USA



Code	No.	S	L_{mm}	*mm	L_1	L_2	d	$\text{S}\text{q}\text{.}$	Grip
6152930	ITX 19 T20	T20	M4 - M5	3.86	55	17	22.5	76	10
6154200	ITX 19 T25	T25	M4.5 - M5	4.43	55	17	22.5	75	10
6154630	ITX 19 T27	T27	M4.5 - M6	4.99	55	17	22.5	76	10
6156170	ITX 19 T30	T30	M6 - M7	5.52	55	17	22.5	75	10
6156330	ITX 19 T40	T40	M7 - M8	6.65	55	17	22.5	76	10
6157060	ITX 19 T45	T45	M8 - M10	7.82	55	17	22.5	77	10
6158030	ITX 19 T50	T50	M10	8.83	55	17	22.5	92	10
6158380	ITX 19 T55	T55	M12	11.22	55	17	23.0	107	10
6158540	ITX 19 T60	T60	M14	13.25	55	15	24.7	137	10

ITX 19 L
SCREWDRIVER BIT SOCKET 1/2" for recessed TORX® head screws, long pattern

- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC, USA



Code	No.	∅	M	* mm	L ₁	L ₂	d	●	■
6188020	ITX 19 L T20-100	T20	M4 - M5	3.86	100	62	22.5	95	5
6188100	ITX 19 L T25-100	T25	M4.5 - M5	4.43	100	62	22.5	95	5
6188370	ITX 19 L T27-100	T27	M4.5 - M6	4.99	100	62	22.5	96	5
6152500	ITX 19 L T30-100	T30	M6 - M7	5.52	100	62	22.5	96	10
6152690	ITX 19 L T40-100	T40	M7 - M8	6.65	100	62	22.5	96	10
6155870	ITX 19 L T45-100	T45	M8 - M10	7.82	100	62	22.5	98	10
6158700	ITX 19 L T50-100	T50	M10	8.83	100	62	22.5	124	10
6159940	ITX 19 L T55-100	T55	M12	11.22	100	62	23.0	151	10
6188450	ITX 19 L T60-100	T60	M14	13.25	100	60	24.7	197	5
6105180	ITX 19 L T70-100	T70	M16	15.55	100	60	28.0	277	5

ITX 19 B
SCREWDRIVER BIT SOCKET 1/2" for recessed TORX® head screws with pilot


- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC, USA



Code	No.	∅	M	* mm	L ₁	L ₂	d	Bore	●	■
6192720	ITX 19 BT20	T20	M4 - M5	3.86	55	17	22.5	1,55 x 1,86	75	5
6195660	ITX 19 BT25	T25	M4.5 - M5	4.43	55	17	22.5	1,93 x 2,04	75	5
6196390	ITX 19 BT27	T27	M4.5 - M6	4.99	55	17	22.5	2,18 x 2,29	76	5
6200170	ITX 19 BT30	T30	M6 - M7	5.52	55	17	22.5	2,56 x 2,92	76	5
6200410	ITX 19 BT40	T40	M7 - M8	6.65	55	17	22.5	2,92 x 3,28	91	5
6200840	ITX 19 BT45	T45	M8 - M10	7.82	55	17	22.5	3,45 x 3,68	92	5
6201300	ITX 19 BT50	T50	M10	8.83	55	17	23.0	3,83 x 3,78	105	5
6202700	ITX 19 BT55	T55	M12	11.22	55	15	24.7	4,85 x 4,79	133	5
6203270	ITX 19 BT60	T60	M14	13.25	56	16	28.0	5,63 x 7,87	182	5

IS 19
SCREWDRIVER BIT SOCKET 1/2" for slotted head screws

- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- Blade as per DIN ISO 2380-1, Form B



Code	No.	mm	mm	L ₁	L ₂	d	●	■
6161760	IS 19 6,5x1,2	1.2	6.5	60	22	22.5	71	1
6656060	IS 19 8x1,2	1.2	8.0	60	22	22.5	80	5
6656140	IS 19 10x1,6	1.6	10.0	60	22	22.5	115	5
6656220	IS 19 12x2	2.0	12.0	60	22	23.0	110	5
6162140	IS 19 14x2,5	2.5	14.0	60	20	24.7	138	5
6656490	IS 19 16x2,5	2.5	16.0	60	20	28.0	190	5
6656570	IS 19 18x2,5	2.5	18.0	60	20	27.0	193	10

IKS 19
SCREWDRIVER BIT SOCKET 1/2" for cross-slotted head screws PH


- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Tip as per DIN ISO 8764-1 PH



Code	No.	∅ PH	L ₁	L ₂	d	●	■
6656650	IKS 19 2	2	60	22	22.5	77	10
6656730	IKS 19 3	3	60	22	22.5	92	10
6656810	IKS 19 4	4	60	22	23.0	106	10

IKS 19 PZD
SCREWDRIVER BIT SOCKET 1/2" for cross-slotted head screws PZ


- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Tip as per DIN ISO 8764-1 PZ



Code	No.	∅ PZ	L ₁	L ₂	d	●	■
6156680	IKS 19 PZD 2	2	60	22	22.5	77	10
6156760	IKS 19 PZD 3	3	60	22	22.5	91	10
6156840	IKS 19 PZD 4	4	60	22	23.0	108	5

IN 19
SCREWDRIVER BIT SOCKET 1/2" for in-hex screws

- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- IN 19 17 for oil filter and drain plug screws
- * not standardised



Code	No.	*	● mm	L ₁	L ₂	d	●	■
6153070	IN 19 4	*	4	60	22	22.5	68	10
6153150	IN 19 5	*	5	60	22	22.5	69	10
6153230	IN 19 6		6	60	22	22.5	70	10
6153310	IN 19 7		7	60	22	22.5	75	10
6153580	IN 19 8		8	60	22	22.5	82	10
6153660	IN 19 9	*	9	60	22	22.5	91	10
6153740	IN 19 10		10	60	22	22.5	99	10
6153820	IN 19 12		12	60	22	23.0	113	10
6153900	IN 19 14		14	60	20	24.7	149	10
6154040	IN 19 17	*	17	60	20	28.0	210	10
6154120	IN 19 19	*	19	60	20	27.0	222	10



1/2"

GEDORE



IN 19

"AF

Code	No.	● mm	L ₁	L ₂	d	● t	■
6154710	IN 19 3/16AF	3/16	60	22	22.5	69	10
6154980	IN 19 7/32AF	7/32	60	22	22.5	69	10
6155010	IN 19 1/4AF	1/4	60	22	22.5	73	10
6155280	IN 19 9/32AF	9/32	60	22	22.5	76	5
6155360	IN 19 5/16AF	5/16	60	22	22.5	81	10
6155440	IN 19 3/8AF	3/8	60	22	22.5	98	10
6155520	IN 19 1/2AF	1/2	60	22	23.0	119	10
6155600	IN 19 9/16AF	9/16	60	20	24.7	150	10
6155790	IN 19 5/8AF	5/8	60	20	28.0	205	10


IN 19 LK

SCREWDRIVER BIT SOCKET 1/2" with ball end, for in-hex screws, long pattern

- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Total swivel angle approx. 15°-20°

12,5

1/2"



IN 19 L

SCREWDRIVER BIT SOCKET 1/2" for in-hex screws, long pattern

- Acc. to DIN 7422
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- * t = stepped hexagon bit 13 mm
- * not standardised

12,5

1/2"



Code	No.	● mm	L ₁	L ₂	d	● t	■
6162810	IN 19 LK 6-140	6	140	102	22.5	91	10
6165080	IN 19 LK 7-140	7	140	102	22.5	103	5
6165160	IN 19 LK 8-140	8	140	102	22.5	116	10
6166800	IN 19 LK 10-140	10	140	102	22.5	153	10
6172370	IN 19 LK 12-140	12	140	102	23.0	195	5


INR 19 L

SCREWDRIVER BIT SOCKET 1/2" for multi-spline screws RIBE®, long pattern

- RIBE® = reg. trademark of Richard Bergner GmbH & Co. KG, Schwabach, Germany

12,5

1/2"



Code	No.	● mm	L ₁	L ₂	d	● t	■
1449826	INR 19 L 5-100	M5	100	62	22.5	85	1
1449850	INR 19 L 6-100	M6	100	62	22.5	85	1
1450859	INR 19 L 6-188	M6	188	150	22.5	120	1
1449877	INR 19 L 8-100	M8	100	62	22.5	85	1
1450875	INR 19 L 8-188	M8	188	150	22.5	125	1
1449591	INR 19 L 10-100	M10	100	62	22.5	105	1
1450891	INR 19 L 10-188	M10	188	150	22.5	165	1
1398636	INR 19 L 12-100	M12	100	62	22.5	145	1
1450913	INR 19 L 12-188	M12	188	150	22.5	230	1
1449893	INR 19 L 14-100	M14	100	60	24.7	155	1

IN 19 K

SCREWDRIVER BIT SOCKET 1/2" with ball end, for in-hex screws

- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- Total swivel angle approx. 15°-20°

12,5

1/2"




IN 19 K

SCREWDRIVER BIT SOCKET 1/2" for multi-point screws XZN

- Acc. to DIN 2324
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- Tip as per DIN 2325
- * not standardised

12,5


1/2"



Code	No.	* ● mm	L ₁	L ₂	d	● t	■
6158890	INX 19 5	* M5	55	17	22.5	75	10
6159000	INX 19 6	* M6	55	17	22.5	76	10
6159270	INX 19 8	M8	55	17	22.5	77	10
6159430	INX 19 10	M10	55	17	22.5	94	10
6159780	INX 19 12	M12	55	17	23.0	110	10
1888943	INX 19 14	M14	57	17	24.7	85	10

INX 19 L
SCREWDRIVER BIT SOCKET 1/2" for multi-point screws XZN, long pattern

- Acc. to DIN 2324
- Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retaining groove
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- Tip as per DIN 2325
- * not standardised

 12.5
1/2"
14


1/2"

Code	No.	*	□ M	L ₁	L ₂	d	■	■
6159190	INX 19 L 6-100	*	M6	100	62	22.5	93	10
6159350	INX 19 L 8-100		M8	100	62	22.5	97	10
6159510	INX 19 L 10-100		M10	100	62	22.5	124	10
6159860	INX 19 L 12-100		M12	100	62	23.0	149	10
1888951	INX 19 L 14-100		M14	100	60	24.7	110	10

ACCESSORIES 12.5 MM (1/2")
1930
REDUCER 1/2" TO 3/8"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

 12.5
1/2"
10
3/8"


1932
CONVERTOR 1/2" TO 3/4"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

 12.5
1/2"
20
3/4"

1940
HIGH-SPEED SWIVEL DISC for 1/2" ratchets

- For 12.5 mm (1/2") ratchets
- Tightens loose screws with a flick of the wrist
- Easy assembly between release head and socket
- Speeds up the screwing process

 12.5
1/2"


Code	No.	□ "	□	■	■	■ mm ■	■	■
1640887	1940	1/2	12.5			14	1	

1981 K
L-HANDLE 1/2"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

 12.5
1/2"


Code	No.	■ "	■	■ mm ■	■	■
6143270	1981 K	1/2	12.5	220	267	1

1985
SPEED BRACE 1/2"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

 12.5
1/2"


Code	No.	■ "	■	■ mm ■	■	■
6143350	1985	1/2	12.5	395	619	1

1987
SLIDING T BAR 1/2"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

 12.5
1/2"



Code	No.	■ "	■	■ mm ■	■	■
6143430	1987	1/2	12.5	292	386	10

1987 A
SLIDING T BAR WITH RELEASE 1/2"

- Secured against unintentional removal
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- Turn handle for easy locking and releasing
- Accidental release when working is prevented because of the asymmetrical release point
- Ideal for situations where sockets must not become detached
- Examples: Aircraft engine, work in deep machine bodies
- DBGM

 12.5
1/2"


Code	No.	■ "	■	■ mm ■	■	■
1871641	1987 A	1/2	12.5	292	375	1





1/2"

GEDORE

**1990****EXTENSION 1/2"**

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated

12.5
1/2"

Code	No.	*	■"	■	mm	mm	mm	mm
6143510	1990-2.1/2	*	1/2	12.5	63	115	10	
6143780	1990-3		1/2	12.5	76	137	10	
6143860	1990-5		1/2	12.5	125	188	10	
6142890	1990-7	*	1/2	12.5	180	264	10	
6143940	1990-10		1/2	12.5	250	361	10	
6129950	1990-12	*	1/2	12.5	305	411	1	

1990 A**EXTENSION 1/2" with release**

- Easy access to deep-fitting screws
- Locking ring prevents unintentional release of the socket
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device

12.5
1/2"

Code	No.	■"	■	mm	mm	mm	mm
1640828	1990 A-5	1/2	12.5	125	216	1	
1640801	1990 A-10	1/2	12.5	250	386	1	

**1990 KR****UNIVERSAL EXTENSION 1/2"**

- With ball end
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- The extension is able to pivot up to 15°
- Load capacity max. 230 N·m
- GEDORE vanadium steel 31CrV3, polished, chrome-plated

12.5
1/2"

Code	No.	■"	■	mm	mm	mm	mm
6173180	1990 KR-5	1/2	12.5	125	180	1	
6225590	1990 KR-7	1/2	12.5	180	255	1	
6366570	1990 KR-10	1/2	12.5	250	345	1	

1994**COUPLER 1/2"**

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated, polished

12.5
1/2"

Code	No.	■"	■	mm	mm	mm	mm
6144670	1994	1/2	12.5	37.8	45	10	

1995**UNIVERSAL JOINT 1/2"**

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated, polished

12.5
1/2"

Code	No.	■"	■	mm	mm	mm	mm
6144750	1995	1/2	12.5	1/2	12.5	72	159

1996 - 1997**SWIVEL HANDLE 1/2"**

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated, polished

12.5
1/2"

Code	No.	■"	■	mm	mm	mm	mm
6144830	1996	1/2	12.5	255	426	1	
6144910	1997	1/2	12.5	381	593	10	

1998
SWIVEL HANDLE WITH SLIDING T 1/2"

- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated, polished

 12,5
1/2"


1/2"

Code	No.	■ "	■	l mm	■	■
6199730	1998	1/2	12.5	460	747	1

VH 19
SPRING STEEL SOCKET RAIL 1/2"

- For 14 1/2" sockets
- Delivery without tools

 12,5
1/2"


Code	No.	■	■
5162520	VH 19	65	1

SL 19
TOOL HOLDING RAIL, MAGNETIC 1/2" empty

- External squares to take 12 or 16 standard commercial 12.5 mm (1/2") sockets
- Two female square adaptors to take ratchets, sliding T bars, extensions etc.
- A strong magnet securely holds the socket rail to ferrous metals
- Additional holes are provided for wall mounting the socket rail or attaching to non-ferrous materials
- The sockets are securely locked by the ball at the square-drive end by turning them 90°
- It is a simple matter to "unlock" and remove the sockets, by turning them 90° in the opposing direction
- Delivery without tools

 12,5
1/2"
12,5
1/2"
12,5
1/2"
Ω


Code	No.	Execution	l mm	mm	■	■
1828665	SL 1912	for 12 pieces 1/2" sockets	480	33	481	1
1761102	SL 1916	for 16 pieces 1/2" sockets	580	33	522	1


S 2032-05


157


19 V20U-10


194



1/2"

SETS 12.5 MM (1/2") METRIC

12.5 1/2"

GEDORE

www.gedore.com

19 KMU / D 19 KMU

SOCKET SET 1/2" 11 pieces

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV
- With fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 48 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
1953850	19 KMU-3	● U-3 1993 U-3	19 10 11 13 14 15 17 19 22 24	1990-5	1.9	1
1953958	D 19 KMU-3	● U-3 1993 U-3	D 19 10 11 13 14 15 17 19 22 24	1990-5	1.8	1

19 HMU / D 19 HMU

SOCKET SET 1/2" 13 pieces

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV
- With fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 48 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
1953842	19 HMU-3	● U-3 1993 U-3	19 8 9 10 11 12 13 14 15 17 19 22	1990-5	1.9	1
1953931	D 19 HMU-3	● U-3 1993 U-3	D 19 8 9 10 11 12 13 14 15 17 19 22	1990-5	1.9	1

19 GMU

SOCKET SET 1/2" 16 pieces

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
6122190	19 GMU-10	● U-10T 1993 U-10T	19 10 11 12 13 14 16 17 18 19 21 22 24	1990-5 -10 1987	3.6	1



The GEDORE socket set

- Innovative, functional design
- Sheet steel case - inside-folded, seamless edge provides added strength. The tool and foam inserts are secured to prevent them being lost
- ABS plastic tool insert, resistant to oils and greases
- Tool insert with the socket sizes permanently laser marked
- With the lid closed, the tools sit securely in their pockets
- Boxes designed so that they can be stacked easily
- Large, rounded fasteners can be opened and closed even when the user is wearing gloves
- Contoured carry handle ensures comfortable carrying even for long periods
- Environmentally-friendly powder-coated in GEDORIT blue



19 PQMU / D 19 PQMU

SOCKET SET 1/2" 16 pieces

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



12,5
1/2"
SPLIT DRIVE
QUICK DRIVE

mm

Code	No.	Ratchet	Sockets	Accessories	Ø	mm
6182920	19 PQMU-10	U-10-T 1993 U-10 T	19 8 10 11 12 13 14 15 17 19 22 24 50 MH (20,8)	1990-7 1987 1995	3.4	1
6185270	D 19 PQMU-10	U-10-T 1993 U-10 T	D 19 8 10 11 12 13 14 15 17 19 22 24 50 MH (20,8)	1990-7 1987 1995	3.4	1

1500 ES-D19



86

1500 ES-1993 T



88



1/2"

GEDORE

**19 QMU / D 19 QMU****SOCKET SET 1/2" 17 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set U-3 with fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	in
1953869	19 QMU-3	● U-3 1993 U-3	19 10 11 12 13 14 15 17 19 22 24 27 30 32	1987 1990-10 1995	4.0	1
6151450	19 QMU-10	● U-10 T 1993 U-10 T	19 10 11 12 13 14 15 17 19 22 24 27 30 32	1987 1990-10 1995	4.1	1
1953966	D 19 QMU-3	● U-3 1993 U-3	D 19 10 11 12 13 14 15 17 19 22 24 27 30 32	1987 1990-10 1995	3.9	1
6151530	D 19 QMU-10	● U-10 T 1993 U-10 T	D 19 10 11 12 13 14 15 17 19 22 24 27 30 32	1987 1990-10 1995	4.0	1

19 FMU / D 19 FMU**SOCKET SET 1/2" 19 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set U-3 with fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	in
1953834	19 FMU-3	● U-3 1993 U-3	19 10 11 12 13 14 15 16 17 19 22 24 27 30 32	1987 1990-10 1995	4.8	1
6150990	19 FMU-10	● U-10 T 1993 U-10 T	19 10 11 12 13 14 15 16 17 19 22 24 27 30 32	1987 1990-5 -10 1995	4.8	1
1953877	D 19 FMU-3	● U-3 1993 U-3	D 19 10 11 12 13 14 15 16 17 19 22 24 27 30 32	1987 1990-10 1995	4.7	1
6151290	D 19 FMU-10	● U-10 T 1993 U-10 T	D 19 10 11 12 13 14 15 16 17 19 22 24 27 30 32	1987 1990-5 -10 1995	4.7	1

**19 EMU / D 19 EMU****SOCKET SET 1/2" 21 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 433 x 180 x 48 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
6630850	19 EMU-10	● U-10T 1993 U-10 T	● 19 8 9 10 11 12 13 14 15 16 17 19 22 24 27 30 32	— 1987 — 1990-5 -10 — 1995	4.6	1
1413643	D 19 EMU-10	● U-10T 1993 U-10 T	● D 19 8 9 10 11 12 13 14 15 16 17 19 22 24 27 30 32	— 1987 — 1990-5 -10 — 1995	4.6	1

19 WMU / D 19 WMU**SOCKET SET 1/2" 24 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set U-3 with fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 433 x 180 x 48 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
1953990	19 WMU-3	● U-3 1993 U-3	● 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	— 1987 — 1990-5 -10 — 1995	3.8	1
1954032	D 19 WMU-3	● U-3 1993 U-3	● D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	— 1987 — 1990-5 -10 — 1995	4.2	1
6154390	19 WMU-10	● U-10T 1993 U-10 T	● 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	— 1987 — 1990-5 -10 — 1995	5.3	1
6154470	D 19 WMU-10	● U-10T 1993 U-10 T	● D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	— 1987 — 1990-5 -10 — 1995	5.2	1



1/2"

GEDORE

**19 TM / D 19 TM****SOCKET SET 1/2" 25 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set U-3 with fine toothed, dial change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
6148230	19 TMZ	● U-3 1993 Z-94	● 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.7	1
1953982	19 TMU-3	● U-3 1993 U-3	● 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.7	1
6151880	19 TMU-10	● U-10T 1993 U-10T	● 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.8	1
6148310	D 19 TMZ	● Z-94 1993 Z-94	● D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.5	1
1954016	D 19 TMU-3	● U-3 1993 U-3	● D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.5	1
6151960	D 19 TMU-10	● U-10T 1993 U-10T	● D 19 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32	□ 1985 □ 1987 □ 1990-5 -10 □ 1995	6.6	1

19 IMU / D 19 IMU**SOCKET SET 1/2" 27 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set U-3 with fine toothed, dial change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 433 x 180 x 48 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
1953974	19 IMU-3	● U-3 1993 U-3	● 19 10 11 12 13 14 15 17 19 22 24 27 30 ● IN 19 5 6 7 8 10 12 14 ● IS 19 8 10 + IKS 19 2 3	□ 1990-5 -10 □ 1995	4.7	1
6139750	19 IMU-10	● U-10T 1993 U-10T	● 19 10 11 12 13 14 15 17 19 22 24 27 30 ● IN 19 5 6 7 8 10 12 14 ● IS 19 8 10 + IKS 19 2 3	□ 1990-5 -10 □ 1995	4.8	1
1954008	D 19 IMU-3	● U-3 1993 U-3	● D 19 10 11 12 13 14 15 17 19 22 24 27 30 ● IN 19 5 6 7 8 10 12 14 ● IS 19 8 10 + IKS 19 2 3	□ 1990-5 -10 □ 1995	4.7	1
6140090	D 19 IMU-10	● U-10T 1993 U-10T	● D 19 10 11 12 13 14 15 17 19 22 24 27 30 ● IN 19 5 6 7 8 10 12 14 ● IS 19 8 10 + IKS 19 2 3	□ 1990-5 -10 □ 1995	4.7	1

**19 CMU / D 19 CMU****SOCKET SET 1/2" 29 pieces**

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
6172530	19 CMU-10	1993 U-10 T	19 10 11 12 13 14 15 16 17 18 19 21 22 2 10x11 12x13 14x15 16x17 18x21 19x22 6 10x11 12x13 14x15 16x17 18x21 19x22	1987 1990-5 -10 1995	6.7	1
6172610	D 19 CMU-10	1993 U-10 T	D 19 10 11 12 13 14 15 16 17 18 19 21 22 2 10x11 12x13 14x15 16x17 18x21 19x22 6 10x11 12x13 14x15 16x17 18x21 19x22	1987 1990-5 -10 1995	6.6	1

19 V20U-10**SOCKET SET 1/4" + 1/2" 50 pieces**

- With forged, tempered hexagon or UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- 1/4" with fine toothed, dial change ratchet U-3
- 1/2" with reversible lever change ratchet U-10 T
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
6157490	19 V20U-10	1993 U-10 T 2093 U-3	19 10 11 12 13 14 15 17 19 22 24 27 30 IN 19 7 8 10 12 14 IS 19 8 10 IKS 19 3 O 20 4 4.5 5 5.5 6 7 8 9 10 11 13 IN 20 3 4 5 6 IS 20 4 5.5 6.5 IKS 20 1 2	1990-5 -10 1995 2098 2090-2 -4 2087 2095	6.0	1

19 LMU**SOCKET SET 1/2" 30 pieces**

- With forged, tempered hexagon sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible with lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	Box
1806033	19 LMU-10	1993 U-10 T	19 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 19L 10 12 13 14 15 17 19 50 MH (20,8) 54 (16)	1987 1990-5 -10 1995	6.6	1



1/2"

GEDORE

**D 19 L-015****SOCKET SET 1/2" 15 pieces**

- With forged, tempered UD profile sockets, hand-operated
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm

12,5
1/2"
UNIT DRIVE**IN 19 LKM****SCREWDRIVER BIT SOCKET SET 1/2" 15 pieces**

- For in-hex screws (INBUS®), short and long
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm
- INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied

12,5
1/2"

1/2"



Code	No.	Sockets	■	■
2190214	D 19 L-015	● D 19 L 10 12 13 14 15 16 17 18 19 21 22 24 27 30 32	4.3	1

Code	No.	Sockets	■	■
6129360	IN 19 LKM	● IN 19 5 6 7 8 9 10 12 14 17 ● IN 19 L 5-90 6-90 8-90 10-140 12-140 14-140	2.8	1

IN 19 PM**SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces**

- For in-hex screws (INBUS®)
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 35 mm
- INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied

12,5
1/2"
●

Code	No.	Sockets	■	■
6156250	IN 19 PM	● IN 19 5 6 7 8 9 10 12 14 17	1362	1

INX 19 PM**SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces**

- For slotted, cross-head and multi-point screws
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 35 mm

12,5
1/2"
●
○
⊖
⊕

Code	No.	Sockets	■	■
6150050	INX 19 PM	● INX 19 5 6 8 10 12 ● IKS 19 2 3 ● IS 19 12 16	1.3	1

IN 19 Q**SCREWDRIVER BIT SOCKET SET 1/2" 11 pieces**

- For in-hex screws (INBUS®)
- In GEDORIT blue sheet steel case
- Dimensions: 318 x 118 x 50 mm
- INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied

12,5
1/2"
●

Code	No.	Ratchet	Sockets	Accessories	■	■
6156920	IN 19 Q	● U-10T 1993 U-10 T	● IN 19 5 6 7 8 9 10 12 14 17	1990-7	2.7	1

ITX 19 PM / ITX 19 B-PM**SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces**

- ITX 19 PM: for recessed TORX® head screws
- ITX 19 B-PM: for recessed TORX® head screws with pilot
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 35 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

12,5
1/2"
●
○
⊖
⊕

Code	No.	Sockets	■	■
6158970	ITX 19 PM	● ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60	1.2	1
1394894	ITX 19 B-PM	● ITX 19 B T20 T25 T27 T30 T40 T45 T50 T55 T60	1.3	1

ITX 19 LKP
SCREWDRIVER BIT SOCKET SET 1/2" 18 pieces

- For recessed TORX® screws, short and long
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets		
6138510	ITX 19 LKP	● ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60 ● ITX 19 LT20 T25 T27 T30 T40 T45 T50 T55 T60	2.9	1

ITX 19 TX-017
SCREWDRIVER BIT SOCKET SET 1/2" 17 pieces


- For protruding and recessed TORX® screws
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets		
6129520	ITX 19 TX-017	● ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60 ○ TX 19 E10 E11 E12 E14 E16 E18 E20 E24	2.0	1

TX 19 E-09
SOCKET SET 1/2" 9 pieces

- For protruding TORX® screws
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 35 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets		
6265970	TX 19 E-09	○ TX 19 E10 E11 E12 E14 E16 E18 E20 E24 ● 3019	1.0	1

19 TX 20
SCREWDRIVER BIT SOCKET SET 1/2" + 1/4" 34 pieces


- 1/4" and 1/2" sockets for protruding and recessed TORX® screws
- In GEDORIT blue sheet steel case
- Dimensions: 320 x 210 x 55 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets		
6129440	19 TX 20	● ITX 19 T40 T45 T50 T55 T60 ● ITX 19 LT20 T25 T27 T30 T40 T45 T50 T55 T60 ○ TX 19 E12 E14 E16 E18 E20 E24 ● ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 ● TX 20 E4 E5 E6 E7 E8 E10	3.2	1

ITX 19-20-30 T
SCREWDRIVER BIT SOCKET SET 1/2" 10 pieces

- 1/4", 3/8" and 1/2" sockets for recessed TORX® screws
- In plastic case
- Dimensions: 200 x 120 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Sockets		
6173500	ITX 19-20-30 T	● ITX 20 T8 T10 T15 ● ITX 30 T20 T25 T30 ● ITX 19 T40 T50 T55 T60	0.8	1





1/2"

GEDORE

**VB 19 M / VBD 19 M**

DISPLAY BOX 1/2" 192 pieces

- With 192 1/2" sockets
- Supplied with empty insert (EI-VBE 19 L)
- Display box empty (VB 19 L) in GEDORIT silver sheet steel
- Dimensions: 430 x 300 x 220 mm

Code	No.	Sockets		
6152340	VB 19 M	S VB 19 M + VB 19 L + EI-VBE 19 L	18.9	1
1888021	S VB 19 M	G 19 10x 8 9 10 11 12 13 14 8x 15 16 17 18 19 20 21 22 23 24 6x 25 26 27 28 29 30 32	17.0	1
6152260	VBD 19 M	S VBD 19 M + VB 19 L + EI-VBE 19 L	17.6	1
1888048	S VBD 19 M	G D 19 10x 8 9 10 11 12 13 14 8x 15 16 17 18 19 20 21 22 23 24 6x 25 26 27 28 29 30 32	17.0	1
5152720	VB 19 L		9.0	1
5151080	EI-VBE 19 L		0.1	1

**VBI 19 M**

DISPLAY BOX 1/2" 152 pieces

- With 152 1/2" screwdriver bit sockets
- Supplied with empty insert (EI-VBE 19 L)
- Display box empty (VBI 19 L) in GEDORIT silver sheet steel
- Dimensions: 430 x 300 x 220 mm

Code	No.	Sockets		
6152180	VBI 19 M	S VBI 19 M + VBI 19 L + EI-VBE 19 L	28.0	1
1888056	S VBI 19 M	10x G IN 19 6 8 10 8x G IN 19 5 12 14 5x G IN 19 4 7 9 17 19 5x E IS 19 8 10 12 3x E IS 19 14 16 18 5x P IKS 19 2 3 4 3x P IKS 19 PZD 2 3 4 5x G INX 19 5 6 8 10 12	24.1	1
5152480	VBI 19 L		9.3	1
5151080	EI-VBE 19 L		0.1	1

**VTBX 19**

DISPLAY BOX 1/2" 185 pieces

- With 185 protruding and recessed 1/2" TORX® sockets
- Display box empty (VTBX 19 L) in GEDORIT silver sheet steel
- Dimensions: 413 x 275 x 165 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC, USA


Code	No.	Sockets		
6194260	VTBX 19	S VBTX 19 + VBTX 19 L	20.0	1
1888064	S VBTX 19	10x G ITX 19 T20 T25 T27 T30 T40 T45 10x G TX 19 E10 E11 E12 E14 E16 5x G ITX 19 T50 T55 T60 5x G ITX 19 L T20 T25 T27 T30 T40 T45 T50 T55 T60 5x G TX 19 E18 E20 E24	19.0	1
6160010	VTBX 19 L		5.3	1

**VBE 19 INL**

DISPLAY INSERT WITH ASSORTMENT 1/2" 75 pieces

- Includes 75 1/2" screwdriver bit sockets
- Also suitable for VB 19, VBI 19
- Dimensions: 430 x 150 x 35 mm
- EI-VBE 19 L = empty insert

Code	No.	Sockets		
6157220	VBE 19 INL	5x G IN 19 L 5-90 5-180 6-90 6-140 6-160 7-100 8-90 8-120 10-140 12-140 14-140 5x G INX 19 L 6-100 8-100 10-100 12-100	9.9	1
5151080	EI-VBE 19 L		0.1	1



SETS 12.5 MM (1/2") INCH

D 19 WAU

SOCKET SET 1/2" 24 pieces

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 433 x 180 x 148 mm

12.5
1/2"
INIT DRIVE



"AF

Code	No.	Ratchet	Sockets	Accessories	Box	Set
1954024	D 19 WAU-3	● U-3 1993 U-3	● D 19 5/16 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 13/16 7/8 15/16 1" 1.1/16 1.1/8 1.3/16 1.1/4"	● 1987 ● 1990-5 -10 ● 1995	5.1	1

D 19 TA

SOCKET SET 1/2" 25 pieces

- With forged, tempered hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm

12.5
1/2"
INIT DRIVE



"AF

Code	No.	Ratchet	Sockets	Accessories	Box	Set
6148900	D 19 TAZ	● Z-94 1993 Z-94	● D 19 5/16 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 13/16 7/8 15/16 1" 1.1/16 1.1/8 1.3/16 1.1/4"	● 1985 ● 1987 ● 1990-5 -10 ● 1995	6.5	1
6149040	D 19 TAU-10	● U-10T 1993 U-10T	● D 19 5/16 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 13/16 7/8 15/16 1" 1.1/16 1.1/8 1.3/16 1.1/4"	● 1985 ● 1987 ● 1990-5 -10 ● 1995	6.6	1

IN 19 PA

SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces

- For in-hex screws (INBUS®)
- In GEDORIT blue sheet steel case
- Dimensions: 281 x 79 x 35 mm
- INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied

12.5
1/2"
●



"AF

Code	No.	Sockets	Box	Set
6156410	IN 19 PA	● IN 19 3/16 7/32 1/4 9/32 5/16 3/8 1/2 9/16 5/8"	1328	1



1/2"

GEDORE



SETS 12.5 MM (1/2") MM+INCH

D 19 XMA

SOCKET SET 1/2" 31 pieces

- With forged, tempered hexagon, bi-hexagon (no.19) or UD profile sockets (no. D 19), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 433 x 180 x 48 mm



Code	No.	Ratchet	Sockets	Accessories	mm	AF
6149390	D 19 XMAZ	© Z-94 1993 Z-94	© D 19 11 13 14 17 19 22 24 27 30 32 © D 19 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 13/16 7/8 15/16 1" 1.1/16 1.1/8"	— 1987 — 1990-5 -10 □ 1995	5.5	1
6149470	D 19 XMAU-10	© U-10T 1993 U-10T	© D 19 11 13 14 17 19 22 24 27 30 32 © D 19 3/8 13/32 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 13/16 7/8 15/16 1" 1.1/16 1.1/8"	— 1987 — 1990-5 -10 □ 1995	5.6	1

SETS 12.5 MM (1/2") MM+INCH+WW

D 19 YMAW

SOCKET SET 1/2" 41 pieces

- With forged, tempered bi-hexagon or UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-10 T with reversible with lever change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 50 mm



Code	No.	Ratchet	Sockets	Accessories	mm	AF
6149710	D 19 YMAWZ	© Z-94 1993 Z-94	© D 19 10 11 12 13 14 15 16 17 18 19 20 21 22 © D 19 L 21 © D 19 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 7/8 15/16 1" © D 19 3/16 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 W	— 1985 — 1990-5 -10 — 1987 □ 1995	7.4	1
6149980	D 19 YMAWU-10	© U-10T 1993 U-10T	© D 19 10 11 12 13 14 15 16 17 18 19 20 21 22 © D 19 7/16 1/2 9/16 19/32 5/8 11/16 3/4 25/32 7/8 15/16 1" © D 19 3/16 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 W	— 1985 — 1990-5 -10 — 1987 □ 1995	7.5	1





20 MM (3/4") SQUARE DRIVE

20 3/4" 20 3/4"

RATCHETS 20 MM (3/4")

3293 U-10

REVERSIBLE RATCHET 3/4"

- Acc. to DIN 3122, ISO 3315
- With lever change, locks in middle position
- Push-fit tube handle
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 20, ISO 1174 with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■ "	■ ■	■ °	■ mm ■	■ ■	■ ■ ■	■ ■ ■ ■
6277980	3293 U-10	3/4	20	11,25	620	57,5	2630	1


3293 U-2

REVERSIBLE RATCHET 3/4"

- Acc. to DIN 3122, ISO 3315
- With disc change, fine-toothed and robust
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 20, ISO 1174 with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■ "	■ ■	■ °	■ mm ■	■ ■	■ ■ ■	■ ■ ■ ■
6278600	3293 U-2	3/4	20	7,2	510	60	1435	1


3293 U-3

REVERSIBLE RATCHET 3/4"

- Acc. to DIN 3122, ISO 3315
- With non-slip metal disc change, fine-toothed and robust
- Push-fit tube handle
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"




Code	No.	■ "	■ ■	■ °	■ mm ■	■ ■	■ ■ ■	■ ■ ■ ■
6278790	3293 U-3	3/4	20	5	620	62,5	2610	1




3/4"

3293 Z-94**RATCHET HANDLE WITH COUPLER 3/4"**

- Acc. to DIN 3122, ISO 3315
- With square coupler, medium-fine toothed, extremely rugged
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 20, ISO 1174 with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20
3/4"



Code	No.	"	mm	l mm	t	mm	mm	mm
6278950	3293 Z-94	3/4	20	10	510	31.0	1301	1

**SOCKETS 20 MM (3/4")**

32

SOCKET 3/4" hexagon

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, chrome-plated, polished
- * not standardised




Code	No.	*	Ø mm	L	d ₁	d ₂	t	mm	mm
6269880	32 18	*	18	51.5	28.3	36.0	19.0	219	1
6270110	32 19	*	19	51.5	29.6	36.0	19.0	225	1
6269960	32 21		21	51.5	32.0	36.0	19.0	228	1
6270380	32 22		22	51.5	33.3	36.0	19.0	232	1
6270460	32 24		24	51.5	35.8	38.0	19.5	267	1
6270540	32 27		27	54.5	39.6	36.0	24.0	271	1
6270620	32 29	*	29	54.5	42.0	36.0	23.5	281	1
6270700	32 30		30	57.5	43.3	38.0	26.0	331	1
6270890	32 32		32	57.5	45.8	38.0	27.0	345	1

Code	No.	*	Ø mm	L	d ₁	d ₂	t	mm	mm
6270030	32 33	*	33	57.5	47.0	40.0	26.5	392	1
6279410	32 34		34	57.5	48.3	40.0	26.5	404	1
6270970	32 36		36	59.5	50.8	40.0	28.0	448	1
6271000	32 38	*	38	59.5	53.3	40.5	28.0	476	1
6271190	32 41		41	62.5	57.1	44.0	30.5	593	1
6271270	32 46		46	65.5	63.3	44.0	32.5	700	1
6271350	32 50		50	68.5	68.3	48.0	34.5	848	1
6271430	32 55		55	68.5	74.6	53.0	33.0	1008	1
6271510	32 60		60	68.5	80.8	53.0	33.0	1143	1

D 32
SOCKET 3/4" bi-hexagon UD profile

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, chrome-plated, polished
- * not standardised

20
3/4"

mm

Code	No.	*	Ø mm	L	d ₁	d ₂	t	●	■	■
6289720	D 32 18	*	18	51.5	28.3	36.0	19.0	211	1	
6272160	D 32 19	*	19	51.5	29.6	36.0	19.0	221	1	
6289800	D 32 21		21	51.5	32.0	36.0	19.0	223	1	
6272240	D 32 22		22	51.5	33.3	36.0	19.0	227	1	
6272320	D 32 24		24	51.5	35.8	38.0	19.5	257	1	
6272400	D 32 27		27	54.5	39.6	36.0	24.0	255	1	
6272590	D 32 29	*	29	54.5	42.0	36.0	23.5	272	1	
6272670	D 32 30		30	57.5	43.3	38.0	26.0	319	1	
6272750	D 32 32		32	57.5	45.8	38.0	27.0	332	1	
6277040	D 32 33	*	33	57.5	47.0	40.0	26.5	358	1	
6272830	D 32 36		36	59.5	50.8	40.0	28.0	418	1	
6272910	D 32 38	*	38	59.5	53.3	40.5	28.0	441	1	
6273050	D 32 41		41	62.5	57.1	44.0	30.5	558	1	
6273130	D 32 46		46	65.5	63.3	44.0	32.5	641	1	
6273210	D 32 50		50	68.5	68.3	48.0	34.5	800	1	
6273480	D 32 55		55	68.5	74.6	53.0	33.0	961	1	
6273560	D 32 60		60	68.5	80.8	53.0	33.0	1052	1	

AF

Code	No.	Ø AF	L	d ₁	d ₂	t	●	■	■
6274020	D 32 7/8AF	7/8	51.5	33.6	36.0	19.0	227	1	
6274100	D 32 15/16AF	15/16	51.5	35.6	38.0	19.5	262	1	
6274290	D 32 1AF	1	51.5	37.6	36.0	22.0	229	1	
6274370	D 32 1.1/16AF	1.1/16	54.5	39.6	36.0	24.0	256	1	
6274450	D 32 1.1/8AF	1.1/8	54.5	41.5	36.0	24.0	268	1	
6274530	D 32 1.1/4AF	1.1/4	57.5	45.5	38.0	27.0	333	1	
6274610	D 32 1.5/16AF	1.5/16	57.5	47.5	40.0	26.5	377	1	
6274880	D 32 1.3/8AF	1.3/8	59.5	49.5	40.0	28.0	407	1	
6274960	D 32 1.7/16AF	1.7/16	59.5	51.4	40.0	28.0	413	1	
6275180	D 32 1.1/2AF	1.1/2	59.5	53.3	40.5	28.0	431	1	
6275260	D 32 1.5/8AF	1.5/8	62.5	57.4	44.0	30.5	539	1	
6275340	D 32 1.11/16AF	1.11/16	62.5	59.4	44.0	30.5	568	1	
6275420	D 32 1.3/4AF	1.3/4	65.5	61.4	44.0	32.5	627	1	
6275500	D 32 1.13/16AF	1.13/16	65.5	63.3	44.0	32.5	637	1	
6275690	D 32 1.7/8AF	1.7/8	65.5	65.3	44.0	32.5	664	1	
6275770	D 32 2AF	2	68.5	69.2	48.0	34.5	811	1	

AF
IN 32
SCREWDRIVER BIT SOCKET 3/4" for in-hex screws

- Acc. to DIN 7422
- Square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated

20
3/4"


Code	No.	● mm	L ₁	L ₂	d	●	■	■
6275850	IN 32 14	14	80	25.5	38	352	1	
6275930	IN 32 17	17	80	25.5	38	394	1	
6276070	IN 32 19	19	80	25.5	38	433	1	
6276150	IN 32 22	22	80	25.5	38	482	1	

IN 32 L
SCREWDRIVER BIT SOCKET 3/4" for in-hex screws, long pattern

- Acc. to DIN 7422
- Square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated

20
3/4"


Code	No.	● mm	L ₁	L ₂	d	●	■	■
2003503	IN 32 L 14-155	14	155	100	38	452	1	
1353705	IN 32 L 17-155	17	155	100	38	481	1	
2003511	IN 32 L 19-155	19	155	100	38	510	1	
2003538	IN 32 L 22-155	22	155	100	38	549	1	

ITX 32
SCREWDRIVER BIT SOCKET 3/4" for recessed TORX® head screws

- Square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, gun-metal finish
- TORX® = reg. trademark of Acument Intellectual Properties, LLC, USA

20
3/4"

Code	No.	● mm	L ₁	L ₂	d	●	■	■
6271780	ITX 32 T60	T60	M14	13.25	80	25.5	38	346
6272080	ITX 32 T70	T70	M16	15.55	80	25.5	38	383
6273640	ITX 32 T80	T80	M18	17.58	80	25.5	38	416
6276230	ITX 32 T90	T90	M20	19.95	80	25.5	38	455
6276310	ITX 32 T100	T100	M22	21.16	80	25.5	38	461





3/4"

GEDORE



ACCESSORIES 20 MM (3/4")

3219

REDUCER 3/4" TO 1/2"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"

12.5

1/2"



Code	No.	□"	□	■"	■	□ mm □	□ ↗ ↘ □	□
6278010	3219	3/4	20	1/2	12.5	56	168	1

3221

CONVERTOR 3/4" TO 1"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"

25

1"



Code	No.	□"	□	■"	■	□ mm □	□ ↗ ↘ □	□
6278280	3221	3/4	20	1	25	60	337	1

Deviant packing units see article description.

3287

SLIDING T BAR 3/4"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■"	■	□ mm □	□ ↗ ↘ □	□
6278360	3287	3/4	20	500	1161	1

3290

EXTENSION 3/4"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■"	■	□ mm □	□ ↗ ↘ □	□
6278440	3290-8	3/4	20	200	574	1
6278520	3290-16	3/4	20	400	1079	1

3294

COUPLER 3/4"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■"	■	□ mm □	□ ↗ ↘ □	□
6279090	3294	3/4	20	51.5	133	1

3295

UNIVERSAL JOINT 3/4"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■"	■	□"	□	□ mm □	□ ↗ ↘ □	□
6279170	3295	3/4	20	3/4	20	108	580	1

3296

SWIVEL HANDLE 3/4"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

20

3/4"



Code	No.	■"	■	□ mm □	□ ↗ ↘ □	□
6279250	3296	3/4	20	547	1965	1



SETS 20 MM (3/4") METRIC

20 3/4

32 EM / D 32 EM

SOCKET SET 3/4" 14 pieces

- With forged, tempered hexagon (no.32) or UD profile sockets (no. D 32), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-2 with fine toothed, dial change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 73 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
6280180	32 EMZ	◎ Z-94 3293 Z-94	◎ 32 22 24 27 30 32 36 38 41 46 50	3287 3290-8 -16	11.4	1
6280340	32 EMU-2	◎ U-2 3293 U-2	◎ 32 22 24 27 30 32 36 38 41 46 50	3287 3290-8 -16	11.6	1
6280260	D 32 EMZ	◎ Z-94 3293 Z-94	◎ D 32 22 24 27 30 32 36 38 41 46 50	3287 3290-8 -16	11.2	1
6280420	D 32 EMU-2	◎ U-2 3293 U-2	◎ D 32 22 24 27 30 32 36 38 41 46 50	3287 3290-8 -16	11.1	1

32 FM / D 32 FM

SOCKET SET 3/4" 16 pieces

- With forged, tempered hexagon, bi-hexagon (no.32) or UD profile sockets (no. D 32), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-2 with fine toothed, dial change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 555 x 230 x 80 mm



mm

Code	No.	Ratchet	Sockets	Accessories	mm	pc
6280930	32 FMZ	◎ Z-94 3293 Z-94	◎ 32 22 24 27 30 32 36 38 41 46 50 55 60	3287 3290-8 -16	15.6	1
6281150	32 FMU-2	◎ U-2 3293 U-2	◎ 32 22 24 27 30 32 36 38 41 46 50 55 60	3287 3290-8 -16	15.8	1
6281070	D 32 FMZ	◎ Z-94 3293 Z-94	◎ D 32 22 24 27 30 32 36 38 41 46 50 55 60	3287 3290-8 -16	15.1	1
6281230	D 32 FMU-2	◎ U-2 3293 U-2	◎ D 32 22 24 27 30 32 36 38 41 46 50 55 60	3287 3290-8 -16	15.2	1



8563-30 D



242



3/4"

GEDORE



SETS 20 MM (3/4") INCH

D 32 EA

SOCKET SET 3/4" 14 pieces

- With forged, tempered hexagon (no.32) or UD profile sockets (no. D 32), hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- Set U-2 with fine toothed, dial change ratchet
- Set Z-94 with ratchet with square coupler
- In GEDORIT blue sheet steel case
- Dimensions: 525 x 203 x 73 mm



"AF

Code	No.	Ratchet	Sockets	Accessories	mm	in
6280500	D 32 EAZ	© Z-94 3293 Z-94	© D 32 15/16 1.1/16 1.1/8 1.1/4 1.5/16 1.3/8 1.1/2 1.5/8 1.7/8 2"	— 3287 — 3290-8 -16	11.3	1
6280690	D 32 EAU-2	© U-2 3293 U-2	© D 32 15/16 1.1/16 1.1/8 1.1/4 1.5/16 1.3/8 1.1/2 1.5/8 1.7/8 2"	— 3287 — 3290-8 -16	11.3	1

SETS 20 MM (3/4") MM+INCH

D 32 EMAU-2

SOCKET SET 3/4" 25 pieces

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With fine toothed, dial change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 660 x 230 x 80 mm


mm
"AF

Code	No.	Ratchet	Sockets	Accessories	mm	in
6281310	D 32 EMAU-2	© U-2 3293 U-2	© D 32 22 24 27 30 32 36 41 46 50 © D 32 7/8 15/16 1" 1.1/16 1.1/8 1.1/4 1.5/16 1.3/8 1.1/2 1.11/16 1.7/8 2"	— 3287 — 3290-8 -16	18.2	1

→ **8563-10 D**



240
—
241






25 MM (1") SQUARE DRIVE

25 1" 25 1"

RATCHETS 25 MM (1")

2193 U-10

REVERSIBLE RATCHET 1"

- Acc. to DIN 3122, ISO 3315
- With lever change, locks in middle position
- Push-fit bar handle no. 2187 G
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 25, ISO 1174 with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

1"


25
1"

Code	No.	Execution	■ "	■ □	□ °	□ mm □	□	□	□	□
6180550	2193 U-10	complete	1	25	11,25	810	61,5	5210	1	
6196120	2193 U-10 K	head only	1	25		184	61,5	1980	1	
6195900	2187 G	tommy bar				700		3275	1	

2193 U-3

REVERSIBLE RATCHET 1"

- Acc. to DIN 3122, ISO 3315
- With non-slip metal disc change, fine-toothed and robust
- Push-fit tube handle
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 25, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

25
1"

Code	No.	Execution	■ "	■ □	□ °	□ mm □	□	□	□	□
6180630	2193 U-3	complete	1	25	5	720	76	4160	1	
1637487	2193 U-3 K	head only	1	25			2000	1		
1382500	2193 Z/17	tube				2175	1			

2193 Z-94

RATCHET HANDLE WITH COUPLER 1"

- Acc. to DIN 3122, ISO 3315
- With square coupler, medium-fine toothed, extremely rugged
- Push-fit tube handle
- For hand-operated sockets and accessories with square drive as per DIN 3120 - D 25, ISO 1174 with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

25
1"

Code	No.	Execution	■ "	■ □	□ °	□ mm □	□	□	□	□
6181520	2193 Z-94	complete	1	25	9	720	41	4115	1	
1493779	2193 Z K	head only	1	25			1175			
1382500	2193 Z/17	tube				2175	1			



1"

SOCKETS 25 MM (1")

GEDORE




D 21

SOCKET 1" bi-hexagon UD profile

- Acc. to DIN 3124, ISO 2725-1
- Square drive as per DIN 3120 - D 25, ISO 1174, with locking pin
- Hand-operated, knurled grip
- GEDORE vanadium steel 31CrV3, chrome-plated
- * not standardised

25
1"
NUT DRIVE



mm

Code	No.	*	\bullet mm	L	d_1	d_2	t	$\frac{d}{2}$	■
6174900	D 21 36	*	36	70.0	53.9	48.0	30.0	600	1
6175040	D 21 41		41	70.0	60.1	50.0	30.5	688	1
6175120	D 21 46		46	75.0	66.4	50.0	33.5	842	1
6175200	D 21 50		50	75.0	71.4	50.0	35.0	908	1
6175390	D 21 55		55	80.0	77.6	50.0	37.5	1129	1
6175470	D 21 60		60	85.0	83.9	50.0	41.0	1376	1
6175550	D 21 65		65	88.0	90.1	59.5	44.5	1700	1
6175630	D 21 70		70	92.0	96.4	59.5	48.0	1984	1
6175710	D 21 75		75	95.0	102.6	59.5	51.0	2225	1
6175980	D 21 80		80	97.0	108.9	59.5	54.0	2454	1

mm

Code	No.	\bullet AF	L	d_1	d_2	t	$\frac{d}{2}$	■
6176440	D 21 1.7/16AF	1.7/16	70.0	54.5	48.0	30.0	608	1
6176520	D 21 1.1/2AF	1.1/2	70.0	56.5	48.0	30.0	649	1
6176600	D 21 1.5/8AF	1.5/8	70.0	60.1	50.0	30.5	701	1
6176870	D 21 1.13/16AF	1.13/16	75.0	66.4	50.0	33.5	835	1
6176950	D 21 1.7/8AF	1.7/8	75.0	68.4	50.0	33.5	890	1
6177090	D 21 2AF	2	75.0	72.4	50.0	35.0	944	1
6177170	D 21 2.1/16AF	2.1/16	75.0	74.0	50.0	35.0	987	1
6177250	D 21 2.3/16AF	2.3/16	80.0	78.3	50.0	37.5	1181	1
6177330	D 21 2.1/4AF	2.1/4	80.0	80.3	50.0	37.5	1230	1
6177410	D 21 2.3/8AF	2.3/8	85.0	83.9	50.0	41.0	1398	1
6177680	D 21 2.7/16AF	2.7/16	85.0	86.2	50.0	41.0	1544	1
6177760	D 21 2.9/16AF	2.9/16	88.0	90.1	59.5	44.5	1788	1
6177840	D 21 2.5/8AF	2.5/8	88.0	92.2	59.5	44.5	1813	1
6177920	D 21 2.3/4AF	2.3/4	92.0	96.4	59.5	48.0	2065	1
6178060	D 21 2.13/16AF	2.13/16	92.0	98.2	59.5	48.0	2140	1
6178140	D 21 2.15/16AF	2.15/16	95.0	102.6	59.5	51.0	2307	1
6178220	D 21 3AF	3	95.0	104.1	59.5	51.0	2349	1
6178300	D 21 3.1/8AF	3.1/8	97.0	108.9	59.5	54.0	2556	1

Whitw.


Code	No.	\bullet mm	L	d_1	d_2	t	$\frac{d}{2}$	■
6178650	D 21 7/8W	7/8	70.0	55.8	48.0	30.0	648	1
6178730	D 21 15/16W	15/16	70.0	58.6	50.0	30.0	734	1
6178810	D 21 1W	1	70.0	61.9	50.0	30.5	726	1
6179030	D 21 1.1/8W	1.1/8	75.0	67.9	50.0	33.5	882	1
6179110	D 21 1.1/4W	1.1/4	75.0	74.0	50.0	35.0	982	1
6179380	D 21 1.3/8W	1.3/8	80.0	79.3	50.0	37.5	1139	1
6179460	D 21 1.1/2W	1.1/2	85.0	85.1	50.0	41.0	1551	1
6179540	D 21 1.5/8W	1.5/8	88.0	90.8	59.5	44.5	1594	1
6179620	D 21 1.3/4W	1.3/4	92.0	96.4	59.5	48.0	1876	1
6179700	D 21 2W	2	97.0	108.9	59.5	54.0	2434	1

IN 21

SCREWDRIVER BIT SOCKET 1" for in-hex screws

- Acc. to DIN 7422
- Square drive as per DIN 3120 - D 25, ISO 1174, with locking pin
- Hand-operated, knurled grip
- Chrome-plated
- With pressed-in pin in GEDORE vanadium special steel, manganese-phosphated
- * not standardised

25
1"
●



ACCESSORIES 25 MM (1")

2132

REDUCER 1" TO 3/4"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

25
1"
20
3/4"



Code	No.	□ *	□	■ *	■	mm	$\frac{d}{2}$	■
6180040	2132	1	25	3/4	20	75	504	1

2187

SLIDING T BAR 1"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

25
1"

Code	No.	Execution	■ *	■	mm	$\frac{d}{2}$	■
6180120	2187	complete	1	25	700	3955	1
6196040	2187 K	drive piece	1	25	80	680	1
6195900	2187 G	tommy bar			700	3275	1


2190
EXTENSION 1"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

 25
1"


Code	No.	■ "	■	■ mm	■	■	■
6180200	2190-8	1	25	200	1182	1	
6180390	2190-16	1	25	400	2144	1	

2194
COUPLER 1"

- Acc. to DIN 3122, ISO 3315
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

 25
1"


Code	No.	■ "	■	■ mm	■	■	■
6180710	2194	1	25	67.5	321	1	

2195
UNIVERSAL JOINT 1"

- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with locking pin
- GEDORE vanadium steel 31CrV3, chrome-plated

 25
1"


Code	No.	■ "	■	■ mm	■	■	■
6180980	2195	1	25	1	25	140	1482

SETS 25 MM (1") METRIC

25 1"

D 21 EMU-10
SOCKET SET 1" 15 pieces

- With forged, tempered UD profile sockets, hand-operated
- With accessories made from GEDORE vanadium steel 31CrV3
- With reversible lever change ratchet
- In GEDORIT blue sheet steel case
- Dimensions: 765 x 289 x 105 mm

 25
1"


mm

Code	No.	Ratchet	Sockets	Accessories	■	■
6181600	D 21 EMU-10	U-10 K 2193 U-10 K	G D 21 36 41 46 50 55 60 65 70 75 80	2190-8 -16 2187 G 2187 K	31.4	1

AF

Code	No.	Ratchet	Sockets	Accessories	■	■
6181790	D 21 EAU-10	U-10 K 2193 U-10 K	G D 21 1.1/2 1.5/8 1.7/8 2 2.1/16 2.1/4 2.3/8 2.9/16 2.3/4 3"	2190-8 -16 2187 G 2187 K	34.9	1

Whitw.

Code	No.	Ratchet	Sockets	Accessories	■	■
6181870	D 21 EWU-10	U-10 K 2193 U-10 K	O D 21 7/8 15/16 1 1.1/8 1.1/4 1.3/8 1.1/2 1.5/8 1.3/4 2W	2190-8 -16 2187 G 2187 K	34.9	1




FRICITION TYPE RATCHETS

31 KR

FRICITION TYPE RATCHET with ring UD profile or bi-hexagon

- Friction spanner (31 K) with exchangeable UD profile or bi-hexagon insert rings (31 R)
- Hexagon rings are available on request
- Flat shaft up to 30", push-fit tube handle from 35"
- GEDORE vanadium steel 31CrV3, manganese-phosphated
- Explanation of the article number: 31 KR 16-32 = ratchet 31 K 16" and insert ring 31 R 32 mm




Code	No.	O_{mm}	L	L''	h	b	$\text{J} \cdot \text{m}$	Box
6253020	31 KR 6-8	8	150	6	11.5	23.0	93	1
6253100	31 KR 6-9	9	150	6	11.5	23.0	90	1
6253290	31 KR 6-10	10	150	6	11.5	23.0	88	1
6253370	31 KR 6-11	11	150	6	11.5	23.0	86	1
6253450	31 KR 6-12	12	150	6	11.5	23.0	84	1
6253530	31 KR 6-13	13	150	6	11.5	23.0	82	1
6253610	31 KR 8-14	14	205	8	15.5	31.2	224	1
6253880	31 KR 8-15	15	205	8	15.5	31.2	220	1
6253960	31 KR 8-16	16	205	8	15.5	31.2	216	1
6254180	31 KR 8-17	17	205	8	15.5	31.2	212	1
6254260	31 KR 10-18	18	255	10	17.5	38.0	352	1
6254340	31 KR 10-19	19	255	10	17.5	38.0	346	1
6254500	31 KR 10-21	21	255	10	17.5	38.0	336	1
6254690	31 KR 10-22	22	255	10	17.5	38.0	330	1
6254770	31 KR 10-23	23	255	10	17.5	38.0	324	1
6254850	31 KR 12-24	24	305	12	18.5	44.6	497	1
6255070	31 KR 12-26	26	305	12	18.5	44.6	482	1
6255150	31 KR 12-27	27	305	12	18.5	44.6	474	1
6255230	31 KR 12-28	28	305	12	18.5	44.6	466	1
6255580	31 KR 16-30	30	400	16	19.5	51.6	709	1
6255740	31 KR 16-32	32	400	16	19.5	51.6	684	1
6262600	31 KR 20-34	34	500	20	21.5	63.6	1184	1
6256120	31 KR 20-36	36	500	20	21.5	63.6	1162	1
6256470	31 KR 20-41	41	500	20	21.5	63.6	1098	1
6256550	31 KR 25-46	46	635	25	31.5	78.1	2302	1
6256630	31 KR 25-50	50	635	25	31.5	78.1	2213	1
6256710	31 KR 30-55	55	760	30	33.5	92.0	3011	1
6256980	31 KR 30-60	60	760	30	33.5	92.0	2879	1
6257010	31 KR 35-65	65	940	35	36.5	105.0	7204	1
6257280	31 KR 35-70	70	940	35	36.5	105.0	7023	1
6257360	31 KR 40-75	75	960	40	39.5	118.0	7643	1
6257440	31 KR 40-80	80	960	40	39.5	118.0	7392	1
6257520	31 KR 45-85	85	1150	45	46.0	133.0	9790	1
6257600	31 KR 45-90	90	1150	45	46.0	133.0	9479	1
6257790	31 KR 55-95	95	1400	55	55.0	160.0	16370	1
6257870	31 KR 55-100	100	1400	55	55.0	160.0	15970	1
6257950	31 KR 55-105	105	1400	55	55.0	160.0	15535	1
6258090	31 KR 60-110	110	1500	60	57.0	169.0	17122	1
6258170	31 KR 60-115	115	1500	60	57.0	169.0	16606	1



31 KVR

FRICITION TYPE RATCHET with square ring

- Friction spanner (31 K) with exchangeable square insert rings (31 VR)
- GEDORE vanadium steel 31CrV3, manganese-phosphated
- Explanation of the article number: 31 KVR 8-12 = ratchet 31 K 8" and insert ring 31 VR 12 mm



Code	No.	O_{mm}	L	L''	h	b	$\text{J} \cdot \text{m}$	Box
6266000	31 KVR 6-8	8	150	6	11.5	23.0	91	1
6266190	31 KVR 6-9	9	150	6	11.5	23.0	89	1
6266270	31 KVR 6-10	10	150	6	11.5	23.0	87	1
6266350	31 KVR 6-11	11	150	6	11.5	23.0	85	1
6266430	31 KVR 8-12	12	205	8	15.5	31.2	228	1
6266780	31 KVR 8-14	14	205	8	15.5	31.2	221	1
6267080	31 KVR 10-17	17	255	10	17.5	38.0	353	1
6267240	31 KVR 10-19	19	255	10	17.5	38.0	346	1

31 K

FRICITION RATCHET HANDLE WITHOUT INSERT RING

- Friction spanner for insert rings 31 R and 31 VR
- GEDORE vanadium steel 31CrV3, manganese-phosphated



Code	No.	O Ring	O Ring	L	L''	Head Ø	$\text{J} \cdot \text{m}$	Box
6243060	31 K 6	8-13	8-11	150	6	20	70	1
6243140	31 K 8	14-17	12-14	205	8	28	176	1
6243220	31 K 10	18-23	17-19	255	10	34	277	1
6243300	31 K 12	24-28		305	12	40	406	1
6243490	31 K 16	30-32		400	16	46	600	1
6243570	31 K 20	34-41		500	20	57	961	1
6243650	31 K 25	46-50		635	25	70	1880	1
6243730	31 K 30	55-60		760	30	82	2435	1
6243810	31 K 35	65-70		940	35	96	6305	1
6244030	31 K 40	75-80		960	40	108	6480	1
6244110	31 K 45	85-90		1150	45	120	8245	1
6244460	31 K 55	95-105		1400	55	145	13015	1
6244540	31 K 60	110-115		1500	60	153	14100	1

31 R

INSERT RING FOR FRICITION RATCHET UD profile or bi-hexagon

- GEDORE vanadium steel 31CrV3, manganese-phosphated



Code	No.	O_{mm}	O_{mm}	L_{mm}	L_{mm}	$\text{J} \cdot \text{m}$	$\text{J} \cdot \text{m}$	Box
6245000	31 R 8	8	19.7	6	21	21	1	
6245190	31 R 9	9	19.7	6	20	20	1	
6245270	31 R 10	10	19.7	6	18	18	1	
6245350	31 R 11	11	19.7	6	16	16	1	
6245430	31 R 12	12	19.7	6	13	13	1	
6245510	31 R 13	13	19.7	6	11	11	1	
6245780	31 R 14	14	27.6	8	47	47	1	



Code	No.	O	Ø	mm	mm	mm	mm
6245860	31 R 15	15	27.6	8	44	1	
6245940	31 R 16	16	27.6	8	40	1	
6246080	31 R 17	17	27.6	8	36	1	
6246160	31 R 18	18	33.6	10	75	1	
6246240	31 R 19	19	33.6	10	69	1	
6246400	31 R 21	21	33.6	10	59	1	
6246590	31 R 22	22	33.6	10	53	1	
6246670	31 R 23	23	33.6	10	47	1	
6246750	31 R 24	24	39.6	12	91	1	
6246910	31 R 26	26	39.6	12	76	1	
6247050	31 R 27	27	39.6	12	69	1	
6247130	31 R 28	28	39.6	12	61	1	
6247480	31 R 30	30	45.6	16	109	1	
6247640	31 R 32	32	45.6	16	84	1	
6240040	31 R 34	34	56.6	20	223	1	
6248020	31 R 36	36	56.6	20	201	1	
6248370	31 R 41	41	56.6	20	137	1	
6248450	31 R 46	46	70.0	25	422	1	
6248530	31 R 50	50	70.0	25	333	1	
6248610	31 R 55	55	82.0	30	576	1	
6248880	31 R 60	60	82.0	30	444	1	
6248960	31 R 65	65	96.0	35	899	1	
6249180	31 R 70	70	96.0	35	718	1	
6249260	31 R 75	75	108.0	40	1163	1	
6249340	31 R 80	80	108.0	40	912	1	
6249420	31 R 85	85	120.0	45	1545	1	
6249500	31 R 90	90	120.0	45	1234	1	
6249690	31 R 95	95	145.0	55	3355	1	
6249770	31 R 100	100	145.0	55	2955	1	
6249850	31 R 105	105	145.0	55	2520	1	
6249930	31 R 110	110	153.0	60	3022	1	
6250000	31 R 115	115	153.0	60	2506	1	

31 VR

INSERT RING FOR FRICTION RATCHET square
 ▶ GEDORE vanadium steel 31CrV3, manganese-phosphated




Code	No.	O	Ø	mm	mm	mm	mm
6261200	31 VR 8	8	19.7	6	21	1	
6261390	31 VR 9	9	19.7	6	18	1	
6261470	31 VR 10	10	19.7	6	17	1	
6261550	31 VR 11	11	19.7	6	15	1	
6261630	31 VR 12	12	27.6	8	52	1	
6261980	31 VR 14	14	27.6	8	45	1	
6262360	31 VR 17	17	33.6	10	76	1	
6262520	31 VR 19	19	33.6	10	69	1	

31 K

209
29
CONSTRUCTION RATCHET bi-hexagon

▶ Reversible ratchet with two different size heads, bi-hexagon and "rat-tail" handle



Code	No.	O mm	L	h	b	mm	mm	mm
1648934	29 17x19	17 x 19	315	49.0	42.0	463	1	
1382853	29 19X22	19 x 22	315	49.5	42.0	448	1	
1648926	29 19x24	19 x 24	365	56.0	51.5	757	1	
6262790	29 24x30	24 x 30	402	63.0	61.0	1378	1	
6262950	29 27x32	27 x 32	402	63.0	61.0	1278	1	
6263170	29 36x41	36 x 41	495	74.0	76.0	1377	1	

41 - 41 B
REVERSIBLE LEVER CHANGE RATCHET

▶ With permanently fixed UD profile insert
 ▶ GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	°	Ø	mm	mm	mm	mm	mm
6338790	41 22	11,25	22	27.9	620	2455	1	
6338870	41 24	11,25	24	27.9	620	2430	1	
6338950	41 27	11,25	27	27.9	620	2410	1	
6330030	41 28	11,25	28	27.9	620	2393	1	
6339170	41 30	11,25	30	27.9	620	2365	1	
6339250	41 32	11,25	32	27.9	620	2330	1	
6338360	41 B 36	15,00	36	43.0	910	5025	1	
6338440	41 B 41	15,00	41	43.0	910	4895	1	
6338520	41 B 46	15,00	46	43.0	910	4725	1	

41 V - 41 BV
REVERSIBLE LEVER CHANGE RATCHET

▶ With permanently fixed square insert
 ▶ GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	°	O	mm	mm	mm	mm	mm
6339410	41 V 19	11,25	19	27.9	620	2475	1	
6339680	41 V 22	11,25	22	27.9	620	2450	1	
6339760	41 V 24	11,25	24	27.9	620	2420	1	
6339840	41 V 27	11,25	27	27.9	620	2385	1	
6338600	41 BV 30	15,00	30	43.0	910	5115	1	
6339330	41 BV 32	15,00	32	43.0	910	5075	1	
6339920	41 BV 36	15,00	36	43.0	910	4970	1	