



MOBILE STORAGE









SERVICE / FEATURES

14 - 17

TOOL TROLLEYS



18 - 29

ACCESSORIES TOOL TROLLEYS



30 - 31

WORKBENCHES



32 - 37

ACCESSORIES WORKBENCHES



38

FOLDING WORKBENCH



38

WORKBENCHES SELF-ASSEMBLY RANGE



39

DRAWER CABINETS



39

TOOL CABINETS



40

USEFUL HELPERS FOR TOOL TROLLEYS / WORKBENCHES



41 - 42

TOOL HOLDERS / TOOL HOOKS



42 - 47

TOOL CHESTS / TOOL BOXES





48 - 49

TOOL CASES / ROLLER TOOL CASES





49 - 51



TOOL ASSORTMENTS MODULES











93





WORKSHOP EQUIPMENT ---

GEDORE WORKSHOP FURNITURE...





+ BEST-POSSIBLE QUALITY FOR THE HIGHEST **DEMANDS PLACED**

- ✓ Use of the most up-to-date machinery and environmentally-friendly production processes
 ✓ The basis is tightly-controlled and choice sheet steel
- Experienced and reliable specialists vouch for precision-like processing
- ▼ Stringent quality checks after each production step ensure a constantly high level
- ▶ Best-possible industrial quality for those extreme levels of constant use and conditions subjected to
- ▼ Professional service up to the development of special customised tools

+ GEDORE WORKSHOP FURNITURE... FORM AND FUNCTION PERFECTION

- ▼ Whether mobile or stationary: indispensable aids, in fact, for the rough-and-ready of workshop routine
- Extremely robust, scratch and impact-resistant, corrosion-proof and easy to care for
- Durable and highly resilient with stability of the highest-order
- ▼ Numerous models to reflect use and individual requirements
- ▼ Varied, optional accessories available for flexibly extending all the basic models
- ▼ Specific colours (RAL) and outfits (e.g. stainless steel, oil/acidresistant etc.) on request



+ GEDORE WORKSHOP FURNITURE... INTELLIGENTLY DESIGNED -DEPENDABLE UNDER EXTREME USE

- ▼ Vertical and horizontal forces are calculated with precision
- ▼ Unloaded weight optimization from a finely-tuned material input
- ▼ Robust, stable 0.88 mm thick sheet steel structure, supporting elements of a 1.00 mm metal thickness, a 2.00mm metal thickness for the heavy-duty chassis





GEDORE WORKSHOP FURNITURE... + ... TIDY LOOK, UNCLUTTERED AND ALWAYS AT HAND

- ▼ Ready to be used straight after delivery: simply unpack and screw on the manoeuvring handle
- ▼ Whether a mobile or stationary guardian of tidiness: each tool has its own place here
- ▼ Modular arrangement systems make daily routine that much easier (visual check/tool missing)
- ▼ Compact tool assortments make selection easier
- Customised equipment/tool sets in module systems and/or trolleys/benches in company design/colours



GEDORE ///

+ THE GEDORE CHARACTER



Individual drawer locking (not applicable to 2003)

- ► In addition to the central locking, each drawer has its own separate latch to prevent unwanted opening, when being moved
- ▼ The latch is automatically released by a tilting bar when the drawer is opened

 ▼ The single latch automatically
- engages when the drawer closes

Central locking

- ▼ One central lock for all
- drawers and doors

 Safe and easy handling

Ball-bearing drawer slides

- The ball-bearing drawer slides ensure safe and easy sliding of the drawers, even when loaded to full capacity
- ▼ Full extension improves access

Load capacity

- ▼ The load capacity of the
- drawers is 40 kg

 ✓ The combined weight of our two mechanics' tool sets, S 1004 M
- and S 1007 M, is 40 kg

 ▼ One drawer could hold the full weight of all 250 tools!
- Models 2003, 2004, 2005, 1502, 1504, 1504 XL: The bottom drawer is designed as heavy-duty drawer, load capacity 60 kg

Square perforation 9 x 33 mm

- ▼ The square perforation in the side walls enable quick access to frequently used tools
- ▼ GEDORE holders and trays are simply clipped in



The GEDORE chassis

- ▼ The trapezoidal GEDORE chassis uniformly distributes the applied forces.

 The axle is mounted on triple bearings and
- is securely connected to the trapezoid.
- ▼ The third, central bearing prevents the axle bending under load.
- ▼ The special axle design ensures that the GEDORE high-performance rollers always roll on the full faces of their treads.
- ► Even under full load, the rollers retain their smooth running properties and cannot shed their tyres.
- ▼ Vertical and horizontal forces are absorbed by the positive-fit trapezoidal design.



Smooth running and highperformance wheels

▼ The GEDORE smooth running and high-performance wheels keep, even under maximum load, the following features: Smooth running, track-keeping and manoeuvrability!



▼ All-round heel protection by rounded edges on the underside allows the tool trolley or workbench to be safely pulled or pushed

Impact protection

- ▼ The vertical or horizontal impact protection protects the tool trolley and anything it comes into contact with from damage
- ▼ It also protects other equipment in the workshop or vehicles from inadvertent

▼ Ensures safe parking of the tool trolley or workbench

movement and turning

Total braking system

▼ Prevents unwanted

of the wheel



- ▼ GEDORIT blue and GEDORIT silver are the short names for the two types of powder paint, specially developed for GEDORE
- ▼ This coating method guarantees a high level of corrosion protection, combined with tough scratch resis tance
- Powder coating is kind on the environment. Unused powder is reclaimed in the plant. No solvent is used
- ▼ Special colours available on request



GEDORIT silver GEDORIT blue











+ SELECTION AID - TOOL TROLLEYS ----

		Tuelley head					Chassis						Duniusus F		
	Load	Trolley bod		lmna-+	for car boot	Wida ****	Chassis GEDORE	Jy fivad	2v curiue!	Number	extendable	May load	Drawers		Drawer volume
	capacity (kg)	Central locking system	ABS working platform with compartments/ protective edge	Impact protec- tion	transporta- tion	chassis / heavy-duty (S)	heavy- duty wheels	2x fixed castors (mm)	2x swivel castors (mm) incl. 1x total brake		to both sides	capacity per drawer (kg)	Single safeguard	fully extend- able	Compatibility - modules
Type / Pattern															
2005	500		•	•		S	•	200	125	6 - 10		40/60		•	
2004	500	•	•	•		S	•	200	125	5 - 10		40/60	•	•	
2003	500	•	•			S	•	200	125	7		40/60		•	
3000	400					В		200	125	7		40			
2545	330	•	•				•	200	125	7		35	•	•	
2525	330	•	•				•	140	100	7		40		•	
2535	250		•	•			•	140	100	4 plus large capacity drawer		22		•	
1585	300			•			•	140	100	6		40		•	
3010	120/220	•						140	100	3 plus large capacity drawer		22			
2000	300	•		•		В	•	140	100	5 plus large capacity drawer	•	22			
2500	300	•				В	•	140	100	8		40	•	•	
1580	300	•		•			•	140	100	4 plus large capacity drawer	•	22			
1578	200			•			•	140	100	6	•	22			





+ SELECTION AID - WORK BENCHES



				Body					Storage space	e			Drawers		
	Height (mm)	with chassis - mobile	Mobile load capacity (kg)	Static load capacity (kg)	Central locking system	Wooden worktop (mm)	Heel protection edge	Wide-track chassis / heavy-duty (S)	Storage compartment with door/ storage compartment open (o)		Number	Max. load capacity per drawer (kg)	Single safeguard	fully extendable	Drawer volume Compatibility - modules
Type / Pattern															
MOBILE															
1505	900	•	500	1000		40		S			5	40			
1504 XL	985	•	500	700	•	30		S	•		7 (6+1XL)	40/60		•	
1504	985	•	500	700		30		S	•		6 - 10	40/60	•	•	
BR 1504	985	•	500	700		30	•	S		•	7	40/60	•		
1502	870	•	500	700		25	•		(o) open		6	40	•	•	
STATIONARY															
BR 1500 LH	900			1000		40	•			•	5	40	•	•	
B 1500 L	900			1000		40					5	40		•	
B1510	840			250		40					0 - 4	35			
B1511	840			250		40					0 - 4	35	•	•	
B 1525	810			500		•									



ES modules

CT modules











2005

TOOL TROLLEY

- ▼ Working platform in ABS with 3 compartments for small parts
- With handle for easy pushing, pulling and turning
 Wide drawers (W 640 x D 400 mm)
 Drawers fully extendable, removable


- Single-hand operation with safety locking which prevents the drawers from opening when in motion
 Ball bearings
 Drawers individually partitionable, delivery includes length- (LD) and crosswise dividers (CD), see table
- Please order distance module 1500 ED-70 XL for fixing the modules
 Bottom drawer designed as heavy-duty drawer


- Load capacity per drawer 40 kg, bottom heavy-duty drawer

 Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
 Both side walls with square perforation to fix torque wrenches or other long tools and accessories
 Central locking with cylinder lock
 Heel protection and all-round impact protection

- © GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm, one with total brake
- ▼ Total load capacity 500 kg
 ▼ Dimensions: H 985 x W 775 x D 435 mm
- ✓ In GEDORIT blue, drawers GEDORIT silver, top black
 ✓ Delivery without tools and accessories
- Optional accessories: Tool chest 2430, rear panel R 2004 L or RB 2004 L, Wood plate 2004 HP













No. 2005-0810

19



Deviant packing units see article description.

No. 2005-0701

No. 2005-0321





2004

TOOL TROLLEY

- TOOL TROLLEY

 ▼ Working platform in ABS with 3 compartments for small parts

 ▼ With handle for easy pushing, pulling and turning

 ▼ Drawers fully extendable, removable

 ▼ Single-hand operation with safety locking which prevents the drawers from opening when in motion

 ▼ Ball bearings

 ▼ Drawers individually partitionable, delivery includes length- (LD) and crosswise dividers (CD), see table

 ▼ Bottom drawer designed as heavy-duty drawer

 ▼ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from 2004 1000)

 ▼ Storage compartment on the handle side with perforated sheet 9 x 33 mm to fix accessories


 ▼ Compartment door lockable with central locking

- Compartment on the nancie side with pel
 Compartment door lockable with central locking
 Four removable drawers for small parts
 Central locking with cylinder lock
 Heel protection and all-round impact protection
- © GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm, one with total brake
- ▼ Total load capacity 500 kg
 ▼ Dimensions: H 985 x W 775 x D 435 mm
- ✓ In GEDORIT blue, drawers GEDORIT silver, top black
 ✓ Delivery without tools and accessories
- ▼ Optional accessories: Tool chest 2430, Rear panel R 2004 L or RB 2004 L, Wood plate 2004 HP












Code	No.	_	LD	CD	н	W	D	544
1640690	2004 1000	10x type 1, H = 67 mm	15x	3x	985	775	435	94.0
1640704	2004 0810	8x type 1, H = 67 mm 1x type 2, H = 137 mm	15x	3x	985	775	435	91.0
1640712	2004 0701	7x type 1, H = 67 mm 1x type 3, H = 207 mm	10x	2x	985	775	435	86.0
1640720	2004 0620	6x type 1, H = 67 mm 2x type 2, H = 137 mm	10x	2x	985	775	435	88.0
1640739	2004 0511	5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	10x	2x	985	775	435	84.0
1640755	2004 0321	3x type 1, H = 67 mm 2x type 2, H = 137 mm 1x type 3, H = 207 mm	бх	2x	985	775	435	82.0
1640763	2004 0131	1x type 1, H = 67 mm 3x type 2, H = 137 mm 1x type 3, H = 207 mm	3x	2x	985	775	435	75.0









21





- TOOL TROLLEY with 7 drawers

 Working platform in ABS with 3 compartments for small parts

 With handle for easy pushing, pulling and turning

 Torawers fully extendable, removable

 Single-hand safety locking

 Ball bearings

 Torawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers

 Supplied 2 distance modules 1500 ED-70 K

 Bottom drawer designed as heavy-duty drawer

 Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg

 Storage compartment on the handle side with perforated sheet 9 x 33 mm to fix accessories

 Compartment door lockable with central locking

 Four removable drawers for small parts

 Central locking with cylinder lock


 Heel protection and all-round impact protection

- Heel protection and all-round impact protection
 GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm, one with total brake

- ▼ Total load capacity 500 kg
 ▼ Dimensions: H 985 x W 775 x D 435 mm
 ▼ In GEDORIT blue, drawers GEDORIT silver, top black
- ▶ Delivery without tools
 ▶ Optional accessories: Tool chest 2430, Rear panel R 2004 L or RB 2004 L, Wood plate 2004 HP







Н 985 Code 6630930 No. 82.0 775 435











Code 6624880



Н 920



D 485







2545 - 2546 - 2550

TOOL TROLLEY AND TOOL CHEST

2545 Tool trolley

- Working platform in ABS with 4 compartments for small parts
 With handle for easy pushing, pulling and turning
- ▼ 7 drawers fully extendable
- Single-hand operation with safety locking which prevents the drawers from opening when in motion
- ▼ Drawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers
- Load capacity per drawer 35 kg
 3 perforated side walls to fit with accessories
- Rear side with space for storageCentral locking with cylinder lock
- ✓ With heel protection and vertical impact protection
 ✓ GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm, one with total brake


 ✓ Total load capacity 330 kg


 ✓ Dimensions: H 955 x W 705 x D 485 mm

- ✓ In GEDORIT blue, drawers GEDORIT silver, top black

- Ribbed bottom lining4 drawers fully extendable
- Torawers individually partitionable, delivery includes 6 length- and 2 crosswise dividers
 Roomy storage compartment with document partition


- P Pneumatic soft opening and closing of lid
 Total load capacity 120 kg
 Dimensions: H 495 x W 705 x D 485 mm
- ✓ In GEDORIT blue, drawers GEDORIT silver, top black
 ✓ Delivery without tools
- **▼ 2550** consisting of tool trolley 2545 and tool chest 2546







Optional accessories



















- TOOL TROLLEY with 7 drawers
- ▼ Working platform in ABS with 3 compartments for small parts
- ✓ With handle for easy pushing, pulling and turning
 ✓ Drawers fully extendable, removable, 1-5 individually partitionable
- ▶ Delivery includes 8 length- and 2 crosswise dividers
 ▶ Single-hand operation with safety locking which prevents the drawers







Deviant packing units see article description.

1x

635

625

395

23.0

1904167

2535 SMW





- 3-CHEST TOOL TROLLEY MODULAR SYSTEM

 ✓ When tool chests 1430 and 1431 are stacked on it, the base 1432 becomes the mobile high-capacity trolley 1585

 The base 1432 can of course also be combined with various tool chests, e.g. 1433-1072 ES

- With plug-in lockable push handle, also suitable for lifting the trolley
 A perforated metal sheet at the handle permits equipping the trolley with tools or parts for installation
- ▼ 1432 with ribbed bottom lining, central locking for padlock
- ✓ Drawers fully extendable, with single-hand safety locking
 ✓ Load capacity per drawer 40 kg
- ✓ With heel and impact protection
 ✓ GEDORE chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 140 mm and 2 swivel castors Ø 100 mm, one with total brake
- ▼ Total load capacity 300 kg
- ✓ Dimensions: H 1060 x W 660 x D 400 mm
 ✓ In GEDORIT blue, drawers GEDORIT silver, top black
 ✓ Delivery without tools





Optional accessories












MAX


TOOL TROLLEY VARIO with lowering mechanism


▼ Working platform with ribbed bottom lining

- Vowing plation with imped bottom iming
 Lowering mechanism with single-button operation
 Drawers open either side
 Ball bearings, with middle and end catches
 Drawers individually partitionable, delivery includes 6 length- and 2 crosswise dividers
 Load capacity per drawer 22 kg
 Central locking when lowered, secured by padlock
 Wed protection and all regular impact protection.
- Heel protection and all-round impact protection
 GEDORE chassis with high-performance wheels on roller bearings, with 2 fixed castors
 140 mm and 2 swivel castors Ø 100 mm, one with total brake
 Lifts automatically with up to 25 kg load












GEDDRE ///







Code	No.	н	W	D	4,54	
6625260	3010	900	625	400	42.0	





MIN







2000

- TOOL TROLLEY with 5 drawers


 ✓ Working platform with ribbed bottom lining

- ✓ Working platform with ribbed bottom lining
 ✓ With handle for easy pushing, pulling and turning
 ✓ Drawers open either side, ball bearing catches, with middle and end catches
 ✓ Drawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers
 ✓ Load capacity per drawer 22 kg
 ✓ Double sided metal shutters to secure the whole internal space
 ✓ Central locking with cylinder lock
 ✓ Heel protection and all-round impact protection
 ✓ GEDORE wide-track chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 140 mm and 2 swivel castors Ø 100 mm, one with total brake
 ✓ Trapezoid shape for extra stability, wheels mounted internally
 ✓ Total load capacity 300 kg
- ▼ Total load capacity 300 kg
 ▼ Dimensions: H 930 x W 625 x D 400/545 mm
- ▼ In GEDORIT blue, drawers GEDORIT silver, top black
 ▼ Optional accessories: Top tool chests 1430, 1431, 1433-1072 ES, Wood plate 2000 HP










- 400 **-**





2500

930

- TOOL TROLLEY with 8 drawers


 ✓ Working platform with ribbed bottom lining
- ▼ With handle for easy pushing, pulling and turning
 ▼ Drawers fully extendable, removable, ball-catch bearings, with middle and end catches

- Drawers fully extendable, removable, ball-catch bearings, with middle and end catches
 Single-hand safety locking
 Drawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers
 Load capacity per drawer 40 kg
 Central locking with cylinder lock
 Heel protection and all-round impact protection
 GEDORE wide-track chassis with high-performance wheels on roller bearings,
 with 3 few deater # 4140 mm and 2 swivel catches # 100 mm one with total brake. with 2 fixed castors Ø 140 mm and 2 swivel castors Ø 100 mm, one with total brake Trapezoid shape for extra stability, wheels mounted internally


- Trapezoid shape for extra stability, wheels mounted internally
 Total load capacity 300 kg
 Dimensions: H 960 x W 625 x D 400/545 mm
 Optional accessories: Top tool chests 1430, 1431, 1433-1072 ES, Wood plate 2000 HP








2500



625

960



400

545

64.0







6171720





TOOL TROLLEY with 4 drawers

- ▼ Working platform with ribbed bottom lining
- With handle for easy pushing, pulling and turningDrawers open either side

- Ball bearings, with middle and end catches
 Drawers individually partitionable, delivery includes 8 lengthand 2 crosswise dividers

 ✓ Load capacity per drawer 22 kg





Optional accessories














TOP TOOL CHESTS

1430

TOOL CHEST

- ▼ Designed particularly as top box for trolleys 1580, 1585, 2000, 2500, 3010
- ✓ With three partitionable drawers, supplied with 6 lengthwise and 2 crosswise dividers
 ✓ Drawers run smoothly on guides with ball bearings fully extendable
- ► Load capacity per drawer 40 kg
- ▼ Central locking with hasp for padlock
- Rubber mat, and rubber protection around the edge
 ✓ In GEDORIT blue, drawers GEDORIT silver
- ✓ Dimensions: H 305 x W 625 x D 400 mm




1431

TOOL CHEST

- ▼ Designed particularly as top box for trolleys 1580, 1585, 2000, 2500, 3010
- ✓ With 2 drawers, drawers run smoothly on guides with ball bearings, fully extendable
 ✓ One partitionable drawer, supplied with 2 lengthwise and 2 crosswise dividers

- Load capacity per drawer 40 kgCentral locking with hasp for padlock
- Rubber mat, and rubber protection around the edge
 In GEDORIT blue, drawers GEDORIT silver
- **▼** Dimensions: H 305 x W 625 x D 400 mm



Code	No.	Н	W	D	4	
6615030	1431	305	625	400	23.0	

2430

TOOL CHEST

- ▼ Designed particularly as top box for trolleys 2003, 2004, 2005
- ▼ Working platform in ABS with 3 compartments for small parts
 ▼ Three drawers individually partitionable, delivery includes
- 6 length- and 2 crosswise dividers
- Each drawer suitable to take 4 pieces of 1/3 tool modules no. 1500 ES / 1500 CT
 Drawer size: W 640 x D 400 x H 67 mm
- ▼ Drawers fully extendable, removable
- Single-hand operation with safety locking which prevents the drawers from opening when in motion

- ▶ Load capacity per drawer 40 kg
 ▶ Central locking with cylinder lock
 ▶ In GEDORIT blue, drawers GEDORIT silver
- ✓ Dimensions: H 345 x W 775 x D 435 mm





Code	No.	н	W	D	<u> 4,5</u> 4	
1888927	2430	345	775	435	23.0	

TOOL CHEST

- Ribbed bottom lining
- ▼ Four drawers fully extendable
 ▼ Drawers individually partitionable, delivery includes 6 length- and 2 crosswise dividers
- ► Load capacity per drawer 35 kg
- Roomy storage compartment with document partition
- Pneumatic soft opening and closing of lid
 Total load capacity 120 kg

- ✓ Dimensions: H 495 x W 705 x D 485 mm
 ✓ In GEDORIT blue, drawers GEDORIT silver, top black



1433-1072 ES

TOOL CHEST for mobile use

- Tool chest 1433 L including 3 modular tool boxes 1072 ES-1500 L
- ✓ Open at front, central locking with turnlock fastener for a padlock
 ✓ Particularly suitable for use in combination with chassis 1432 for mobile use
- ▼ In GEDORIT blue
- ✓ Dimensions: H 310 x W 605 x D 375 mm



TOOL MODULE EMPTY

- ▼ For tool modules 1500 ES
- May be individually equipped with two or three tool modulesFoam rubber firmly glued to lid
- Suitable as spare part in tool chest 1433 L
 Sturdy sheet steel, in GEDORIT blue
- ✓ Dimensions: W 478 x D 313 x H 70 mm
- ▼ Delivery without tools



Code	No.	W	D	н	∆. ;∆	
6602990	1072 ES-1500 L	480	330	70	3.3	



GEDORE ///

TOOL BOX

- ▼ Sturdy sheet steel, in GEDORIT blue
- ▼ With deep-drawn plastic insert with 19 compartments
- ✓ Fits into tool chest 1433 L
 ✓ Dimensions: W 480 x D 330 x H 70 mm
- ▼ (III. similar)



Code	No.	W	D	н	$\Delta_{kg}^{+}\Delta$	
1920049	1072 K-19	480	330	70	3.6	

ACCESSORIES FOR TOOL TROLLEYS

2004 HP

WOOD PLATE

- ✓ Multiplex beech wood✓ For tool trolleys 2003, 2004 and 2005
- and tool chest 2430
- ▼ To fit in the plastic top, 30 mm thick, to get an additional work surface



Code	No.	mm [j]	W	D	∆ ,0	
1446967	2004 HP	30	590	410	5.0	

2000 HP

WOOD PLATE

- ✓ Multiplex beech wood✓ For tool trolleys 1580, 1585, 2000, 2500, 3010, and tool chests 1430, 1431, 1433

Code	No.	mm 🗐	W	D	4 ,54	
1785567	2000 HP					

2525 HP

WOOD PLATE


- ▼ Multiplex beech wood
- **▼** For tool trolley 2525
- ► To fit in the plastic top, 20 mm thick, to get an additional work surface

Code	No.	mm [j]	W	D	∆ ,,,	
2082578	2525 HP	20	550	375	4.0	

R 2004 L

REAR PANEL


- ▼ Can be attached to 2003, 2004, 2005
- The complete loaded rear wall can be simply loweredAutomatically raised by two gas springs
- ▼ Neat arrangement of tools on square perforation 9 x 33 mm
 ▼ Central locking with cylinder lock
- ▼ Delivery without tools



RB 2004 L

REAR PANEL

- ▼ Can be attached to 2003, 2004 and 2005
- ▼ Square perforation 9 x 33 mm





Code	No.	н	W	D	∆ 100	
1933302	RB 2004 L	700	665	15	5.8	

1500 H 7

- **▼** Will fit on 1580, 1585, 2000, 2500
- A useful tray to increase the working surface, captive coupling to the trolley
- ✓ Load capacity approx. 5 kg
 ✓ In GEDORIT blue with rubber mat



Code	No.	н	W	D	∆ _{k0} ∆	⊞	
5792030	1500 H 7	30	370	300	1.6	1	

KSF 1580

ADDITIONAL DRAWER

- ▼ Will fit the drawers of GEDORE tool trollev 1580
- ▼ With bearings, mounting pieces and mounting manual
- ▼ Up to 4 additional drawers can be fitted ▼ In GEDORIT silver

				-	()	
Code	No.	н	W	D	∆ ,,∆	
6624610	KSF 1580	24	420	325	2.2	

DOOR ELEMENT for TANTO 3000

- ▼ For later installation
- The free space in the rear can be enclosed with this and secured with the cylinder lock installed
- ▼ 3000 TANTO models from 1998 on are set up for this installation, assembly materials are supplied
- ✓ Suitable trays 1500 H 9-75 and 1500 H 10-75
 ✓ In GEDORIT silver
- ▼ Delivery without tools





Code	No.	<u>₹</u> ,
5809880	1500 H 14	5.9

31 Deviant packing units see article description.





WORKBENCHES






MOBILE WORKBENCH

- ▼ Ergonomic working height
- Figure 1 and 1 and 1 and 1 and 2 and 2 and 2 and 2 and 3 an
- as well as 2 distance modules no. 1500 ED-70 K
- ▼ Ball bearings
- Load capacity per drawer 40 kg
 Large, lockable cupboard with shelf
 Central locking with cylinder lock
- ✓ With heel protection
- With neel protection
 GEDORE Jumbo heavy-duty chassis with independent wheel suspension sturdy and mobile
 With hydraulic raising mechanism just lift the pull handle
 High floor clearance for easy, safe movement and absolutely stable standing
 Static load capacity 1000 kg, 500 kg when mobile

- ✓ Dimensions: H 900 x W 1100 x D 652 mm ✓ Model S with vice no. 411-150
- ▼ In GEDORIT blue, drawers GEDORIT silver
- ✓ Delivery without tools
 ✓ Prepared for mounting rear panel no. R 1504 L



6621780

6621860

1505

1505 S

Mobile workbench

Mobile workbench

with vice

Optional accessories







900

900

40


1100 652

1100 652 138.0

156.5












MOBILE WORKBENCH EXTRA WIDTH

- ▼ 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- One extra large drawer for long tools or 6 tool modules (1/3 modules)
 Drawers fully extendable
- Single-hand operation with safety locking which prevents the drawers from opening when in motion
 Ball bearings
- Drawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers
 Bottom drawer designed as heavy-duty drawer
- ✓ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
 ✓ Large usable storage space with lockable door

- Central locking for cylinder lock
 With heel protection
 GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm with total brake
- ✓ Static load capacity 700 kg, 500 kg when mobile

 ✓ Dimensions: H 985 x W 1250 x D 550 mm
- ▼ In GEDORIT blue, drawers GEDORIT silver
- ▼ Delivery without tools
- ▼ Optional accessories: Rear panel R 1504 XL-L





1988468

1504 XL

4x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm





1250

120.0









MOBILE WORKBENCH ▼ 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish Five different drawer combinationsDrawers fully extendable $m{r}$ Single-hand operation with safety locking which prevents the drawers from opening when in motion ▼ Ball bearings Drawers individually partitionable, delivery includes length- (LD) and crosswise dividers (CD), see table, as well as 2 distance modules no. 1500 ED-70 K Bottom drawer designed as heavy-duty drawer Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from 1504 1000) Large usable storage space with lockable doorCentral locking with cylinder lock ▼ With heel protection ▼ GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm with total brake Static load capacity 700 kg, 500 kg when mobile Dimensions: H 985 x W 1100 x D 550 mm ✓ Model S with vice no. 411-125 ✓ In GEDORIT blue, drawers GEDORIT silver ✓ Delivery without tools ▼ Optional fold-down rear panel no. R 1504 L can be fitted (GEDORE) 1504 480x400x67 480x400x67 480x400x67 480x400x67 480x400x137 480x400x137 480x400x137 480x400x207 480x400x207 480x400x207 480x400x137 No. 1504-0801 No. 1504-0511 No. 1504-0321 No. 1504-0701 No. 1504-1000 Code 6622830 Mobile workbench with 7 drawers 1504 0511 5x type 1, H = 67 mm 1x type 2, H = 137 mm 100.0 10x 1x type 3, H = 207 mm 1100 5x type 1, H = 67 mm 6623050 1504 0511 S 10x Mobile workbench 102.2 2x 1x type 2, H = 137 mm 1x type 3, H = 207 mm and vice 1814958 1504 0321 3x type 1, H = 67 mm Mobile workbench 96.0 2x 2x type 2, H = 137 mm 1x type 3, H = 207 mm with 6 drawers 7x type 1, H = 67 mm 1x type 3, H = 207 mm Mobile workbench with 8 drawers 1814931 1504 0701 10x 2x 99.0 985 1814923 1504 0810 8x type 1, H = 67 mm 3x Mobile workbench 1x type 2, H = 137 mm with 9 drawers 10x type 1, H = 67 mm 15x Mobile workbench 110.0 1814915 1504 1000 3x with 10 drawers No. 1504-0511






- MOBILE WORKBENCH with self raising rear panel


 Multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Drawers fully extendable
 Single-hand operation with safety locking which prevents the drawers from opening when in motion
- ▼ Ball bearings
- Drawers individually partitionable, delivery includes 10 length- and 2 crosswise dividers as well as 2 distance modules no. 1500 ED-70 K
- ▼ Bottom drawer designed as heavy-duty drawer
 ▼ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- ✓ Large usable storage space with lockable door
 ✓ With installed rear panel R 1504
- Automatically raised by 2 gas springs
 The complete loaded rear wall can be simply lowered

- Central locking with cylinder lock

 With heel protection

 GEDORE heavy-duty chassis with high-performance wheels on roller bear with 2 fixed castors Ø 200 mm and 2 swivel castors Ø 125 mm with total by the contract of the
- ✓ Static load capacity 700 kg, 500 kg when mobile
 ✓ Dimensions: H 985 x W 1100 x D 550 mm
- ✓ Model LH with hook assortment no. 1504 HG
 ✓ Model S with vice no. 411-125
- ► In GEDORIT blue, drawers GEDORIT silver
- ▼ Delivery without tools





BR1504_0511

Workbench with rear panel

Workbench with rear panel + hook

Workbench with rear panel + vice

30

985 1100

Description

assortment

arings, I brake						· · · · · · · · · · · · · · · · · · ·
	985 1100		128.0			
9	985 1100	550	130.0			

Optional accessories

6624450 BR 1504 0511 L

6623990 BR 1504 0511 LH

6624370 BR 1504 0511 S

















1502 S

Mobile workbench with vice

78.0

85.0





BR 1500 LH

WORKBENCH WITH TOOL CABINET

B 1500 L

- # 40 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
 # Five drawers, extendable up to 505 mm, individually partitionable, delivery includes 9 length- and 9 crosswise dividers

- Porawers removable
 Load capacity per drawer 40 kg
 Open space for storage, secured with strong metal shutter
 Separate locking of drawers and shutter by cylinder locks


- Separate locking of drawers and shutter b
 With heel protection
 Total load capacity 2000 kg
 Dimensions: H 900 x W 2000 x D 875 mm
 In GEDORIT blue, drawers GEDORIT silver


R 1500 LH


- ▼ Sheet steel construction
- ► With metal shutter lockable by cylinder lock
- Perforated rear to take fittings for any choice of assortment
 With hook assortment 1500 HS 23
 Dimensions: H 890 x W 1810 x D 170 mm
 In GEDORIT blue, shutter GEDORIT silver

▼ BR 1500 LH Consisting of workbench B 1500 L and tool cabinet R 1500 LH


▼ Delivery without tools







Code	No.	mm 🗐	н	w	D	5.5
6618210	BR 1500 LH	40	1790	2000	875	203.7
6618050	B 1500 L	40	900	2000	875	166.0












ACCESSORIES FOR WORKBENCHES

R 1504 L

REAR PANEL

- ▼ Can be attached to workbench 1504 or 1505
- Automatically raised by two gas springs, lockable with cylinder lock
 Neat arrangement of tools
 Dimensions: H 640 x W 1000 x D 70 mm

- Execution LH with hook assortment No. 1504 HG
 GEDORIT blue





www.gedore.com

R 1504 XL-L

- REAR PANEL
- Can be attached to workbench 1504 XL Automatically raised by two gas springs, lockable with cylinder lock
 Neat arrangement of tools
 Dimensions: W 1190 x D 70 mm

- ✓ GEDORIT blue
 ✓ Execution LH with hook assortment No. 1504 HG





1504XL-0511 + R1504XL




Code	No.	Description	Н	W	D	∆ ,
2251787	R 1504 XL-L	Rear panel empty, 640x1190x70 mm	640	1190	70	
2251795	R 1504 XL-LH	Rear panel empty with hook assortment, 640x1190x70 mm	640	1190	70	

FOLDING WORKBENCH

FOLDING WORKBENCH

- ▼ Stable hinged workbench, needs little space when folded
- ✓ Strong beech wood worktop with zinc-plated steel edge protector corrosion resistant
 ✓ Base made from steel tube, in GEDORIT blue

- ✓ Load capacity 500 kg
 ✓ Dimensions: H 810 x W 1000 x D 700 mm



Code	No.	mm Đ	н	W	D	4 104	
6622910	B 1525	30	810	1000	700	32.0	








WORKBENCHES SELF-ASSEMBLY RANGE





DRAWER CABINETS







TOOL CABINETS

1400

TOOL CABINET

- Sturdy sheet steel construction with storage and three drawers
 With fittings for tool assortment S 1400
 Including loose modules 1500 E-1993 L and 1500 E-19 L
 With cylinder lock

- ✓ In GEDORIT blue, drawers GEDORIT silver
 ✓ Dimensions: H 970 x W 650 x D 250 mm







Code	No.	Compilation	Н	W	D	4	
6612600	1400 L	Cabinet empty	970	650	250	33.0	
6613250	1400 GM	Cabinet 1400 L + assortment S 1400 GM	970	650	250	46.7	
6613330	1400 GZM	Cabinet 1400 L + assortments S 1400 GM + ZM	970	650	250	57.4	
6613410	1400 GA	Cabinet 1400 L + assortment S 1400 GA	970	650	250	46.6	

TOOL CABINET

- $m{r}$ Sturdy sheet steel construction with perforated
- lining for any individual arrangement

 ✓ With storage and three drawers

 ✓ With loose modules 1500 E-1993 L and 1500 E-19 L
- With cylinder lock
 ✓ In GEDORIT blue, drawers GEDORIT silver
 ✓ Dimensions: H 970 x W 650 x D 250 m





Code	No.	Compilation	Н	W	D	∆ *2∆	
5610610	1401 L	Cabinet empty	970	650	250	39.0	
6611550	1401 LH	Cabinet 1401 L + hook assortment 1500 HS 11	970	650	250	34.0	
6611630	1401 GM	Cabinet 1401 L + hook assortment 1500 HS 11 + assortment S 1400 GM	970	650	250	48.0	
6611710	1401 GZM	Cabinet 1401 L + hook assortment 1500 HS 11 + assortments S 1400 GM + ZM	970	650	250	58.0	
6611980	1401 GA	Cabinet 1401 L + hook assortment 1500 HS 11 + assortment S 1400 GA	970	650	250	47.0	

TOOL CABINET

- Suitable as workbench top
 Sheet steel construction
 With metal shutter lockable by cylinder lock
 Perforated rear to take fittings for any choice of assortment
- Model LH with hook assortment no. 1500 HS 23
 Dimensions: H 890 x W 1810 x D 170 mm
 In GEDORIT blue, shutter GEDORIT silver
 Delivery without tools





Code	No.	Н	W	D	5 [±] 2	
6617910	R 1500 L	890	1810	170	78.0	
6619100	R 1500 LH	890	1810	170	81,2	









B 1450 LH / LHG



79

81

1500 H 15 WRITING SUPPORT

- ▼ For all GEDORE tool trolleys and workbenches
- ✓ Height adjustable with one swift movement
 ✓ Inclination adjustable, 4 x 90° swivel mounted for individual positioning
- ✓ Very robust for neat writing✓ Keeps the working surface free
- ✓ Writing surface 310 x 400 mm
 ✓ Easy extendable, mounting material included in delivery
- ▼ Delivery without decoration



GEDORE ///



ACCESSORIES TOOL TROLLEYS / WORKBENCHES

1500 BL

LIGHT STRIP FOR TOOL TROLLEYS

- ✓ Light strip to provide ideal illumination of drawers, particularly on GEDORE tool trolleys
 ✓ A magnetic strip securely attaches the lighting to the trolley body
- Positioned above the drawers, the ten powerful LEDs illuminate the opened drawers
 This makes it easier to locate the right tool in dark or low lighting conditions,
- preventing the risk of cuts from chisels, knives or saw blade

 The light strip is also suitable for use on folding back panels and tool chests
- ▼ Easy battery change (three AAA batteries)
 ▼ LED technology for low power consumption and long life

- ✓ DBGM (German utility patent)
 ✓ The light strip can be used with the following GEDORE products: 2004, 2005, 2430, 2500, 3010, 2525, 2545, 2546, 2550, 2535, 3000, 1504, 1502, 1504 XL, R 1504, 1505, B 1500, R 1500, B 1510-1 to -4, 1405, 1400, 1401



- ANTI-SLIP MAT Products sold by the metre


 ✓ For all drawers in GEDORE tool trolleys and workbenches
- ✓ Various areas of application: Workshop, household, car, spare time...
 ✓ Enormous slip resistance on many different surfaces

- ✓ Can be cut to size
 ✓ Resistant to temperatures from -30°C to +100°C
- ✓ Melting point approx. +250°C✓ Flame resistant

- ▶ Dimensions: W 475 x L 2000 mm



Code	No.	5,5
5790250	1500 H 13	540



1500 H 16

SMALL-PARTS DRAWER FOR TOOL TROLLEYS

- ▼ To place on top of existing drawers of tool trolleys, additional surface to place small parts
- ▼ Suitable for tool trolleys and workbenches in combination with modules 1500 ES: 2003, 2500, 3000, B 1500, 1502, 1504, 1505
- Suitable for tool trolleys and workbenches without using modules 1500 ES: 1580, 2000, 3010
 Tool trolley 2004: suitable for drawer height 137 and 207 mm, for 67 mm not in combination
- with 1500 ES
- ▼ Delivery without decoration





Code	No.	5 * 5
1761129	1500 H 16	644







E-1500 - E-3000

LENGTHWISE DIVIDER slotted

- ▼ In three different heights



Code	No.	L	н	for use with	4.4
5325840	E-1580/14	317	42	1580, 2000, 3010	136
5326570	E-2500/62	320	60	2500 (1-7), 1431 (1), 1430	190
5325920	E-3000/36	346	60	3000 (1-6)	204
1886932	E-2005 KL/42	395	60	2005, 1504 XL, 2430	235
5326490	E-1504 KL/57	397	60	1502 (1-5), 1504 (1-6), 2003 (1-6), 2004 (type 1)	208
2335239	E-2545/070	409	50	2545, 2546, 2550	200
5315880	E-B 1500/38	548	60	B 1500 (1-3), 1505 (1-3)	312

E-1580

CROSSWISE DIVIDER

- ✓ Usage: 1580, 2000, 3010
 ✓ In three different lengths, to fit the lengthwise dividers
 ✓ In zinc-plated sheet steel





Code	No.	L	Н	5
1394878	E-1580/11-40	40	40	12
5325760	E-1580/11-80	80	40	24
5326140	E-1580/11-120	120	40	36

E-2545 - E-3000

CROSSWISE DIVIDER

Usage:

- F E-3000: 1430, 1431 (1), B 1500 (1-3), 1502 (1-5), 1504 (1-6), 1504 XL, 1505 (1-3), 2003 (1-6), 2004 (type 1), 2005 (type 1), 2430, 2500 (1-7), 3000
- **F E-2545**: 2550 consisting of 2545 and 2546
 ✓ In zinc-plated sheet steel



Code	No.	L	Н	5;5
5326060	E-3000/37-80	80	55	35
5326220	E-3000/37-120	120	55	50
2335220	E-2545/99	99	50	100

TOOL HOLDERS / TOOL HOOKS

Code 5803410


1500 H 0-50

1500 H 0 TOOL HOOK straight mandrel Ø 4 mm especially suitable for GEDORE screwdrivers with hanging hole Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm ▼ Chrome-plated

1500 H 1					
Suitable f	OK inclined hook. or perforated panels on 9 x 33 mm and 10 olated	with square	~	C	
Code	No.	Ø	∢mm⊁	444	=
5803680	1500 H 1-50	4	50	28	10

50

10





GEDORE ///

1500 H 4

BASE PLATE

- ▼ With M6 thread for universal fixing
- ▼ Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm
- ▼ Chrome-plated



Code	No.	5,5	⊞	
1446185	1500 H 4	26	10	

1500 H 9

TRAY

A handy place to keep tools that are needed constantly
 1500 H 9-75 can be fitted in connection with door element 1500 H 14



Code	No.	W	н	D	5,5	
1446924	1500 H 9-75	456	50	75	854	
5792540	1500 H 9-100	456	50	100	854	

1500 H 18

TOOL HOOK straight mandrel

Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm
 Delivery without tools







Code	No.	Ø	∢mm ⊳	4	⊞	
2008386	1500 H 18-50	6	50	34	10	
2008394	1500 H 18-100	6	100	46	10	
2008408	1500 H 18-150	6	150	56	10	

TOOL HOLDER double, straight mandrel ▼ Suitable for perforated panels with square perforation 9 x 33 mm

1500 H 19

2008416

2008424

2008432

1500 H 19-50

1500 H 19-100

1500 H 19-150

▼ Delivery without tools

1500 H 5

PAPER ROLL HOLDER

▼ Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm



150		

5798660 **1500 H 5**

- CABLE REEL HOOK
- Suitable for perforated panels with square
- perforation 9 x 33 mm

 ✓ Delivery without decoration

1500 H 8 **HOLDER**




Code	No.	w	н	D	4,4	⊞	
5797850	1500 H 6	110	40	60	95	1	

1500 H 10

✓ With four partitions, for often-needed small parts
 ✓ 1500 H 10-75 can be fitted in connection with door element


1500 H 14





Code	No.	W	Н	D	4	
1446932	1500 H 10-75	456	50	75	766	
5792620	1500 H 10-100	456	50	100	840	





1500 H 11

- With 4 plastic cases 1500 H-11/3, for holding larger quantities of working materials
- ✓ Cannot be fitted in connection with door element 1500 H 14



100 98 5

150 118

A CONTRACTOR	BEE		+ .
<u> </u>	ŏŏŏ	ğ	
00000	000		
10/0/0/0/	HOLOIOIO	1	
	000	0.00	
Code No.	W	Ø	500
5792460 1500 H 8	456	5	150

Deviant packing units see article description.





1500 H 20

TOOL HOLDER vertical hook end

- ▼ Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm Chrome-plated
- ▶ Delivery without decoration





l	Code	No.	Ø	+ mm ≻	40	⊞	
	1879162	1500 H 20-35	6	35	34	10	
I	2008440	1500 H 20-75	6	75	46	10	
I	2008459	1500 H 20-135	6	135	56	10	

TOOL HOLDER double, vertical hook end

- For hammers and ratchets
 Suitable for perforated panels with square perforation 9 x 33 mm
 Chrome-plated
 Delivery without tools





Code	No.	Ø	∢mm ⊳	404	⊞	
2008475	1500 H 21-35	6	35	76	5	
1879170	1500 H 21-50	6	50	80	5	
2008483	1500 H 21-75	6	75	90	5	

1500 H 22

TOOL HOLDER for pliers

- Suitable for perforated panels with square perforation 9 x 33 mm
 Chrome-plated
 Delivery without tools





ı							
ı	Code	No.	W	D	4,4	\blacksquare	
ſ	2008491	1500 H 22-35	35	20	62	5	
	1879189	1500 H 22-55	55	20	66	5	
ſ	2008505	1500 H 22-75	75	20	68	5	

1500 H 23

MACHINE HOLDER FOR BATTERY SCREWDRIVER

- Suitable for perforated panels with square perforation 9 x 33 mm
 Chrome-plated
 Delivery without tools






Code	No.	Ø	4	⊞	
2008513	1500 H 23-40	40	68	5	
1879197	1500 H 23-60	60	60	5	
2008521	1500 H 23-80	80	80	5	

1500 H 24

TOOL HOLDER for screwdrivers

- ▼ Suitable for perforated panels with square
- perforation 9 x 33 mm ▼ Chrome-plated
- ▼ Delivery without tools





Code	No.	Execution	444	en e	
1879200	1500 H 24-6	for 6 pieces	100	1	
2008548	1500 H 24-12	for 12 pieces	400	1	

1500 H 25

TOOL HOLDER for 3 cans

- Suitable for perforated panels with square perforation 9 x 33 mm
 Chrome-plated
 Delivery without decoration






Code	No.	Ø	W	404	⊞	
2008556	1500 H 25-1	70	100	200	1	
1879219	1500 H 25-3	70	300	600	1	

MOUNTING RAIL FOR STORAGE BOXES

- Suitable for perforated panels with square perforation 9 x 33 mm
 No. 1500 H 26-1 for one storage box
- (max. 105 mm wide)

 ✓ No. 1500 H 26 for up to 4 storage boxes (depending on width)
- ▼ Delivery without storage boxes






Code	No.	∢ mm ►	500	⊞	
2008564	1500 H 26-1	55	50	5	
1933183	1500 H 26	495	418	1	

1500 H 27

SOCKET HOLDER

- ▼ With 11 holes
- ✓ Hole diameter 10x 25 mm and 1x 27.5 mm
 ✓ Suitable for perforated panels with square perforation 9 x 33 mm
- ▼ Delivery without tools





Code	No.	w	н	D	4,4	⊞	
1920634	1500 H 27	352	60	54	500	1	

1500 H 28

SHELF

▼ Suitable for perforated panels with square perforation 9 x 33 mm




Code	No.	W	Н	D	40	⊞
1933191	1500 H 28	496	168	303	3000	1

1500 H 29

TOOL HOOK inclined hook end

- **▼** Suitable for perforated panels with square
- perforation 9 x 33 mm and 10 x 38 mm **▼** Delivery without tools





Code	No.	Ø	+ mm ⊢	4,4	⊞	
2008572	1500 H 29-50	6	50	34	10	
2008580	1500 H 29-100	6	100	46	10	









1500 H 30

TOOL HOOK for sockets

 ${m ec {m ec {\it Y}}}$ Suitable for perforated panels with square perforation 9 x 33 mm and 10 x 38 mm





Code	No.	L ₁	L ₂	Ø	500	⊞	
2008599	1500 H 30	15	40	6	34	10	П

1500 H 31

ROUND HOLDER

- **▼** Suitable for perforated panels with square perforation 9 x 33 mm
- ▼ Delivery without tools






Code	No.	w	L	4,4	⊞	
2008602	1500 H 31	27	65	68	5	

1500 H 32

- **SAW HOLDER**
- ▼ Suitable for perforated panels with square perforation 9 x 33 mm

 For 4 saws. Please order in pairs!
- ▼ Delivery without tools





2008610 **1500 H 32** 52


1500 H 33

TUBE HOLDER

- ▼ Suitable for perforated panels with square perforation 9 x 33 mm

 Hook width 35 mm
- Delivery without decoration






Code	No.	w	н	D	Ø	5:3	ı.
2008629	1500 H 33-60	58	67	74	60	114	1
2008637	1500 H 33-100	58	96	114	100	156	1

1500 H 34

DRILL-BIT HOLDER

- Suitable for perforated panels with square perforation 9 x 33 mm
- **▼** No. **1500 H 34-14** with 14 holes, diam.:
- 2 ea. 3.0 4.2 6.5 7.5 8.5 16.5 mm, 1 ea. 10.5 12.5 mm ✓ Ro. 1500 H 34-28 with 28 holes, diam.: 4 ea. 3.2 4.2 6.5 7.5 8.5 16.5 mm, 2 ea. 10.5 12.5 mm
- Delivery without tools





Code	No.	W	н	D	4,4	⊞	
2008645	1500 H 34-14	200	60	37	200	1	
2008653	1500 H 34-28	390	60	37	400	1	

HOLDER FOR ALLEN KEYS

▼ Suitable for perforated panels with square perforation 9 x 33 mm




Code	No.	W	Н	4:4	⊞	
2008661	1500 H 35	200	73	300	1	

1500 H 36

TOOL HOLDER

- ▼ For customising (wooden plate)
- Suitable for perforated panels with square perforation 9 x 33 mm
- ▼ Delivery without tools





Code	No.	W	Н	D	4,4	⊞	
2008688	1500 H 36	340	55	135	1100	1	

1500 H 37 - 1500 H 38

SPANNER HOLDER

- **▼** Suitable for perforated panels with square perforation 9 x 33 mm
- No. 1500 H 37: for 8 spanners, suitable for no. 1 B, 2, 4, 6, 7, 7 R
- **▶** No. **1500 H 38**: for 10 spanners, suitable for no. 2, 6
- ▼ Delivery without tools







Code	No.	W	Н	D	$\Delta_{2}^{+}\Delta$	⊞
2008696	1500 H 37	124	66	145	220	1
1920626	1500 H 38	75-147	227	60	400	1

45 Deviant packing units see article description.





TOOL HOLDER EMPTY for 8 spanners

- ✓ With handle, transport safety device (anti-theft device) and self-service suspension
- ✓ Suitable for the sets 1 B-080, 4-8, 6-8, and 7-080 as well for 7 R and 7 UR

 ✓ Delivery without tools



William I
TO ST

WVH 1

- TOOL HOLDER EMPTY for 8 spanners

 ✓ Can be fixed firmly to various wall types, e.g. EURO-perforation panels, GEDORE perforation panels, wooden and stone walls
- ✓ Includes base support WH 1, tool holder VH 1 and two distance washers for fixing to wooden walls

 Suitable for the sets 1 B-080, 4-8, 6-8, and 7-080 as well as 7 R and 7 UR
- ▼ Delivery without tools



Code	No.	Description	4	⊞
1465120	WVH 1	Wall holder complete, empty	276	1
1465155	WH 1	Base support	116	1
1476386	WH 1 S	Base support with distance washers	160	1
1465171	E-WVH 1/4	Distance washers for WVH 1	20	1

VS 19 H

TOOL TRAY

- ▼ For sockets
- ▶ Dimensions: W 570 x D 25-45 mm
- ▼ In sheet steel, GEDORIT blue



					_	
Code	No.	W	D	444	H	
5152640	VS 19 H	570	25-45	550	1	

VS 245 H

CHISEL HOLDER EMPTY

▼ For 6 chisels
 ▼ Dimensions: W 195 x H 95 x D 22 mm
 ▼ In sheet steel, GEDORIT blue



Code	No.	W	н	D	4,4	⊞	
5456270	VS 245 H	195	95	22	300	1	

VS 1500 H

GENERAL PURPOSE BOX

▼ Dimensions:

H 330 x W 230 x D 100/120 mm



Code	No.	5 ; 3
5797770	VS 1500 H	1500







Code	No.	Description	Н	W	D	4:4	\blacksquare
5150000	VS 1582-1	Storage tray 50x320x150 mm	50	320	150	1016	1
5150190	VS 1582-2	Tray for drawings 150x320x50 mm	150	320	50	1270	1
5150270	VS 1582-3	Storage tray 100x320x90 mm	100	320	90	1118	1

▼ For double open ended spanner sets no. 6▼ Suitable for perforated panels with square

perforation 9 x 33 mm









H 6-12 L	H 6-8 B	H 6-12 B

Code	No.	Description	W	Н	D	4,4	\blacksquare
5079110	H 6-8 B	Sheet metal holder, empty for 8 spanners no. 6	390	140	15	372	1
5079540	H 6-12 B	Sheet metal holder, empty for 12 spanners no. 6	600	170	15	655	1
5070080	H 6-8 L	Plastic holder, empty for 8 spanners no. 6	250	70	57	154	1
5070160	H 6-12 L	Plastic holder, empty for 12 spanners no. 6	325	100	57	270	1
5073930	E-PH 6-8 L	Plastic holder, empty for 8 spanners no. 6				18	1
5074070	E-PH 6-12 L	Plastic holder, empty for 12 spanners no. 6				38	1







1500 F	lS .				
▼ Suitab	ASSORTMEN ble for perforated ration 9 x 33 mm	d panels with square			
Code	No	Contents	Use	474	m

Code	No.	Contents	Use	4:4	⊞
5802870	1500 HS 1	4x 1500 H 0-50	S 1005 A S 1151 M	1540	1
		18x 1500 H 1-50 1x H 6-8 B	S 1151 M S 1151 A		
5802950	1500 HS 2	1x VS 245 H 23x 1500 H 1-50	S 1002 M	1000	1
3602930	1300 H3 Z	6x 1500 H 2-13	3 1002 W	1000	'
		2x VS 245 H			
5803090	1500 HS 3	7x 1500 H 0-50 24x 1500 H 1-50	S 1004 M	1110	1
		2x 1500 H 2-13	S 1005 A		
		2x 1500 H 3			
5002170	4500115.4	1x VS 245 H	5 1005 14	070	
5803170	1500 HS 4	4x 1500 H 0-50 17x 1500 H 1-50	S 1006 M	870	1
		6x 1500 H 3			
		1x VS 245 H			
5803250	1500 HS 5	12x 1500 H 0-50 20x 1500 H 1-50	S 1400 GM S 1400 GA	2334	1
		1x 1500 H 38	S 1400 GZA		
		1x VS 245 H			
5803330	1500 HS 6	7x 1500 H 0-50 25x 1500 H 1-50	S 1011 M	1386	1
		1x VS 245 H			
5803920	1500 HS 7	12x 1500 H 0-50	S 1009 M	1260	1
		22x 1500 H 1-50 3x 1500 H 2-13			
		3x 1500 H 3			
E90E460	1500 UC 0	1x VS 245 H	S 1007 M	1510	1
5805460	1500 HS 8	14x 1500 H 0-50 18x 1500 H 1-50	S 1007 M S 1008 M	1510	1
		1x H 6-12 B	S 1013 M		
5805540	1500 HS 9	4x 1500 H 0-50		1524	1
		16x 1500 H 1-50 1x H 6-8 B			
		1x VS 245 H			
5805620	1500 HS 10	9x 1500 H 0-50 25x 1500 H 1-50	S 1004 M	1648	1
		2x 1500 H 1-50 2x 1500 H 2-13			
		1x 1500 H 3			
5799980	1500 HS 11	1x VS 245 H 14x 1500 H 0-50	S 1400 GM	2680	1
3,79900	150011511	23x 1500 H 1-50	S 1400 GM	2000	
		1x 1500 H 2-13	S 1400 GZA		
		2x 1500 H 3 1x 1500 H 38			
		1x VS 245 H			
5805700	1500 HS 12	12x 1500 H 0-50	S 1009 M	1846	1
		25x 1500 H 1-50 3x 1500 H 2-13			
		3x 1500 H 3			
E005000	1500 115 12	1x VS 245 H	C 1000 M	2224	1
5805890	1500 HS 13	16x 1500 H 0-50 19x 1500 H 1-50	S 1008 M	2234	1
		3x 1500 H 2-13			
		2x 1500 H 3 1x H 6-12 B			
		1x H 6-12 B 1x VS 245 H			
5802010	1500 HS 14	6x 1500 H 0-50	S 1151 M	2388	1
		20x 1500 H 1-50 6x 1500 H 2-13	S 1151 A		
		1x 1500 H 3			
		1x H 6-8 B			
		1x VS 245 H 1x VS 19 H			
5805970	1500 HS 15	25x 1500 H 1-50	S 1002 M	1570	1
		9x 1500 H 2-13			
		1x 1500 H 3 2x VS 245 H			
		1x VS 19 H			
5806510	1500 HS 16	7x 1500 H 0-50	S 1004 M	2330	1
		29x 1500 H 1-50 5x 1500 H 2-13			
		3x 1500 H 3			
		1x VS 245 H 1x VS 19 H			
5804060	1500 HS 17	15x 1500 H 0-50	S 1400 GM,	3514	1
		32x 1500 H 1-50	S 1400 GA		
		4x 1500 H 2-13 2x 1500 H 3			
		1x 1500 H 27			
		1x 1500 H 38			
		2x VS 245 H 1x VS 19 H			
5807160	1500 HS 18	12x 1500 H 0-50		3008	1
		32x 1500 H 1-50			
		4x 1500 H 2-13 4x 1500 H 3			
		1x VS 245 H			
5800270	1500 HE 10	2x VS 19 H		2594	1
5809370	1500 HS 19	4x 1500 H 0-50 28x 1500 H 1-50		2584	
		3x 1500 H 2-13			
		7x 1500 H 3 2x VS 245 H			
		1x VS 19 H			
5860050	1500 HS 20	7x 1500 H 0-50	S 1011 M	1740	1
		47x 1500 H 1-50 2x 1500 H 3			
		1x VS 245 H			

Code	No.	Contents	Use	5,5	Œ.
5860130	1500 HS 21	15x 1500 H 0-50 35x 1500 H 1-50		3134	1
		5x 1500 H 1-50			
		2x 1500 H 3			
		1x H 6-12 B 1x VS 19 H			
5860210	1500 HS 22	5x 1500 H 0-50	S 1006 M	3068	1
		38x 1500 H 1-50 3x 1500 H 2-13			
		8x 1500 H 2-13			
		1x VS 245 H			
5804220	1500 HS 23	2x VS 19 H 17x 1500 H 0-50	S 1400 GZA	4958	1
		43x 1500 H 1-50			
		12x 1500 H 2-13 10x 1500 H 3			
		1x 1500 H 27			
		1x 1500 H 38 2x VS 245 H			
		1x VS 19 H			
5860480	1500 HS 24	11x 1500 H 0-50	S 1009 M	3620	1
		42x 1500 H 1-50 6x 1500 H 2-13			
		4x 1500 H 3			
		1x VS 245 H 2x VS 19 H			
5860560	1500 HS 25	20x 1500 H 0-50	S 1007 M	3170	1
		42x 1500 H 1-50 5x 1500 H 2-13	S 1008 M S 1013 M		
		3x 1500 H 2-13	2 1013 M		
		1x H 6-12 B			
		2x VS 245 H 1x VS 19 H			
2008726	1500 HS 26	3x 1500 H 29-100		616	1
		4x 1500 H 20-35 3x 1500 H 21-35			
		1x 1500 H 22-35			
2008734	1500 HS 27	1x 1500 H 23-40		1322	1
2006/34	1500 H5 27	2x 1500 H 2-10 1x 1500 H 2-13		1322	'
		2x 1500 H 20-75			
		2x 1500 H 21-35 1x 1500 H 21-50			
		2x 1500 H 22-55			
		1x 1500 H 24-6 5x 1500 H 29-50			
		1x 1500 H 34-14			
2008742	1500 HS 28	1x 1500 H 37		1768	1
2006/42	1300 H3 28	4x 1500 H 20-35 2x 1500 H 20-75		1/08	
		2x 1500 H 20-135			
		6x 1500 H 21-35 2x 1500 H 22-35			
		1x 1500 H 23-40			
		1x 1500 H 24-6 3x 1500 H 29-50			
		3x 1500 H 29-100			
		2x 1500 H 31			
		1x 1500 H 34-14 1x 1500 H 37			
5802440	1504 HG	13x 1500 H 0-50	R 1504 LH	1958	1
		13x 1500 H 1-50 1x H 6-12 B	BR 1504 0511 LH BR 1504 0511 S		
		2x VS 245 H			
5801550	1582 HG	10x 1500 H 1-50 5x 1500 H 2-13		654	1
		5x 1500 H 3			

STAND ASHTRAY

1500 ST

STAND ASHTRAY

✓ Sturdy design in powder-coated sheet steel

✓ Convenient apertures for larger litter on three sides

✓ Ashtray insert in sheet steel



Code 1531468 No. 1500 ST W 200 200

47 Deviant packing units see article description.





TOOL BOXES

- ▼ With riveted joins
- ▼ Compartments to be fully pulled out
- ▼ Great stability even if only one side is opened
- **▼** In GEDORIT blue
- ▼ Tools not supplied

1263 **TOOL BOX 3 compartments** ✓ With riveted joins✓ Compartments to be fully pulled out ✓ Great stability even if only one side is opened ✓ GEDORIT blue powder-coated ✓ Dimensions: H 158 x W 420 x D 225 mm Particularly suitable for tool assortments S 1151 M and S 1151 A ▼ Delivery without tools 46.3 175 -Code Compilation 6608250 1263 L 158 420 225

1265

6608330

6608410

TOOL BOX 5 compartments

- ▼ With riveted joins
- ▼ Compartments to be fully pulled out

1263-1151 M

1263-1151 A

Tool box 1263 L

Tool box 1263 L

+ assortment S 1151 M

+ assortment S 1151 A

158

158

420

420


225


225


15.8

15.8

- ✓ Great stability even if only one side is opened







Optional accessories





TOOL CHESTS

GEDORE ///

1410 L

- ▼ With three large and three small drawers and carrying tray
 ▼ All drawers fully extendable on runners

- Made from sturdy sheet steel, fitted with central lock
 Particularly suitable for tool assortments S 1002 M and S 1005 A
- ✓ In GEDORIT blue, drawers GEDORIT silver
 ✓ Dimensions: H 364 x W 663 x D 308 mm
- Delivery without tools





TOOL CHEST

- All drawers fully extendable on runners
- ▼ Made from sturdy sheet steel, fitted with central lock
- ▼ Particularly suitable for tool assortments S 1002 M and S 1005 A
- ✓ In GEDORIT blue, drawers GEDORIT silver
 ✓ Dimensions: H 298 x W 610 x D 265 mm







Code	No.	Н	W	D	454	
6615700	1420 L	298	610	265	20.0	

Optional accessories



Code 6614300


S 1002 M







S 1005 A





77

TOOL BOXES

1072 ES

TOOL MODULE EMPTY

- **▼** For tool modules 1500 ES
- ${f r}$ May be individually equipped with two or three tool modules
- Foam rubber firmly glued to lid
 Suitable as spare part in tool chest 1433 L
 Sturdy sheet steel, in GEDORIT blue
- ✓ Dimensions: W 478 x D 313 x H 70 mm
 ✓ Delivery without tools





Code	No.	W	D	Н	∆ _{kg} ∆	
6602990	1072 ES-1500 L	480	330	70	3.3	

1072 K

- Sturdy sheet steel, in GEDORIT blueWith deep-drawn plastic insert with
- 19 compartments

 ✓ Fits into tool chest 1433 L
- ▼ Dimensions: W 480 x D 330 x H 70 mm
- ✓ (III. similar)



Code	No.	W	D	Н	4 _{kg} 4	
1920049	1072 K-19	480	330	70	3.6	

1370 Z

- TOOL BOX
- ✓ In special zinc-plated sheet steel for optimum protection against corrosion
 ✓ The manufacture using pressure-joint technology means great rigidity
 ✓ With removable small-parts compartment ES 1370 Z

- ▼ Fitted with carrying strap E-1370 in nylon fabric with shoulder protector
 ▼ Delivery without tools



Code	No.	Н	W	D	∆ 100 ∆	
1497677	1370 Z	224	554	201.5	5.0	
1497634	ES 1370 Z	69	179	167.0	0.6	
5600300	E-1370				0.1	


www.gedore.com





1440 TOOL BOX JUMBO

- ✓ Sheet steel construction with strong handles (apart from 1440-45, 1440-64)
- ✓ In GEDORIT blue, waterproof
 ✓ Strong joints, handles and stopper to hold the lid open
- Special lining, with document partition and removable tray for small parts ES 1440 (available separately)





No 1440-64

					140. 14	10-70
Code	No.	н	W	D	∆ <u>,</u> ,	
6612440	1440-45	230	450	230	4.0	
6611040	1440-64	230	640	230	7.0	
6616510	1440-70	320	698	387	19.0	
6616780	1440-83	340	841	427	23.0	
6616860	1440-91	440	918	537	32.0	
6616940	1440-100	320	998	387	25.0	
6611120	ES 1440-64				1.0	
6616000	ES 1440-70				1.8	
6616190	ES 1440-83				2.1	
6616270	ES 1440-91				2.4	
6616350	ES 1440-100				2.0	

Optional accessories

S 1006 M







63

No. 1440-64

No. 1440-70



1440 Z

- TOOL BOX JUMBO zinc-plated

 In special zinc-plated sheet steel for the heavy everyday-use
 Optimum corrosion protection, spray water protected
 Manufactured in pressure jointing technique, guarantees highest sturdiness
 Robust metal fittings and protected hinges
 Stopper to hold the lid open
 Wide carrying handles
 Max. loading 150 kg
 Lockable through padlock

- ✓ Lockable through padlock
 ✓ Lined interior





Code	No.	Н	W	D	4	
6628280	1440 Z-70	320	698	387	17.0	
6628360	1440 Z-83	340	841	427	21.0	
6629170	1440 Z-91	440	918	537	30.0	
6629250	1440 Z-100	320	998	387	22.0	

TRANSPORT FRAME zinc-plated

- In special zinc-plated sheet steel

 ✓ Makes the tool boxes JUMBO 1440 / 1440 Z mobile

 ✓ With 4 castors, 2 of them with brake
- ▼ Delivery dismantled, for self-assembly



Code	No.	н	w	D	∆ _{kg} ∆	
1497766	1441 Z-70	135	697	386	4.9	
1497774	1441 Z-83	135	840	426	5.4	
1497782	1441 Z-91	135	917	536	6.0	
1497790	1441 Z-100	135	997	386	5.8	



TOOL CASES / ROLLER TOOL CASES

GEDORE ///

1014 L - 1015 L

ROLLER TOOL CASE

- ▼ Optionable available in silver (no. 1014 L) or black (no. 1015 L)
- Ax telescopic grip extending max. length: 1 metre
 Widely spaced wheels and large ball-bearing-mounted smooth-running wheels ensure the case can be pushed or pulled without tipping
 Frame made from aluminium profiles, body from tough, impact-resistant ABS
 When open, the case lid hinges lock in place to prevent unintentional closing

- when open, the case it a hinges lock in place to prevent unintentional closing
 Document partition in the lid
 The case body can be individually compartmentalised with lengthwise and crosswise dividers
 Equipped with push-fit compartments and the GEDORE "Cliptool system", enabling individualised arrangement of the tool holders

- ▼ Lockable with two tilt cylinder locks ▼ Internal dimensions: 470 x 210 x 360 mm
- ▼ Carrying capacity: 40 kg
- ▼ Tools not supplied







Code	No.	Colour	W	D	н	$\Delta_{k_0}^+\Delta$	
1946315	1014 L	silver	470	360	210	6.8	
1946323	1015 L	black	470	360	210	6.8	

Optional accessories



1016 L - 1018 L

TOOL CASE

- Frame made from aluminium profiles, body from tough, impact-resistant ABS

- When open, the case lid hinges lock in place to prevent unintentional closing
 Document partition in the lid
 The case body can be individually compartmentalised with lengthwise and crosswise dividers
 Equipped with push-fit compartments and the GEDORE "Cliptool system", enabling individualised arrangement of the tool holders
- ▼ Lockable with two tilt cylinder locks
- ▼ Ground slides ensure tilt-secure standing, and also protect sensitive surfaces
- ✓ Internal dimensions No. 1016 L: 460 x 165 x 310 mm
 ✓ Internal dimensions No. 1018 L: 470 x 180 x 360 mm
- ▼ Carrying capacity: 30 kg



